

**MANAGEMENT REGULATIONS FOR THE
ENVIRONMENT-RELATED SUBSTANCES TO BE
CONTROLLED WHICH ARE INCLUDED IN
PARTS AND MATERIALS**

SS-00259 for General Use, Thirteenth Edition

SONY

Terms of Use:

Copyright and all intellectual property rights in the content of this document are vested in Sony Corporation and reserved, unless otherwise indicated.

This document is the Sony Technical Standard, SS-00259 for General Use, Thirteenth Edition.

Copyright 2014 Sony Corp.

ALL RIGHTS RESERVED

No part of this document may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording or by any information storage and retrieval system, without the prior written permission of Sony Corporation.

CONTENTS

| | |
|--|----|
| 1. PURPOSE..... | 1 |
| 2. SCOPE..... | 1 |
| 2.1 Scope applicable to parts and materials..... | 1 |
| 2.2 Scope applicable to products..... | 1 |
| 3. TERMS AND DEFINITIONS | 2 |
| 4. MANAGEMENT STANDARDS FOR "ENVIRONMENT-RELATED SUBSTANCES TO BE CONTROLLED"..... | 3 |
| 4.1 "Environment-related Substances to be Controlled ('Controlled Substances')" | 3 |
| 4.2 Additional rules for packaging components and materials | 20 |
| 4.3 Additional rules for batteries (Applicable to all batteries in commercial distribution)..... | 24 |
| 5. REPLACEMENT OF CHEMICAL SUBSTANCES CONTAINED IN PARTS OF SPECIFIC PRODUCT CATEGORIES | 25 |
| APPENDIX | 26 |

1. PURPOSE

With regard to the "Environment-related Substances to be Controlled ('Controlled Substances')" contained in the parts and devices employed in Sony electronics products, this Standard clarifies (1) banned substances, (2) substances to be phased out, and (3) exempted substances and their uses, in order to realize the following aims and objectives:

- 1) To prevent the above-mentioned substances from being used for Sony electronics products;
- 2) To comply with related laws and regulations;
- 3) To reduce the influence of the above substances upon the ecosystem; and
- 4) To contribute to the preservation of the global environment.

2. SCOPE

2.1 Scope applicable to parts and materials

Targets are the parts, materials, and other articles that are procured by the Sony group, or by third parties to which the Sony group outsources the design and manufacture of its electronics products.

The targets need to satisfy the criteria/threshold levels specified in this Standard.

Target parts and materials:

- Semi-finished products (e.g. modules, functional units, board assemblies, and other assembly parts)
- Parts (electrical parts, mechanical parts, semiconductor devices, PWBs, recording media, and packaging components and materials)
- Screws
- Accessories (mice, remote commanders, AC adaptors, and other accessories with which you can use products)
- Materials constituting subsidiary parts and materials (e.g. adhesives, adhesive tapes, soldering materials, etc.) used for products
- Printed materials (e.g. instruction manuals, warranty cards, additional product/parts information)
- Repair parts (The application of some repair parts for products on the market shall be followed the instructions on the separately issued notice)
- Packaging components and materials that parts suppliers use for delivery and protection (See Section 4.2.1 "Definition of packaging components and materials" for details.)
- Batteries

2.2 Scope applicable to products

- 1) Sony electronics products that are designed and manufactured by the Sony group for sale, loan, or distribution
- 2) Sony electronics products being sold and loaned or distributed with the Sony group's logos on them, whose design and/or manufacture are outsourced to third parties
- 3) Third parties' electronics products whose design and/or manufacture are outsourced to the Sony group (except when the parts and materials are specified by the third parties)

Regarding the use of substances prohibited or restricted by regional or country laws and ordinances, the laws and ordinances must be observed and followed even though the substances and their uses are not clearly regulated in this Standard.

3. TERMS AND DEFINITIONS

In this Standard, terms are defined in the following manners:

- 1) "Environment-related Substances to be Controlled ('Controlled Substances')"

Among the substances contained in parts and devices, "Environment-related Substances to be Controlled ('Controlled Substances')" are those which, according to Sony's judgment, have significant environmental impact on both humans and the global environment
- 2) Management Levels

To manage the above-mentioned substances, the following Levels and Exemption are used:

 - a) Level 1
The substances and their applications classified into this Level are those that are banned for the use in parts and materials.
 - b) Level 2
On the date set in each table, the substances and their applications in the respective tables shall be reclassified into Level 1.
 - c) Level 3
Considering possibility of phase-out in the future (i.e. reclassification into Level 2), technical investigations on substances and their applications are conducted.
 - d) Exemption
Not subject to Level 1, Level 2 and Level 3 because of reasons also being reflected by exemptions from laws. Technical investigations and monitoring of substances and their applications are conducted as necessary.
- 3) Contained

"Contained" means that a substance remains in parts, devices, or their materials because of addition, filling, blending, or adhesion, whether intended or not. When a substance is unintentionally contained in, or added to a product in a processing process, this situation is also regarded as "Contained."
- 4) Intentionally added

"Intentionally added" means a situation where a substance is contained in the part, device, or its materials because of deliberate addition, filling, blending, or adhesion, in order to provide a specific characteristic, appearance, property, attribute or quality.

Notes: * A substance that satisfies either or both of the following conditions is treated as impurity and not "Intentionally added":

 - a) One contained in a natural material, which cannot be completely removed in a refining process by adequate technical means (i.e. natural impurities); and
 - b) One generated in a synthesis process, which cannot be completely removed by adequate technical means.

* There are substances called "impurities," the name of which is used to distinguish them from main materials. If they are used for the purpose of changing the characteristics of a material such as alloy and plastic, they are treated as "Intentionally added."

* Dopants (Doping Agents) for production of semiconductor devices, etc. are not treated as "Intentionally added" if present in the devices in a very small amount.
- 5) Target

"Target" is an object or element (e.g. parts, materials, applications or processing) that might trigger further obligations depending on the defined "management level."
- 6) Criteria/threshold level

"Criteria/threshold level" is a condition or a numerical value. The use of a controlled substance is prohibited (level 1) or will be prohibited in the future (Level 2 & 3) if

 - a) that controlled substance fulfills the condition or
 - b) the concentration of the controlled substance matches or exceeds the specified numerical value

Notes: * When criteria such as 'Intentionally added' and a numerical value are shown in 'Criteria/threshold levels', both of them shall be satisfied.
- 7) Effective date of the ban on the delivery

This indicates the date on or after which Sony won't accept the parts and/or materials specified in the corresponding columns of Table 4.2.
- 8) Plastics defined in this Standard

Plastics refer to materials and raw materials composed of synthetic high-molecular polymers in this Standard. More specifically, "plastics" mainly mean the following articles composed of synthetic high-molecular polymers: resins, films, adhesives, adhesive tapes, molded products, products made of synthetic rubber, and plastics made from raw materials of plant origin.

Note: * When a natural resin is synthesized with any one of the above articles, the synthetic substance is a plastic.

4. MANAGEMENT STANDARDS FOR "ENVIRONMENT-RELATED SUBSTANCES TO BE CONTROLLED"

4.1 "Environment-related Substances to be Controlled ('Controlled Substances')"

The table below lists the "Environment-related Substances to be Controlled ('Controlled Substances')," defined in this Standard.

Table 4.1 List of "Environment-related Substances to be Controlled ('Controlled Substances')"

| Substances | Page |
|---|------|
| Cadmium and cadmium compounds | 5 |
| Lead and lead compounds | 6 |
| Mercury and mercury compounds | 7 |
| Hexavalent chromium compounds | 7 |
| Polybrominated biphenyls (PBB) | 8 |
| Polybrominated diphenylethers (PBDE) (including decabromodiphenyl ether [DecaBDE]) | 8 |
| Hexabromocyclododecane (HBCDD) | 8 |
| Other brominated organic compounds | 8 |
| Polychlorinated biphenyls (PCB) | 9 |
| Polychlorinated naphthalenes (PCN) | 9 |
| Polychlorinated terphenyls (PCT) | 9 |
| Short-chain chlorinated paraffins (SCCP) | 9 |
| Tris(2-chloroethyl) phosphate (TCEP), Tris(2-chloro-1-methylethyl) phosphate (TCPP), Tris(1,3-dichloro-2-propyl) phosphate (TDCPP) | 9 |
| Perchlorates | 9 |
| Polyvinyl chloride (PVC) and PVC blends | 10 |
| Other chlorinated organic compounds | 10 |
| Hydrofluorocarbon (HFC), Perfluorocarbon (PFC), Sulfur hexafluoride (SF ₆) | 11 |
| Ozone depleting substances (ODS) | 11 |
| Perfluorooctane sulfonates (PFOS) | 12 |
| Perfluorooctanoic acid (PFOA) and individual salts and esters of PFOA | 12 |
| Trisubstituted organotin compounds (including tributyltin (TBT) compounds and triphenyltin (TPT) compounds) | 13 |
| Dibutyltin (DBT) compounds | 13 |
| Dioctyltin (DOT) compounds | 13 |
| Beryllium oxide | 14 |
| Beryllium copper | 14 |
| Cobalt dichloride | 14 |
| Diarsenic trioxide, Diarsenic pentaoxide | 14 |
| Bis (2-ethylhexyl)phthalate, Dibutyl phthalate, Benzyl butyl phthalate, Diisobutyl phthalate | 15 |
| Di-isonyl phthalate, Di-isodecyl phthalate, Di-n-octyl phthalate, Di-n-hexyl phthalate, "1,2-Benzene dicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich", "1,2-Benzene dicarboxylic acid, di-C7-11-branched and linear alkyl esters", Bis(2-methoxyethyl) phthalate, Diisopentylphthalate, "1,2-Benzene dicarboxylic acid, dipentylester, branched and linear", N-pentyl-isopentylphthalate, Dipentyl phthalate | 16 |
| Asbestos | 16 |
| Specific azo compounds | 17 |
| Formaldehyde | 18 |
| Specific benzotriazole | 18 |

| | |
|---|----|
| Dimethyl fumarate (DMF) | 18 |
| Polycyclic aromatic hydrocarbons (PAHs) | 18 |
| Boric acid, specific sodium borates | 19 |
| 4-(1,1,3,3-tetramethylbutyl) phenol | 19 |
| Bis(2-methoxyethyl) ether | 19 |
| N,N-dimethylacetamide (DMAC) | 19 |
| Ethylene glycol dimethyl ether (EGDME) | 19 |
| Trixylyl phosphate (TXP) | 19 |

Table 4.2 Main "Targets" and "Effective date of the ban on the delivery" regarding 'Controlled Substances'

| Substances: Cadmium and cadmium compounds | | | |
|--|--|---|---|
| Targets | | Criteria/threshold levels | Effective date of the ban on the delivery |
| Level 1 | - Plastics (including rubbers) - Paints - Inks Note: Insulation of wires, cables and cords are defined as plastics (including rubbers). | - 100 ppm (or 0.01 wt%) or more of the cadmium in homogeneous materials (*) | Banned |
| | - Solders | - More than 20 ppm (or 0.002 wt%) of the cadmium in solder | |
| | - All applications other than the above (See 4.2 Additional rules for packaging components and materials. See 4.3 Additional rules for batteries.) | - 100 ppm (or 0.01 wt%) or more of the cadmium in homogeneous materials | |
| Level 2 | - Cadmium in colour converting II-VI LEDs (< 10 µg Cd per mm ² of light-emitting area) for use in display systems, except the cases where cadmium is contained in a concentration ≥ 100 ppm in the following designated plastics: Designated plastics: polymers or copolymers of vinyl chloride (PVC), polyurethane (PUR), "low-density polyethylene (LDPE), with the exception of low-density polyethylene used for the production of coloured masterbatch", cellulose acetate (CA), cellulose acetate butyrate (CAB), epoxy resins , melamine-formaldehyde (MF) resins, urea-formaldehyde (UF) resins, unsaturated polyesters (UP), polyethylene terephthalate (PET), polybutylene terephthalate (PBT), transparent/general-purpose polystyrene, acrylonitrile methylmethacrylate (AMMA), crosslinked polyethylene (VPE), high-impact polystyrene, polypropylene (PP) Note: Level 1 applies to the cases where cadmium is contained in a concentration ≥ 100 ppm in the above designated plastics | July 1, 2014 | |
| Exemption | - Cadmium and its compounds in electrical contacts Note: applicable to platings used for electrical contacts that require high reliability and have no alternative materials - Cadmium in filter glasses | N/A | |
| (*) Plastics (including rubbers), paints, and inks are required to be tested in accordance with the following standards. | | | |
| Standards for measurement | | | |
| 1) | Sample preparation Typical sample preparation methods: e.g. IEC 62321-5:2013, EPA 3052:1996 (1) Closed system for acid decomposition method (e.g. microwave decomposition method) (2) Acid digestion method (3) Dry ashing method Note: Precipitates must be completely dissolved by some technical means (e.g. alkali fusion). Any extraction methods (including EN71-3:1994, ASTM F 963-96a, ASTM F 963-03, ASTM D 5517, and ISO 8124-3:1997) shall not be applied. | | |
| 2) | Measurement methods Typical measurement methods: e.g. IEC 62321-5:2013 (1) Inductively Coupled Plasma-Optical (Atomic) Emission Spectrometry (ICP-OES [ICP-AES]) (2) Atomic Absorption Spectrometry (AAS) (3) Atomic Fluorescence Spectrometry (AFS) (4) Inductively Coupled Plasma-Mass Spectrometry (ICP-MS) Note: If a combination of a sample preparation method and a measurement method can ensure that the limit of quantification for cadmium is less than 5 ppm, the combination is applicable. | | |

| Substances: Lead and lead compounds | | | | | | | |
|---|--|--|---|--|--|--|--|
| | Targets | Criteria/threshold levels | Effective date of the ban on the delivery | | | | |
| Level 1 | <ul style="list-style-type: none"> - Plastics (including rubbers) - Paints - Inks <p>Note: Insulation of wires, cables and cords are defined as plastics (including rubbers).</p> | <ul style="list-style-type: none"> - More than 100 ppm (or 0.01 wt%) of the lead in homogeneous materials (*) | Banned | | | | |
| | <ul style="list-style-type: none"> - All applications other than the above (See 4.2 Additional rules for packaging components and materials. See 4.3 Additional rules for batteries.) | <ul style="list-style-type: none"> - 1000 ppm (or 0.1 wt%) or more of the lead in homogeneous materials | | | | | |
| Exemption | <ul style="list-style-type: none"> - Lead in glass of cathode ray tubes - Lead in glass of fluorescent tubes not exceeding 0.2% by weight - Lead as an alloying element in steel for machining purposes and in galvanised steel containing up to 0.35% lead by weight - Lead as an alloying element in aluminium containing up to 0.4% lead by weight - Copper alloy containing up to 4% lead by weight - Lead in high melting temperature type solders (i.e. lead based alloys containing 85 wt% by weight or more lead) - Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound - Lead in dielectric ceramic in capacitors for a rated voltage of 125 V AC or 250 V DC or higher - Lead in PZT based dielectric ceramic materials for capacitors which are part of integrated circuits or discrete semiconductors - Lead in white glasses used for optical applications - Lead in filter glasses - Lead in solder to complete a viable electrical connection between semiconductor die and carrier within integrated circuit flip chip packages <p>Note: The item covers solder pastes used under C4 (Controlled Collapse Chip Connection) bumps.</p> <ul style="list-style-type: none"> - Lead in cermet-based trimmer potentiometer elements | N/A | | | | | |
| (*) Plastics (including rubbers), paints, and inks are required to be tested in accordance with the following standards | | | | | | | |
| Standards for measurement | | | | | | | |
| 1) Sample preparation | <p>Typical sample preparation methods: e.g. IEC 62321-5:2013, EPA 3052:1996</p> <ul style="list-style-type: none"> (1) Closed system for acid decomposition method (e.g. microwave decomposition method) (2) Acid digestion method (3) Dry ashing method <p>Note: Precipitates must be completely dissolved by some technical means (e.g. alkali fusion). Any extraction methods (including EN71-3:1994, ASTM F 963-96a, ASTM F 963-03, ASTM D 5517, and ISO 8124-3:1997) shall not be applied. Additionally, EN1122:2001 is not applicable for lead.</p> | | | | | | |
| 2) Measurement methods | <p>Typical measurement methods: e.g. IEC 62321-5:2013</p> <ul style="list-style-type: none"> (1) Inductively Coupled Plasma-Optical (Atomic) Emission Spectrometry (ICP-OES [ICP-AES]) (2) Atomic Absorption Spectrometry (AAS) (3) Atomic Fluorescence Spectrometry (AFS) (4) Inductively Coupled Plasma-Mass Spectrometry (ICP-MS) <p>Note: If a combination of a sample preparation method and a measurement method can ensure that the limit of quantification for lead is less than 30 ppm, the combination is applicable.</p> | | | | | | |

* Table 4.2a "Allowable lead concentrations" is deleted since its content was incorporated into Exemption.

| Substances: Mercury and mercury compounds | | | |
|---|---|--|---|
| Targets | | Criteria/threshold levels (*) | Effective date of the ban on the delivery |
| Level 1 | - All applications (See 4.2 Additional rules for packaging components and materials. See 4.3 Additional rules for batteries.) | - Intentionally added - 1000 ppm (or 0.1 wt%) or more of the mercury in the homogeneous materials | Banned |
| Exemption | - Mercury in cold cathode fluorescent lamps (CCFL) and external electrode fluorescent lamps (EEFL): Short length (not over 500 mm): Not exceeding 3.5 mg of mercury per lamp Medium length (over 500 mm and not over 1500 mm): Not exceeding 5 mg of mercury per lamp Long length (over 1500 mm): Not exceeding 10 mg of mercury per lamp - Mercury in high-pressure gas discharge lamps (e.g. projector lamps) | N/A | |

* When "Intentionally added" and a numerical value are shown in "Criteria/threshold levels", both of them shall be satisfied.

| Substances: Hexavalent chromium compounds | | | |
|---|---|--|---|
| Targets | | Criteria/threshold levels (*) | Effective date of the ban on the delivery |
| Level 1 | - Surfaces of screws, steel sheets, etc. that are processed with plating or conversion coating | - Residue on the processed surface (**) | Banned |
| | - All applications other than the above (See 4.2 Additional rules for packaging components and materials.) | - Intentionally added - 1000 ppm (or 0.1 wt%) or more of the hexavalent chromium in the homogeneous materials | |

* When "Intentionally added" and a numerical value are shown in "Criteria/threshold levels", both of them shall be satisfied.

** Residue on the processed surface is banned in Level 1. Not applicable to hexavalent chromium compounds for surface processing.

| Substances: Polybrominated biphenyls (PBB) | | | |
|--|------------|---|---|
| Targets | | Criteria/threshold levels (*) | Effective date of the ban on the delivery |
| Level 1 | - All uses | - Intentionally added - 1000 ppm (or 0.1 wt%) or more in the homogeneous materials | Banned |

* When "Intentionally added" and a numerical value are shown in "Criteria/threshold levels", both of them shall be satisfied.

| Substances: Polybrominated diphenylethers (PBDE) (including decabromodiphenyl ether [DecaBDE]) | | | |
|--|------------|---|---|
| Targets | | Criteria/threshold levels (*) | Effective date of the ban on the delivery |
| Level 1 | - All uses | - Intentionally added - 1000 ppm (or 0.1 wt%) or more in the homogeneous materials | Banned |

* When "Intentionally added" and a numerical value are shown in "Criteria/threshold levels", both of them shall be satisfied.

| Substances: Hexabromocyclododecane (HBCDD) | | | |
|--|------------|--|---|
| CAS No. 25637-99-4, 3194-55-6, 134237-50-6, 134237-51-7, 134237-52-8, 4736-49-6, 65701-47-5, 138257-17-7, 138257-18-8, 138257-19-9, 169102-57-2, 678970-15-5, 678970-16-6, 678970-17-7 | | | |
| Targets | | Criteria/threshold levels | Effective date of the ban on the delivery |
| Level 1 | - All uses | - Intentionaly added - More than 1000 ppm (or 0.1 wt%) in the parts | Banned |

* When "Intentionally added" and a numerical value are shown in "Criteria/threshold levels", both of them shall be satisfied.

| Substances: Other brominated organic compounds | | | |
|--|--|---|---|
| Targets | | Criteria/threshold levels | Effective date of the ban on the delivery |
| Level 3 | - Flame retardants used for printed wiring board laminate | - More than 900 ppm (0.09%) bromine content by weight in the laminate | N/A |
| | - Flame retardants or plasticizers contained in plastic parts other than the above | - Intentionally added | N/A |

| Substances: Polychlorinated biphenyls (PCB) | | | |
|---|------------|---|---|
| Targets | | Criteria/threshold levels | Effective date of the ban on the delivery |
| Level 1 | - All uses | - Intentionally added - 50 ppm (or 0.005 wt%) or more of the materials | Banned |

* When "Intentionally added" and a numerical value are shown in "Criteria/threshold levels", both of them shall be satisfied.

| Substances: Polychlorinated naphthalenes (PCN) | | | |
|--|------------|---------------------------|---|
| Targets | | Criteria/threshold levels | Effective date of the ban on the delivery |
| Level 1 | - All uses | - Intentionally added | Banned |

| Substances: Polychlorinated terphenyls (PCT) | | | |
|--|------------|--|---|
| Targets | | Criteria/threshold levels | Effective date of the ban on the delivery |
| Level 1 | - All uses | - 50 ppm (or 0.005 wt%) or more of the materials | Banned |

| Substances: Short-chain chlorinated paraffins (SCCP) | | | |
|--|------------|---|---|
| Short-chain chlorinated paraffins with carbon chain lengths of 10-13 | | | |
| Targets | | Criteria/threshold levels | Effective date of the ban on the delivery |
| Level 1 | - All uses | - Intentionally added - More than 1000 ppm (or 0.1 wt%) of the materials | Banned |

* When "Intentionally added" and a numerical value are shown in "Criteria/threshold levels", both of them shall be satisfied.

| Substances: Tris(2-chloroethyl) phosphate (TCEP), Tris(2-chloro-1-methylethyl) phosphate (TCPP), Tris(1,3-dichloro-2-propyl) phosphate (TDCPP) | | | |
|--|--|--|---|
| CAS No. 115-96-8, 13674-84-5, 13674-87-8 | | | |
| Targets | | Criteria/threshold levels | Effective date of the ban on the delivery |
| Level 1 | - Flame retardants used in plastics, resins, fabrics, and textiles | - More than 1000 ppm (or 0.1 wt%) of the parts | April 1, 2014 |

| Substances: Perchlorates | | | |
|--------------------------|------------|---|---|
| Targets | | Criteria/threshold levels | Effective date of the ban on the delivery |
| Level 3 | - All uses | - 6 ppb (or 0.006 ppm) or more of the parts | N/A |

| Substances: Polyvinyl chloride (PVC) and PVC blends | | | |
|---|---|---|---|
| | Targets | Criteria/threshold levels | Effective date of the ban on the delivery |
| Level 1 | <ul style="list-style-type: none"> - Substrates for FelCa contactless IC cards - Fabrics and coating agents used for carrying bags, carrying cases, and carrying pouches for the following products (excluding those for professional use): <ul style="list-style-type: none"> Personal computers, digital cameras, video camcorders, and portable audio products - Cable ties used for accessories and connecting cords - Packaging components and materials to protect, contain, or transport products or supplied accessories (e.g. bags, adhesive tapes, cartons, and blister packs) <p>Note that packaging components or materials for devices, semiconductors, and any other components (e.g. trays, magazine sticks, stoppers, reels, embossed carrier tapes) are excluded</p> <ul style="list-style-type: none"> - Heat shrink tubes (note that such used for batteries are Level 3) - Flexible flat cables (FFC) - Insulating plates, decorative panels, labels (note that such used for batteries are Level 3) - Sheets, and laminates (including sheets and laminates used for exterior of wooden speakers) - Suction cups for mounting in-vehicle products | <ul style="list-style-type: none"> - Intentionally added | Banned |
| Level 3 | - All applications other than Level 1 | <ul style="list-style-type: none"> - Intentionally added | N/A |
| Exemption | - Binder for resins used for paints, inks, coating agents, adhesives etc. | | N/A |

| Substances: Other chlorinated organic compounds | | | |
|---|---|---|---|
| | Targets | Criteria/threshold levels | Effective date of the ban on the delivery |
| Level 3 | <ul style="list-style-type: none"> - Flame retardants used for printed wiring board laminate - Flame retardants or plasticizers contained in plastic parts other than the above | <ul style="list-style-type: none"> - More than 900 ppm (0.09%) chlorine content by weight in the laminate - Intentionally added | N/A N/A |

| Substances: Hydrofluorocarbon (HFC), Perfluorocarbon (PFC), Sulfur hexafluoride (SF ₆) | | | |
|--|---|---------------------------|---|
| Targets | | Criteria/threshold levels | Effective date of the ban on the delivery |
| Level 1 | - Uses installed into product (e.g. refrigerant and insulation) | - Intentionally added | Banned |
| Exemption | - Sulfur hexafluoride installed into surge absorber in power unit for projector | | N/A |

| Substances: Ozone depleting substances (ODS) | | | |
|--|---|---|---|
| ODS in Table 4.2d | | | |
| Targets | | Criteria/threshold levels | Effective date of the ban on the delivery |
| Level 1 | - Uses for refrigerant, insulation and other products | - Intentionally added | Banned |
| | - All uses | - Treatments such as cleaning and foaming | |

Table 4.2d List of ozone depleting substances (ODS)

| CAS No. | Name |
|------------|--|
| 75-69-4 | CFC-11; trichlorofluoromethane |
| 75-71-8 | CFC-12; dichlorofluoromethane |
| 76-13-1 | CFC-113; trichlorofluoroethane |
| 76-14-2 | CFC-114; dichlorotetrafluoroethane |
| 76-15-3 | CFC-115; chloropentafluoroethane |
| 353-59-3 | Halon-1211; bromochlorodifluoromethane |
| 75-63-8 | Halon-1301; bromotrifluoromethane |
| 124-73-2 | Halon-2402; dibromotetrafluoroethane |
| 75-72-9 | CFC-13; chlorotrifluoromethane |
| 354-56-3 | CFC-111; pentachlorofluoroethane |
| 76-12-0 | CFC-112; tetrachlorodifluoroethane |
| 422-78-6 | CFC-211; heptachlorofluoropropane |
| 3182-26-1 | CFC-212; hexachlorodifluoropropane |
| 2354-06-5 | CFC-213; pentachlorotrifluoropropane |
| 29255-31-0 | CFC-214; tetrachlorotetrafluoropropane |
| 4259-43-2 | CFC-215; trichloropentafluoropropane |
| 661-97-2 | CFC-216; dichlorohexafluoropropane |
| 422-86-6 | CFC-217; chloroheptafluoropropane |
| 56-23-5 | Carbon tetrachloride; tetrachloromethane |
| 71-55-6 | 1,1,1-Trichloroethane; methyl chloroform |

| Substances: Perfluorooctane sulfonates (PFOS) | | | |
|---|---|---------------------------|---|
| Targets | | Criteria/threshold levels | Effective date of the ban on the delivery |
| Level 1 | - All uses | - Intentionally added | Banned |
| Exemption | - Photographic films for professional use - Resists for semiconductors | | N/A |

| Substances: Perfluorooctanoic acid (PFOA) and individual salts and esters of PFOA | | | |
|---|--|--|---|
| CAS No. 335-67-1, 3825-26-1, 335-95-5, 2395-00-8, 335-93-3, 335-66-0, 376-27-2, 3108-24-5 | | | |
| Targets | | Criteria/threshold levels | Effective date of the ban on the delivery |
| Level 1 | - Coatings applied to textiles, leathers and fabrics | - More than 1 µg/m ² of the coated material | April 1, 2014 |
| | - All applications other than above and Level 2 | - More than 1000 ppm (or 0.1 wt%) of the parts | April 1, 2014 |
| Level 2 | - Photographic coatings applied to films, papers, or printing plates | - More than 1 µg/m ² of the coated material | July 1, 2015 |
| | - Additives for adhesives, foil or tape in semiconductor | - More than 1000 ppm (or 0.1 wt%) of the parts | July 1, 2015 |

| <p style="text-align: center;">Substances: Trisubstituted organotin compounds (including tributyltin (TBT) compounds and triphenyltin (TPT) compounds)</p> <p>Metal tin, tin alloys, tin plating and tin inorganic compounds do not fall under this category.</p> | | | |
|--|------------|--|---|
| Targets | | Criteria/threshold levels (*) | Effective date of the ban on the delivery |
| Level 1 | - All uses | <ul style="list-style-type: none"> - Intentionally added - More than 1000 ppm (or 0.1 wt%) of the tin contained in materials | Banned |

* When "Intentionally added" and a numerical value are shown in "Criteria/threshold levels", both of them shall be satisfied.

| <p style="text-align: center;">Substances: Dibutyltin (DBT) compounds</p> <p>Metal tin, tin alloys, tin plating and tin inorganic compounds do not fall under this category.</p> | | | |
|---|---|---|---|
| Targets | | Criteria/threshold levels | Effective date of the ban on the delivery |
| Level 1 | - All applications including additives of plastics (except Level 2 below) | <ul style="list-style-type: none"> - More than 1000 ppm (or 0.1 wt%) of the tin contained in materials | Banned |
| Level 2 | <ul style="list-style-type: none"> - One-component and two-component room temperature vulcanisation sealants (RTV-1 and RTV-2 sealants) - One-component and two-component room temperature vulcanisation adhesives (RTV-1 and RTV-2 adhesives) - Catalysts for paints or coating agents - Stabilizers in PVC used for coating of fabrics intended for outdoor applications - Additives of soft polyvinyl chloride (PVC) profiles whether by themselves or coextruded with hard PVC | <ul style="list-style-type: none"> - More than 1000 ppm (or 0.1 wt%) of the tin contained in materials | July 1, 2014 |
| Exemption | <ul style="list-style-type: none"> - Additives of reused packaging components and materials for parts and devices - Additives of packaging components or materials for devices, semiconductors, and any other components (e.g. trays, magazine sticks, stoppers, reels, embossed carrier tapes) | N/A | |

| <p style="text-align: center;">Substances: Dioctyltin (DOT) compounds</p> <p>Metal tin, tin alloys, tin plating and tin inorganic compounds do not fall under this category.</p> | | | |
|---|-------------------------|---|---|
| Targets | | Criteria/threshold levels | Effective date of the ban on the delivery |
| Level 1 | - Additives of textiles | <ul style="list-style-type: none"> - More than 1000 ppm (or 0.1 wt%) of the tin contained in materials | Banned |

| Substances: Beryllium oxide | | | |
|-----------------------------|------------|---------------------------|---|
| Targets | | Criteria/threshold levels | Effective date of the ban on the delivery |
| Level 1 | - All uses | - Intentionally added | Banned |

| Substances: Beryllium copper | | | |
|------------------------------|------------|---------------------------|---|
| Targets | | Criteria/threshold levels | Effective date of the ban on the delivery |
| Level 3 | - All uses | - Intentionally added | N/A |

| Substances: Cobalt dichloride | | | |
|-------------------------------|--|---------------------------|---|
| Targets | | Criteria/threshold levels | Effective date of the ban on the delivery |
| Level 1 | - Moisture indicator used for a desiccant agent (e.g. silica gel) - Humidity indicator card which is impregnated with cobalt dichloride | - Intentionally added | Banned |

| Substances: Diarsenic trioxide, Diarsenic pentaoxide | | | |
|--|---|--|---|
| The target substances are as follows: CAS No. 1327-53-3, 1303-28-2. The following threshold level for each substance shall be applied. | | | |
| Targets | | Criteria/threshold levels | Effective date of the ban on the delivery |
| Level 2 | - Antifoam agents or fining agents for LCD panels (including cover glasses, touchscreens, and backlights) | - More than 1000 ppm (or 0.1 wt%) of the parts | July 1, 2014 |

| <p style="text-align: center;">Substances: Bis (2-ethylhexyl)phthalate, Dibutyl phthalate, Benzyl butyl phthalate, Diisobutyl phthalate</p> <p>The target substances are as follows: CAS No. 117-81-7, 84-74-2, 85-68-7, 84-69-5 (Refer to Table 4.2c). The following threshold level for each substance shall be applied.</p> | | | |
|--|---|--|---|
| Targets | | Criteria/threshold levels | Effective date of the ban on the delivery |
| Level 2 | <ul style="list-style-type: none"> - Additives of parts and materials for non-EEE (electrical and electronic equipment) <ul style="list-style-type: none"> e.g. carrying bags, carrying cases, carrying pouches, plastic bag, shrink film - Additives of parts and materials that are in prolonged contact with the human skin <ul style="list-style-type: none"> e.g. grip, handle | <ul style="list-style-type: none"> - More than 1000 ppm (or 0.1 wt%) of the materials (*) | July 1, 2014 |
| Level 2 | <ul style="list-style-type: none"> - Additives of the following parts and materials for cables and cords (note that additives for adhesives, paints, ink, or coating agent on these parts are Level 3) <ul style="list-style-type: none"> - external/internal insulation - outer housing of plugs/connector - tape for banding cables and cords | <ul style="list-style-type: none"> - More than 1000 ppm (or 0.1 wt%) of the materials (*) | April 1, 2015 |
| Level 3 | <ul style="list-style-type: none"> - All uses except those specified in Level 2 | <ul style="list-style-type: none"> - More than 1000 ppm (or 0.1 wt%) of the materials (*) | N/A |
| Exemption | <ul style="list-style-type: none"> - Additives of packaging components or materials for devices, semiconductors, and any other components (e.g. trays, magazine sticks, stoppers, reels, embossed carrier tapes) | | N/A |

(*) However unintentional presence of the controlled substance or its unintentional addition within a production process will be accepted. This exceptional measure will be carefully reviewed to reflect the development in relevant laws and regulations.

| | | | |
|---|------------|--|---|
| <p>Substances: Di-isonyl phthalate, Di-isodecyl phthalate, Di-n-octyl phthalate, Di-n-hexyl phthalate, "1,2-Benzene dicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich", "1,2-Benzene dicarboxylic acid, di-C7-11-branched and linear alkyl esters", Bis(2-methoxyethyl) phthalate, Diisopentylphthalate, "1,2-Benzene dicarboxylic acid, dipentylester, branched and linear", N-pentyl-isopentylphthalate, Dipentyl phthalate</p> <p>CAS No. 28553-12-0, 68515-48-0, 26761-40-0, 68515-49-1, 117-84-0, 84-75-3, 71888-89-6, 68515-42-4, 117-82-8, 605-50-5, 84777-06-0, 776297-69-9, 131-18-0 (refer to Table 4.2c). The following threshold level for each substance shall be applied.</p> | | | |
| Targets | | | Effective date of the ban on the delivery |
| Level 3 | - All uses | More than 1000 ppm (or 0.1 wt%) of the parts | N/A |

Table 4.2c List of specific phthalates (phthalic esters)

| Abbreviation | CAS No. | Name |
|--------------|--------------------------|--|
| DEHP | 117-81-7 | Bis (2-ethylhexyl)phthalate; Di (2-ethylhexyl) phthalate |
| DBP | 84-74-2 | Dibutyl phthalate; Di-n-butyl phthalate |
| BBP | 85-68-7 | Benzyl butyl phthalate; Butyl benzyl phthalate |
| DIBP | 84-69-5 | Diisobutyl phthalate; Di-i-butyl phthalate |
| DINP | 28553-12-0 68515-48-0 | Di-isonyl phthalate; Diisononyl phthalate |
| DIDP | 26761-40-0 68515-49-1 | Di-isodecyl phthalate; Diisodecyl phthalate |
| DNOP | 117-84-0 | Di-n-octyl phthalate |
| DNHP | 84-75-3 | Di-n-hexyl phthalate |
| DIHP | 71888-89-6 | 1,2-Benzene dicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich |
| DHNUP | 68515-42-4 | 1,2-Benzene dicarboxylic acid, di-C7-11-branched and linear alkyl esters |
| DMEP | 117-82-8 | Bis(2-methoxyethyl) phthalate |
| DIPP | 605-50-5 | Diisopentylphthalate |
| - | 84777-06-0 | 1,2-Benzene dicarboxylic acid, dipentylester, branched and linear |
| - | 776297-69-9 | N-pentyl-isopentylphthalate |
| DPP | 131-18-0 | Dipentyl phthalate |

| Substances: Asbestos | | | |
|----------------------|------------|---------------------------|---|
| Targets | | Criteria/threshold levels | Effective date of the ban on the delivery |
| Level 1 | - All uses | - Intentionally added | Banned |

| Substances: Specific azo compounds | | | |
|--|--------------------------------------|--|---|
| Azodyes that form any of the amine compounds listed in Table 4.2b through the decomposition methods cited in REACH Regulation (EC) No. 1907/2006 / Annex XVII and amine compounds in Table 4.2b | | | |
| Targets | | Criteria/threshold levels | Effective date of the ban on the delivery |
| Level 1 | - Additives of textiles and leathers | - More than 30 ppm (or 0.003 wt%) in textiles and leathers | Banned |
| Testing methods (for reference) The methods for decomposing azo compounds and then extracting amines are as follows. 1) For textiles: EN 14362-1:2012; EN 14362-2:2012 for 4-aminoazobenzene 2) For leather: EN ISO 17234-1:2010; EN ISO 17234-2:2011 for 4-aminoazobenzene | | | |

Table 4.2b List of specific amine compounds

| CAS No. | Amine compounds |
|----------|--|
| 92-67-1 | 4-aminodiphenyl |
| 92-87-5 | benzidine |
| 95-69-2 | 4-chloro-o-toluidine; 4-chloro-2-methylaniline |
| 91-59-8 | 2-naphthylamine |
| 97-56-3 | o-aminoazotoluene |
| 99-55-8 | 2-amino-4-nitrotoluene; 5-nitro-o-toluidine |
| 106-47-8 | p-chloroaniline |
| 615-05-4 | 2,4-diaminoanisole |
| 101-77-9 | 4,4'-diaminodiphenylmethane; 4,4'-methylenedianiline |
| 91-94-1 | 3,3'-dichlorobenzidine |
| 119-90-4 | 3,3'-dimethoxybenzidine |
| 119-93-7 | 3,3'-dimethylbenzidine |
| 838-88-0 | 3,3'-dimethyl-4,4'-diaminodiphenylmethane; 4,4'-diamino-3,3'-diphenylmethane |
| 120-71-8 | p-cresidine; 6-methoxy-m-toluidine |
| 101-14-4 | 4,4'-methylene-bis-(2-chloroanilene) |
| 101-80-4 | 4,4'-oxideaniline |
| 139-65-1 | 4,4'-thiodianiline; 4,4'-diaminodiphenylsulfide |
| 95-53-4 | o-toluidine |
| 95-80-7 | 2,4-toluylenediamine; 4-methyl-m-phenylenediamine |
| 137-17-7 | 2,4,5-trimethylaniline |
| 90-04-0 | o-anisidine |
| 60-09-3 | 4-aminoazobenzene |

| Substances: Formaldehyde | | | |
|--|---|-------------------------------|---|
| Targets | | Criteria/threshold levels | Effective date of the ban on the delivery |
| Level 1 | - The wooden products made from fiberboard, particleboard, or plywood, which are employed in products (e.g. speakers and racks) | - The details are as follows. | Banned |
| Threshold level (emission content): Obtain the value by any one of the following methods. | | | |
| 1) [With a chamber method] Concentration in the air: Equal to or less than 0.1 ppm (or 0.124 mg/m ³) in an air-tight test chamber whose volume is 12 m ³ , 1 m ³ , or 0.0225 m ³ | | | |
| 2) [With a perforator method] - Equal to or less than 6.5 mg in 100 g of a particleboard without a surface treatment (the average value during six months) - Equal to or less than 7.0 mg in 100 g of a fiberboard without a surface treatment (the average value during six months) - Equal to or less than 8.0 mg in 100 g of a particleboard/fiberboard without a surface treatment (the value derived from the one-time measurement based on EN120) | | | |
| 3) [With a desiccator method] - Average content: 0.5 mg/l or less - Maximum content: 0.7 mg/l or less (Use N=2 to check the average and maximum values.) | | | |
| Testing methods: - A chamber method specified in EN 717-1:2004 - A perforator method specified in EN 120:1992 - A desiccator method specified in JIS A 5905 (Fiberboards) and JIS A 5908 (Particleboards) | | | |

| Substances: Specific benzotriazole | | | |
|---|------------|---------------------------|---|
| 2-(3',5'-Di-tert-butyl-2'-hydroxyphenyl)benzotriazole (CAS No. 3846-71-7) | | | |
| Targets | | Criteria/threshold levels | Effective date of the ban on the delivery |
| Level 1 | - All uses | - Intentionally added | Banned |

| Substances: Dimethyl fumarate (DMF) | | | |
|-------------------------------------|------------|--------------------------------------|---|
| CAS No. 624-49-7 | | | |
| Targets | | Criteria/threshold levels | Effective date of the ban on the delivery |
| Level 1 | - All uses | - More than 0.1 ppm of the materials | Banned |

| Substances: Polycyclic aromatic hydrocarbons (PAH) | | | |
|---|---|---|---|
| CAS No. 50-32-8, 192-97-2, 56-55-3, 218-01-9, 205-99-2, 205-82-3, 207-08-9, 53-70-3 | | | |
| Targets | | Criteria/threshold levels | Effective date of the ban on the delivery |
| Level 2 | - Rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use | - More than 1 ppm (or 0.0001 wt%) of the material | July 1, 2015 |

| Substances: Boric acid, specific sodium borates | | | |
|--|------------|--|---|
| Boric acid, specific sodium borates listed in Table 4.2e | | | |
| Targets | | Criteria/threshold levels | Effective date of the ban on the delivery |
| Level 3 | - All uses | - More than 1000 ppm (or 0.1 wt%) of the parts | N/A |

Table 4.2e List of boric acids and specified sodium borates

| CAS No. | Name | | |
|------------|--|--|--|
| 10043-35-3 | Boric acid | | |
| 11113-50-1 | Boric acid | | |
| 12179-04-3 | Disodium tetraborate, anhydrous; Tetraboron disodium heptaoxide pentahydrate | | |
| 1330-43-4 | Disodium tetraborate, anhydrous; Tetraboron disodium heptaoxide | | |
| 1303-96-4 | Disodium tetraborate, anhydrous; Disodium tetraborate decahydrate; Borax | | |
| 12267-73-1 | Tetraboron disodium heptaoxide, hydrate | | |

| Substances: 4-(1,1,3,3-tetramethylbutyl) phenol | | | |
|---|------------|--|---|
| Synonym: 4-tert-Octylphenol, CAS No. 140-66-9 | | | |
| Targets | | Criteria/threshold levels | Effective date of the ban on the delivery |
| Level 3 | - All uses | - More than 1000 ppm (or 0.1 wt%) of the parts | N/A |

| Substances: Bis(2-methoxyethyl) ether | | | |
|---------------------------------------|------------|--|---|
| CAS No. 111-96-6 | | | |
| Targets | | Criteria/threshold levels | Effective date of the ban on the delivery |
| Level 3 | - All uses | - More than 1000 ppm (or 0.1 wt%) of the parts | N/A |

| Substances: N,N-dimethylacetamide (DMAC) | | | |
|--|------------|--|---|
| CAS No. 127-19-5 | | | |
| Targets | | Criteria/threshold levels | Effective date of the ban on the delivery |
| Level 3 | - All uses | - More than 1000 ppm (or 0.1 wt%) of the parts | N/A |

| Substances: Ethylene glycol dimethyl ether (EGDME) | | | |
|--|------------|--|---|
| Synonym: 1,2-dimethoxyethane, CAS No. 110-71-4 | | | |
| Targets | | Criteria/threshold levels | Effective date of the ban on the delivery |
| Level 3 | - All uses | - More than 1000 ppm (or 0.1 wt%) of the parts | N/A |

| Substances: Trixylyl phosphate (TXP) | | | |
|--------------------------------------|------------|--|---|
| CAS No. 25155-23-1 | | | |
| Targets | | Criteria/threshold levels | Effective date of the ban on the delivery |
| Level 3 | - All uses | - More than 1000 ppm (or 0.1 wt%) of the parts | N/A |

4.2 Additional rules for packaging components and materials

4.2.1 Definition of "packaging components and materials"

Packaging components and materials are defined as products made from any materials and components of any nature to be used for the containment, protection, handling, delivery and presentation of goods, from raw materials to processed goods from the producer to the user or consumer.

Note: The definition excludes the components and materials for the returnable boxes, which are reused or recycled under the control of carriers or parts suppliers, and are not disposed of by end-users or Sony.

Table 4.3 Additional rules for packaging components and materials

| Substances: Heavy metals (cadmium, lead, mercury, and hexavalent chromium) | | | | | |
|--|--|--|---|--|--|
| Articles that satisfy not only the rules specified in Table 4.2, but also the following conditions determined by the regulations of relevant laws | | | | | |
| Targets | | Criteria/threshold levels | Effective date of the ban on the delivery | | |
| Level 1 | - All packaging components and materials Some examples are given in PACKAGING of Table 4.3a. | - 100 ppm (or 0.01 wt%) or more of the total-concentration of four heavy metals (cadmium, lead, mercury, and hexavalent chromium) in each part, ink, or paint that constitutes a package | Banned | | |
| Exemption | - Cartons for returnable boxes owned by carriers or parts suppliers | | N/A | | |
| Packaging components and materials are required to be tested in accordance with the following standards. | | | | | |
| For hexavalent chromium: | | | | | |
| 1) First analyze total chromium content and verify that the total concentration of cadmium, lead, mercury and total chromium is less than 100 ppm. When analyzing, the same sample preparation methods as those used for cadmium and lead are applicable. | | | | | |
| 2) If this total concentration is more than 100 ppm, verify that the sum of the cadmium, lead and mercury concentration is less than the 100 ppm limit. When the sum of the cadmium, lead and mercury concentration is less than the 100 ppm limit, analyze and confirm that no hexavalent chromium is present, using the standard methods for detecting hexavalent chromium provided in Table4.3. | | | | | |
| Standards for four heavy metals measurement | | | | | |
| 1) Sample preparation | | | | | |
| For cadmium and lead, follow the methods respectively specified in Table 4.2 (*1) (*2). | | | | | |
| For total chromium, follow the methods specified in Table 4.2 (*1). | | | | | |
| For mercury, typical methods are as follows. | | | | | |
| (1) Closed system for acid decomposition method (e.g. a microwave decomposition method) (e.g. IEC 62321-5:2013, EPA 3052:1996) | | | | | |
| (2) A heating evaporation-cold-vapor mercury-atomic-absorption method | | | | | |
| (3) A wet decomposition method (e.g. Kjeldahl method) in which a decomposition flask with a reflux condenser is used to decompose mercury by sulfuric acid or nitric acid | | | | | |
| Note: In the process of sample preparation, particular attention is required to avoid mercury sublimation, and precipitates must be completely dissolved by some technical means. | | | | | |
| 2) Measurement methods | | | | | |
| Regarding the measurement of cadmium, lead, and total-chromium concentrations, follow the methods specified in Table 4.2 (*1) (*2) (*4) | | | | | |
| Regarding the measurement of mercury concentrations, follow the same methods as cadmium and lead specified in Table 4.2 (*1) (*2). | | | | | |
| When the mercury concentration is predicted to be low, you are advised to use one of the following methods: | | | | | |
| (1) A reduction-evaporation atom-absorption method | | | | | |
| (2) ICP-OES (ICP-AES) method with a hydride-generation apparatus | | | | | |
| (3) ICP-MS method with a hydride-generation apparatus | | | | | |

Standard methods for detecting hexavalent chromium:

Note: Standard methods specified hereafter are applicable when total concentration of the four elements of cadmium, lead, mercury, and total chromium in packaging components and materials is 100 ppm or more.

Detection methods:

- 1) Sample preparation
 - Extraction methods such as boiling water extraction and alkaline extraction (e.g. IEC 62321:2008 Annex C, EPA 3060A)
 - 2) Measurement method
 - Ultraviolet-Visible (UV/VIS) Spectroscopy (e.g. IEC 62321:2008 Annex C, EPA 7196A)
- If a combination of a sample preparation method and a measurement method can ensure the following limits of quantification, the combination is also available.
- (1) Less than 5 ppm for mercury
 - (2) Less than 5 ppm for cadmium
 - (3) Less than 5 ppm for the total chromium
 - (4) Less than 30 ppm for lead

(*1) Refer to Standards for measurement in Table 4.2 "Main 'Targets' and 'Effective date of the ban on the delivery' regarding 'Controlled Substances.'" of "Substances: Cadmium and cadmium compounds"

(*2) Refer to Standards for measurement in Table 4.2 "Main 'Targets' and 'Effective date of the ban on the delivery' regarding 'Controlled Substances.'" of "Substances: Lead and lead compounds"

Table 4.3a Illustrative examples of PACKAGING components/materials and NOT PACKAGING components/materials

Note: The following lists provide some examples of the products, which we categorize as "packaging" as well as "not packaging," to serve as a reference. They are not intended to include all products in both categories.

| For consumer- and professional-electronics products (used for transporting Sony electronics products) | |
|---|--|
| PACKAGING | |
| 1. Carton | Including master carton and sub-master carton made from any materials. |
| 2. Cushion | |
| 3. Protection bag, protection sheet | Such as made from foamed plastic or nonwoven fabric |
| 4. Plastic bag | |
| 5. Envelope | Such as used for warranty card |
| 6. Blister pack | |
| 7. Film | Including protection films such as used for the LCD displays |
| 8. Clamshell | |
| 9. Separator, spacer, partition | |
| 10. Printing ink | Used for packaging components |
| 11. Adhesive tape | Such as used for closing carton or poly bag, or, fixing or protection for removable component |
| 12. Staple | |
| 13. Label | Attached to the packaging components under control of Sony, such as bar-code label |
| 14. Joint | Carton joint |
| 15. Band | Such as PP band |
| 16. Hanging tab | |
| 17. Carrying handle | Including its related components |
| 18. Crate | Such as wooden frame |
| 19. Shrink film | |
| 20. Bottle | |
| 21. Sleeve | |
| 22. Jewel box | Such as packaging for fountain pen |
| 23. Skid | |
| 24. Spindle case | |
| NOT PACKAGING | |
| 1. Case/Bag | Cases or bags intended to be used as storage for CD, DVD, Blu-ray Discs, MD, tapes or MO devices |
| 2. Inlay card, inlay label | Such as index-card or label for CD and other recording media which are defined as part of product |
| 3. Carrying case, carrying pouch | Such as used for headphones, camera, and walkman®, which are defined as part of product |
| 4. Label | Labels attached to products and others except those attached to packaging components and materials |
| 5. Label | Labels attached by third parties such as cargo label and/or invoice |

| For devices, semiconductors, and any other components | |
|---|---------------------|
| PACKAGING | |
| 1. Magazine stick | Such as used for IC |
| 2. Stopper | |
| 3. Tray | |
| 4. Reel | |

| For physical distribution | |
|--------------------------------------|---|
| PACKAGING | |
| 1. Pallet | Made from wood, plastic, paper, etc. which is used in one-way transportation, including slip sheet. |
| 2. Crate | Such as wooden container |
| 3. Stretch film | Wrap around palletized unit |
| 4. Wooden container | |
| 5. Items used for over packaging | Such as carton, cushion, adhesive tape, etc. which is used for component delivery |
| 6. Band, string | Such as PP band |
| NOT PACKAGING | |
| 1. Shipping container, air container | Such as 40 ft container for boat, and air cargo container |

4.3 Additional rules for batteries (Applicable to all batteries in commercial distribution)

4.3.1 Definitions of "Battery," "Battery pack," and "Button cell" in this Standard

"Battery" means any source of electrical energy generated by direct conversion of chemical energy and consisting of one or more primary battery cells (non-rechargeable) or consisting of one or more secondary battery cells (rechargeable).

"Battery Pack" means any set of batteries that are connected together and/or encapsulated within an outer casing so as to form a complete unit that the end-user is not intended to split up or open.

"Button Cell" means any small round portable battery whose diameter is greater than its height and which is used for special purposes such as hearing aids, watches, small portable equipment and back-up power.

4.3.2 Rules for batteries

For cadmium (Cd), lead (Pb), and mercury (Hg), the rules specified in Table 4.4 shall be applied to "Batteries" as well as battery cells used for "Battery packs."

For "controlled substances" except cadmium (Cd), lead (Pb) and mercury (Hg), the criteria/threshold levels specified in Table 4.2 shall be applied to "Batteries" as well as battery cells used for "Battery packs."

Parts of "Battery packs" other than their cells shall follow the criteria/threshold levels specified in Table 4.2.

Table 4.4 Rules for batteries

| Substances: Heavy metals (cadmium, lead, and mercury) | | | |
|---|----|---|---|
| | | Targets | Effective date of the ban on the delivery |
| Level 1 | Cd | - NiCd rechargeable batteries | Banned |
| | | - "Batteries" whose cadmium content, in proportion to their weight, is 0.002% or more | |
| | | - "Battery packs" whose cadmium content, in any of their cells, is 0.002% or more | |
| | | - Zinc carbon batteries, alkaline batteries, and a nickel hydrogen (nickel-MH) rechargeable batteries whose cadmium content, in proportion to their weight, is 0.001% or more. | |
| | Pb | - "Batteries" whose lead content, in proportion to their weight of each one, is 0.4% or more | |
| | | - "Battery packs" whose lead content, in any of their cells, is 0.4% or more | |
| | | - Zinc carbon batteries and alkaline button cells whose lead content, in proportion to their weight, is 0.1% or more | |
| | | - Alkaline batteries (except button cells) whose lead content, in proportion to their weight, is 0.004% or more | |
| | Hg | - Button cells whose mercury content, in proportion to their weight, is 2% or more | |
| | | - The following "batteries" and "battery packs" except button cells "Batteries" whose mercury content, in proportion to their weight, is 0.0005% or more "Battery packs" whose mercury content, in any of their cells, is 0.0005% or more | |
| | | - Zinc carbon batteries and alkaline batteries and nickel hydrogen (NiMH) rechargeable batteries whose mercury content, in proportion to their weight, is 0.0001% or more | |

5. REPLACEMENT OF CHEMICAL SUBSTANCES CONTAINED IN PARTS OF SPECIFIC PRODUCT CATEGORIES

Sony declares in "Sony Group Environmental Mid-Term Target" that:

Sony analyzes the use of chemical substances and the contents in parts and products.

Based on the risk evaluation, Sony identifies and discontinues high-risk uses of these substances.

Polyvinyl chloride (PVC)

PVC may pose a risk to the environment if disposed of improperly. Another concern is that PVC might contain various other chemical substances, including plasticizers and stabilizers, which could pose risks to the environment and human health.

Sony is concerned with the possibility that in particular its small electronics products in developing countries could be collected for obtaining valuable materials, and then the unwanted parts could be improperly incinerated and disposed of in landfills. Considering the impact of these activities on the environment, Sony will replace PVC with alternative substances for the product categories or models as listed at below web site link.

Brominated Flame Retardants (BFR)

Some BFRs are harmful to human health and tend to remain in the environment and accumulate in living organisms. As in the case of PVC, improper incineration of BFRs carries a risk of releasing harmful substances into the environment. Considering the impact of these activities on the environment, Sony will replace BFR with alternative substances for the product categories or models as listed at below web site link.

Parts to be replaced: A product specified at below web site link and newly released at least after April 1st, 2011:

http://www.sony.net/SonyInfo/csr_report/environment/chemical/products/index3.html#block2

(This does not apply to accessories and products designed for professional use.)

Parts including PVC to be replaced: casing and cables for internal wiring (intentional use of Polyvinyl chloride (PVC) and PVC blends)

Parts including BFR to be replaced: Resins of casing (concentration of BFR is more than 1000 ppm) and main printed wiring boards (PWB) (concentration of bromine (Br) is more than 900 ppm)

Note: This does not apply to items in "exemption" in "Polyvinyl chloride (PVC) and PVC blends". This except in cases where doing so would negatively affect product quality or cause technical problems.

Detailed instructions should be given to business partners separately with the specifications of the parts used for target products.

APPENDIX

- 1. MAJOR CONTROLLED SUBSTANCES, AND EXAMPLES OF APPLICABLE LAWS AND REGULATIONS**
- 2. DETAILS OF MAJOR CONTROLLED SUBSTANCES (TYPICAL EXAMPLES) AND MAJOR APPLICATIONS**
 - Cadmium and cadmium compounds
 - Lead and lead compounds
 - Mercury and mercury compounds
 - Hexavalent chromium compounds
 - Polybrominated biphenyls (PBB)
 - Polybrominated diphenylethers (PBDE)
 - Polychlorinated biphenyls (PCB)
 - Polychlorinated naphthalenes (PCN)
 - Polychlorinated terphenyls (PCT)
 - Short-chain chlorinated paraffins (SCCP)
 - Perchlorates
 - Polyvinyl chloride (PVC) and PVC blends
 - Hydrofluorocarbon (HFC), Perfluorocarbon (PFC)
 - Perfluoroctane sulfonates (PFOS)
 - Trisubstituted organotin compounds
(including tributyltin (TBT) compounds and triphenyltin (TPT) compounds)
 - Dibutyltin (DBT) compounds
 - Dioctyltin (DOT) compounds
 - Beryllium oxide
 - Cobalt dichloride
 - Asbestos
 - Formaldehyde
 - Specific benzotriazole
 - Dimethyl fumarate (DMF)

Disclaimer: Applicable laws and regulations, and controlled substances in Appendixes 1 and 2 are illustrative only, not all the substances and its alias name are listed.

- 3. HISTORY OF UPDATES ON EFFECTIVE DATE OF THE BAN ON THE DELIVERY FOR EVERY SUBSTANCE**

1. MAJOR CONTROLLED SUBSTANCES, AND EXAMPLES OF APPLICABLE LAWS AND REGULATIONS

Note: This information is confirmed as of January 2013. The revised edition and appendix should be also referred if there are.

The laws and regulations cited herein are subject to change, and it is essential to consult the latest editions of the relevant laws and regulations.

| Substances | Laws and regulations (examples) |
|--------------------------------------|---|
| Cadmium and cadmium compounds | European Union. REACH Regulation (EC) No. 1907/2006. |
| | European Union. RoHS Directive 2011/65/EU. |
| | European Union. Batteries Directive 2006/66/EC. |
| | South Korea. Quality Management and Safety Control of Industrial Products Act |
| | South Korea. Electrical Appliances Safety Control Act. |
| | South Korea. Act on Resource Recycling of Electrical and Electronic Equipment and Vehicles. |
| | Denmark: Statutory Order No. 1199. |
| Lead and lead compounds | European Union. RoHS Directive 2011/65/EU. |
| | European Union. Batteries Directive 2006/66/EC. |
| | Argentina. The Law No..26.184 Portable Power and Resolution 14/2007. |
| | Brazil. Battery Regulation (Resolution No. 401) |
| | South Korea. Quality Management and Safety Control of Industrial Products Act |
| | South Korea. Act on Resource Recycling of Electrical and electronic Equipment and Vehicles. |
| | Denmark: Statutory Order No. 1012. |
| Mercury and mercury compounds | European Union. RoHS Directive 2011/65/EU. |
| | European Union. Batteries Directive 2006/66/EC. |
| | China. 1997 Regulation on Mercury Content Limitation for Batteries. |
| | China. Inspection and Management Methods for the Import and Export of Battery Products Containing Mercury. (English translation by EIA) |
| | United States. Louisiana State. Mercury Risk Reduction Act. |
| | South Korea. Act on Resource Recycling of Electrical and electronic Equipment and Vehicles. |
| Hexavalent chromium compounds | European Union. RoHS Directive 2011/65/EU. |
| | South Korea. Act on Resource Recycling of Electrical and electronic Equipment and Vehicles. |
| Polybrominated biphenyls (PBB) | European Union. REACH Regulation (EC) No. 1907/2006 Annex XVII. |
| | European Union. RoHS Directive 2011/65/EU. |
| | South Korea. Act on Resource Recycling of Electrical and electronic Equipment and Vehicles. |
| Polybrominated diphenylethers (PBDE) | European Union. REACH Regulation (EC) No. 1907/2006 Annex XVII. |
| | European Union. RoHS Directive 2011/65/EU. |
| | South Korea. Act on Resource Recycling of Electrical and electronic Equipment and Vehicles. |
| Hexabromocyclododecane (HBCDD) | European Union. REACH Regulation (EC) No. 1907/2006. |
| Polychlorinated biphenyls (PCB) | Japan. Law Concerning the Examination and Regulation of Manufacture, etc. of Chemical Substances, Class I. |
| | United States. Polychlorinated Biphenyls (PCBs) Manufacturing, Processing, Distribution in Commerce, and Use Prohibitions (40CFR 761). |
| Polychlorinated naphthalenes (PCN) | Japan. Law Concerning the Examination and Regulation of Manufacture, etc. of Chemical Substances, Class I. |
| Polychlorinated terphenyls (PCT) | European Union. REACH Regulation (EC) No. 1907/2006. |

| Substances | Laws and regulations (examples) |
|--|--|
| Short-chain chlorinated paraffins (SCCP) | Norway. Regulations relating to restrictions on the use, etc. of certain dangerous chemicals. |
| | European Union. EU POPs Regulation (EC) No 850/2004. |
| Tris(2-chloroethyl) phosphate (TCEP), Tris(2-chloro-1-methylethyl) phosphate (TCPP), Tris(1,3-dichloro-2-propyl) phosphate (TDCPP) | European Union. REACH Regulation (EC) No. 1907/2006. |
| | United States. Vermont State. Act 85 |
| Hydrofluorocarbon (HFC), Perfluorocarbon (PFC), Sulfur hexafluoride (SF ₆) | European Union. EU regulation (EC) No. 842/2006. |
| | Denmark: Statutory Order No. 552. |
| | Switzerland. Ordinance on Risk Reduction related to Chemical Products (ORRChem). |
| Ozone depleting substances (ODS) | European Union. EU regulation (EC) No. 2037/2000. |
| | Japan. Law Concerning the Protection of the Ozone Layer through the Control of Specified Substances and Other Measures. |
| | United States. Clean Air Act Amendments of 1990. |
| | Republic of Indonesia. Regulation of the Minister of Industry of the Republic of Indonesia No. 33/M-IND/PER/4/2007 dated April 17, 2007. |
| Perfluorooctane sulfonates (PFOS) | European Union. REACH Regulation (EC) No. 1907/2006 Annex XVII. |
| Perfluorooctanoic acid (PFOA) and individual salts and esters of PFOA | Norway. Product Regulations |
| Trisubstituted organic tin compounds (incl. tributyltin (TBT) compounds and triphenyltin (TPT) compounds) | European Union. REACH Regulation (EC) No. 1907/2006 Annex XVII. |
| | Japan. Law Concerning the Examination and Regulation of Manufacture, etc. of Chemical Substances, Class I and Class II. |
| Dibutyltin (DBT) compounds | European Union. REACH Regulation (EC) No. 1907/2006 Annex XVII. |
| Diocetyltin (DOT) compounds | European Union. REACH Regulation (EC) No. 1907/2006 Annex XVII. |
| Beryllium oxide | European Union. WEEE Directive 2002/96/EC and EU Directive 1999/45/EC. |
| Cobalt dichloride | European Union. REACH Regulation (EC) No. 1907/2006 Annex XVII. |
| Diarsenic trioxide, Diarsenic pentaoxide | European Union. REACH Regulation (EC) No. 1907/2006. |
| Bis (2-ethylhexyl)phthalate, Dibutyl phthalate, Benzyl butyl phthalate, Diisobutyl phthalate | European Union. REACH Regulation (EC) No. 1907/2006. |
| | Denmark: Statutory Order No. 1113 |
| Asbestos | Japan. Industrial Safety and Health Law. |
| | Germany. Chemicals Prohibition Ordinance. (German abbreviation: ChemVerbotsV) |
| Specific azo compounds | European Union. REACH Regulation (EC) No. 1907/2006 Annex XVII. |
| Formaldehyde | Germany. Chemicals Prohibition Ordinance. (German abbreviation: ChemVerbotsV) |
| | Denmark: Statutory Order No. 289. |
| Specific benzotriazole | Japan. Law Concerning the Examination and Regulation of Manufacture of Chemical Substances, Class I. |
| Dimethyl fumarate (DMF) | European Union. REACH Regulation (EC) No. 1907/2006. |
| Polycyclic aromatic hydrocarbons (PAHs) | European Union. REACH Regulation (EC) No. 1907/2006 Annex XVII. |
| Heavy metals (lead, cadmium, mercury, and hexavalent chromium) | European Union. EU Directive 94/62/EC on packaging and packaging waste and its amendments. |
| | New York State and other 15 states in the United States. Regulations on Heavy Metals in Packaging Materials. |

2. DETAILS OF MAJOR CONTROLLED SUBSTANCES (TYPICAL EXAMPLES)

● Cadmium and cadmium compounds

<1> Examples

| Name | CAS No. | Chemical formula |
|------------------------------------|-------------------------|--|
| Cadmium | 7440-43-9 | Cd |
| Cadmium alloys | | |
| Cadmium oxide | 1306-19-0 | CdO |
| Cadmium chloride | 10108-64-2 | CdCl ₂ |
| Cadmium sulfide | 1306-23-6; 8048-07-5 | CdS |
| Cadmium nitrate | 10325-94-7 | Cd(NO ₃) ₂ |
| Cadmium nitrate tetrahydrate | 10022-68-1 | Cd(NO ₃) ₂ · 4H ₂ O |
| Cadmium sulfate | 10124-36-4 | CdSO ₄ |
| Cadmium stearate | 2223-93-0 | Cd(C ₁₈ H ₃₅ O ₂) ₂ |
| Other cadmium compounds and alloys | | |

<2> Major applications

- Contact materials and additives for electrical contact points including DC motors, switches, relays and breakers
- Surface treatment (e.g. electroplating, electroless plating, etc.)
- Materials for battery including Nickel-Cadmium batteries, cadmium batteries, and Alkaline batteries
- Solder, low melting point solder
- Reagents, raw materials for chemical synthesis
- Plating bath, plating brighteners
- Polyvinyl chloride stabilizers
- Pigments, semiconductor light receiving elements, paint, coating, inks and coloring agents
- Stabilizers used for plastics (including rubber) materials
- Pigments and dyes (including insulators of electrical wiring, keys of remote commanders, cable ties, outer plastic resins of electrical parts, cabinets, labels, phonograph records)
- Photographic materials, photographic films
- Fluorescent lamps (small-sized ones, straight-tube ones)
- Fuses (Fuse elements of temperature fuses)
- Glass, and the pigments as well as dyes of glass paints (paints for glass and the pigments as well as dyes used for glass)
- CdS-photocells and the phosphors contained in fluorescent display devices
- Resistor elements (glass frit)
- Impurities in metals containing zinc (brass, hot dip galvanizing, etc.)
- Additives for optical glass

● Lead and lead compounds

<1> Examples

| Name | CAS No. | Chemical formula |
|-------------------------------|---------------------------|---|
| Lead; metal | 7439-92-1 | Pb |
| Lead -tin alloy | | Pb-Sn |
| Lead (II) oxide | 1317-36-8 | PbO |
| Lead (IV) oxide | 1309-60-0 | PbO ₂ |
| Dilead trioxide | 1314-27-8 | Pb ₂ O ₃ |
| Lead (II, IV) oxide | 1314-41-6 | Pb ₃ O ₄ |
| Lead diazide: Lead azide | 13424-46-9 | PbN ₆ |
| Lead (II) fluoride | 7783-46-2 | PbF ₂ |
| Lead (II) chloride | 7758-95-4 | PbCl ₂ |
| Lead (IV) chloride | 13463-30-4 | PbCl ₄ |
| Lead (II) iodide | 10101-63-0 | PbI ₂ |
| Lead (II) sulfide | 1314-87-0 | PbS |
| Lead (II) cyanide | 592-05-2 | Pb(CN) ₂ |
| Lead tetra fluoroborate | 13814-96-5 | Pb(BF ₄) ₂ |
| Lead hexa fluorosilicate | 25808-74-6 | PbSiF ₆ |
| Lead nitrate | 10099-74-8 | Pb(NO ₃) ₂ |
| Lead carbonate | 598-63-0 | PbCO ₃ |
| Lead hydroxycarbonate | 1344-36-1 | (PbCO ₃) ₂ Pb(OH) ₂ |
| Lead perchlorate | 13637-76-8 | Pb(ClO ₄) ₂ |
| Lead (II) sulfate | 7446-14-2; 15739-80-7 | PbSO ₄ |
| Lead oxide sulfate | 12202-17-4 | Pb ₄ SO ₇ |
| Lead (II) phosphate | 7446-27-7 | Pb ₃ (PO ₄) ₂ |
| Lead thiocyanate | 592-87-0 | Pb(SCN) ₂ |
| Lead (II) acetate, trihydrate | 6080-56-4 | Pb(CH ₃ COO) ₂ · 3H ₂ O |
| Lead (II) acetate | 301-04-2 | Pb(CH ₃ COO) ₂ |
| Lead (IV) acetate | 546-67-8 | Pb(CH ₃ COO) ₄ |
| Lead oleate | 1120-46-3 | Pb[CH ₃ (CH ₂) ₇ CH=CH(CH ₂) ₇ COO] ₂ |
| Lead stearate | 7428-48-0 | Pb(C ₁₇ H ₃₆ COO).xPb (x ≥ 1) |
| Lead (II) metaborate | 10214-39-8 | Pb(BO ₂) ₂ · H ₂ O |
| Lead metasilicate | 11120-22-2; 10099-76-0 | PbSiO ₃ |

| Name | CAS No. | Chemical formula |
|--|------------|--|
| Lead antimonite | 13510-89-9 | Pb ₃ (SbO ₄) ₂ |
| Lead hydrogen arsenate | 7784-40-9 | PbHAsO ₄ |
| Lead (II) arsenite | 10031-13-7 | Pb(AsO ₂) ₂ |
| Lead chromate; chrome yellow; lead sulfochromate yellow; C.I. Pigment Yellow 34 | 1344-37-2 | PbCrO ₄ |
| Lead molybdate | 10190-55-3 | PbMoO ₄ |
| Calcium plumbate | 12013-69-3 | Ca ₂ PbO ₄ |
| Tetramethyl lead | 75-74-1 | Pb(CH ₃) ₄ |
| Tetraethyl lead | 78-00-2 | Pb(C ₂ H ₅) ₄ |
| Lead chromate | 7758-97-6 | PbCrO ₄ |
| Lead chromate molybdate sulfate red; C.I. Pigment Red 104 | 12656-85-8 | PbCrO ₄ (CrH ₂ O ₄ .Pb); PbSO ₄ (H ₂ O ₄ S.Pb); PbMoO ₄ / Mo.O.Pb |
| Trilead diarsenate | 3687-31-8 | As ₂ O ₈ Pb ₃ |
| Lead styphnate; Lead 2,4,6-trinitro-m-phenylene dioxide | 15245-44-0 | C ₆ HN ₃ O ₈ Pb |
| Lead dipicrate | 6477-64-1 | C ₁₂ H ₄ N ₆ O ₁₄ Pb |
| Other lead compounds and alloys | | |

<2> Major applications

- Solder and brazing materials
- Additives for electrical contact points
- Rubber vulcanization accelerators, rubber curing agents, rubber compounding ingredients, solid lubricants
- Lead-acid batteries and battery materials
- Pigments, raw materials for pigments and antirust pigments
- Paints and inks (used for PWBs and exterior and interior of electronic devices)
- Additives for glass, optical glass and special optical glass
- Reagents and raw materials for print and photographs
- Infrared ray detectors in which semiconductor elements are used
- Plating bath and anticorrosive surface treatment
- Residues in electroless plating films such as electroless nickel plating and electroless gold plating
- Lead refinement
- Stabilizers contained in the plastic (including rubber) materials and polyvinyl chloride stabilizers that are used for AC adaptors, power supply cords, connection cords, remote commanders, mice and other devices
- Dyeing
- Lubricants, curing agents, oxidizers and desiccants for paint
- Ceramics and coloring agents for glass
- Pesticides and matches
- Surface coatings (plating) for the external electrodes and lead terminals of parts incorporated in AC adaptors, remote commanders and semiconductor devices, etc. (e.g. electrical parts, semiconductor devices, and heat sinks)
- Additives and impurities in all kinds of alloys (including bronze)

● Mercury and mercury compounds

<1> Examples

| Name | CAS No. | Chemical formula |
|--------------------------------|--------------------|--|
| Mercury | 7439-97-6 | Hg |
| Mercury alloys; amalgam | | |
| Mercury (I) oxide | 15829-53-5 | Hg ₂ O |
| Mercury (II) oxide | 21908-53-2 | HgO |
| Mercury (I) chloride | 10112-91-1 | Hg ₂ Cl ₂ |
| Mercury (II) chloride | 7487-94-7 | HgCl ₂ |
| Mercury (II) nitrate | 10045-94-0 | Hg(NO ₃) ₂ |
| Mercury (I) sulfate | 7783-36-0 | Hg ₂ SO ₄ |
| Mercury (II) fulminate | 628-86-4 | Hg(ONC) ₂ |
| Mercury (II) acetate | 1600-27-7 | Hg(CH ₃ COO) ₂ |
| Methylmercury salts | e.g. 22967-92-6 | CH ₃ HgX; X=Cl, Br, I, OH, etc. |
| Ethymercury salts | | C ₂ H ₅ HgX; X=Cl, Br, I, OH, etc. |
| Propylmercury salts | | C ₃ H ₇ HgX; X=Cl, Br, I, OH, etc. |
| Phenylmercury salts | | C ₆ H ₅ HgX; X=Cl, Br, I, OH, etc. |
| Methoxyethyl- mercury salts | | CH ₃ OC ₂ H ₄ HgX; X=Cl, Br, I, OH, etc. |
| Dialkylmercury | | R ₂ Hg; R=alkyl group (C _n H _{2n+1}) |
| Diphenylmercury | 587-85-9 | (C ₆ H ₅) ₂ Hg |
| Other mercury compounds | | |

<2> Major applications

- Paint, inks and pigments
- Hour meters
- Relays, switches and sensors whose contacts contain mercury
- Additives for plastics
- Electrodes
- Fluorescent lamps and mercury lamps
- Materials for mercury cells and batteries
- Metal etching
- Felt and catalysts
- Fungicides, preservatives, disinfectants

● Hexavalent chromium compounds

Note: Only substances containing hexavalent chromium compounds belong to this category.

<1> Examples

| Name | CAS No. | Chemical formula |
|---|--|---|
| Chromium (VI) oxide; Chromium trioxide; trioxochromium | 1333-82-0 | <chem>CrO3</chem> |
| Lithium chromate | 14307-35-8 | <chem>Li2CrO4</chem> |
| Sodium chromate | 7775-11-3 | <chem>Na2CrO4</chem> |
| Potassium chromate | 7789-00-6 | <chem>K2CrO4</chem> |
| Patassium chlorochromate | 16037-50-6 | <chem>K[CrO3Cl]</chem> |
| Ammonium chromate | 7788-98-9 | <chem>(NH4)2CrO4</chem> |
| Copper chromate | 13548-42-0 | <chem>CuCrO4</chem> |
| Magnesium chromate | 13423-61-5 | <chem>MgCrO4</chem> |
| Calcium chromate | 13765-19-0 | <chem>CaCrO4</chem> |
| Strontium chromate (II) | 7789-06-2 | <chem>SrCrO4</chem> |
| Barium chromate | 10294-40-3 | <chem>BaCrO4</chem> |
| Lead chromate; Chrome yellow; Lead sulfochromate yellow; C.I. Pigment Yellow 34 | 1344-37-2 | <chem>PbCrO4</chem> |
| Zinc chromate | 12018-19-8; 13530-65-9; 14018-95-2 | <chem>ZnCrO4</chem> |
| Sodium dichromate; Sodium bichromate | 10588-01-9; 7789-12-0 | <chem>Na2Cr2O7</chem> |
| Potassium dichromate; Potassium bichromate | 7778-50-9 | <chem>K2Cr2O7</chem> |
| Ammonium dichromate; Ammonium bichromate | 7789-09-5 | <chem>(NH4)2Cr2O7</chem> |
| Calcium dichromate; Calcium bichromate | 14307-33-6 | <chem>CaCr2O7</chem> |
| Zinc dichromate; Zinc bichromate | | <chem>ZnCr2O7</chem> |
| Lead chromate (II) | 7758-97-6 | <chem>PbCrO4</chem> |
| Lead chromate molybdate sulfate red; C.I. Pigment Red 104 | 12656-85-8 | <chem>PbCrO4 (CrH2O4·Pb); PbSO4 (H2O4S·Pb); PbMoO4 / Mo.O.Pb</chem> |
| Dichromium tris(chromate) | 24613-89-6 | <chem>Cr5O12</chem> <chem>CrH2O4·2/3Cr</chem> |
| Potassium hydroxyoctaoxodizincatedichromate | 11103-86-9 | <chem>Cr2HO9Zn2.K</chem> |
| Pentazinc chromate octahydroxide | 49663-84-5 | <chem>CrH8O12Zn5</chem> |
| Other hexavalent chromium compounds | | |

<2> Major applications

- Coloring agents for ceramics, pigments, paint, inks, mordants and other additives
- Catalysts
- Surface treatment such as plating, tanning and conversion coating
- Corrosion inhibitors and anticorrosives
- Additives and their raw materials for photographs
- Materials and additives for batteries

● Polybrominated biphenyls (PBB)

<1> Examples

| Name | CAS No. | Chemical formula |
|--|------------|--------------------------------------|
| PBB; Polybrominated biphenyls; Polybrobiphenyl | 67774-32-7 | $C_{12}H_{10-x}Br_x$ (x = 1 – 10) |
| PBB; Polybrominated biphenyls; Polybrobiphenyl | 59536-65-1 | $C_{12}H_{10-x}Br_x$ (x = 1 – 10) |
| Dibromobiphenyl | 92-86-4 | $C_{12}H_8Br_2$ |
| 2-Bromobiphenyl | 2052-07-5 | $C_{12}H_9Br$ |
| 3-Bromobiphenyl | 2113-57-7 | $C_{12}H_9Br$ |
| 4-Bromobiphenyl | 92-66-0 | $C_{12}H_9Br$ |
| Tribromobiphenyl | 59080-34-1 | $C_{12}H_7Br_3$ |
| Tetrabromobiphenyl | 40088-45-7 | $C_{12}H_6Br_4$ |
| Pentabromobiphenyl | 56307-79-0 | $C_{12}H_5Br_5$ |
| Hexabromobiphenyl | 36355-01-8 | $C_{12}H_4Br_6$ |
| 2,2',4,4',5,6'-Hexabromobiphenyl | 36402-15-0 | $C_{12}H_4Br_6$ |
| 2,2',3,3',5,5'-Hexabromobiphenyl | 55066-76-7 | $C_{12}H_4Br_6$ |
| 2,2',4,4',5,5'-Hexabromobiphenyl | 59080-40-9 | $C_{12}H_4Br_6$ |
| 2,2',4,4',6,6'-Hexabromobiphenyl | 59261-08-4 | $C_{12}H_4Br_6$ |
| 3,3',4,4',5,5'-Hexabromobiphenyl | 60044-26-0 | $C_{12}H_4Br_6$ |
| 2,2',3,4,4',5'-Hexabromobiphenyl | 67888-98-6 | $C_{12}H_4Br_6$ |
| 2,3',4,4',5,5'-Hexabromobiphenyl | 67888-99-7 | $C_{12}H_4Br_6$ |
| 2,2',3,4',5,6-Hexabromobiphenyl | 69278-59-7 | $C_{12}H_4Br_6$ |
| 2,3,3',4,4',5-Hexabromobiphenyl | 77607-09-1 | $C_{12}H_4Br_6$ |
| 2,2',3,4,4',5-Hexabromobiphenyl | 81381-52-4 | $C_{12}H_4Br_6$ |
| 2,2',3,3',4,4'-Hexabromobiphenyl | 82865-89-2 | $C_{12}H_4Br_6$ |

| Name | CAS No. | Chemical formula |
|----------------------------------|-------------|--|
| 2,2',3,3',4,5'-Hexabromobiphenyl | 82865-90-5 | C ₁₂ H ₄ Br ₆ |
| 2,3,3',4',5',6-Hexabromobiphenyl | 82865-91-6 | C ₁₂ H ₄ Br ₆ |
| 2,3,3',4,4',5'-Hexabromobiphenyl | 84303-47-9 | C ₁₂ H ₄ Br ₆ |
| 2,3',4,4',5',6-Hexabromobiphenyl | 84303-48-0 | C ₁₂ H ₄ Br ₆ |
| 2,2',3,4',6,6'-Hexabromobiphenyl | 93261-83-7 | C ₁₂ H ₄ Br ₆ |
| 2,2',3,3',4,6'-Hexabromobiphenyl | 119264-50-5 | C ₁₂ H ₄ Br ₆ |
| 2,2',3,3',5,6'-Hexabromobiphenyl | 119264-51-6 | C ₁₂ H ₄ Br ₆ |
| 2,2',3,4,5',6-Hexabromobiphenyl | 119264-52-7 | C ₁₂ H ₄ Br ₆ |
| 2,2',3,5,5',6-Hexabromobiphenyl | 119264-53-8 | C ₁₂ H ₄ Br ₆ |
| 2,2',3,4,5,5'-Hexabromobiphenyl | 120991-47-1 | C ₁₂ H ₄ Br ₆ |
| 2,3,3',4,5,5'-Hexabromobiphenyl | 120991-48-2 | C ₁₂ H ₄ Br ₆ |
| Heptabromobiphenyl | 35194-78-6 | C ₁₂ H ₃ Br ₇ |
| Octabromobiphenyl | 61288-13-9 | C ₁₂ H ₂ Br ₈ |
| Nonabromo-1,1'-biphenyl | 27753-52-2 | C ₁₂ HBr ₉ |
| Decabromobiphenyl | 13654-09-6 | C ₁₂ Br ₁₀ |

<2> Major applications

- Flame retardants contained in plastics

● Polybrominated diphenylethers (PBDE)

<1> Examples

| Name | CAS No. | Chemical formula |
|---|-------------|---------------------------------------|
| Polybromodiphenyl ethers; Polybromodiphenyloxides; Polybrominated biphenyl ethers; PBDE; PBDO; PBBE | | $C_{12}H_{10-x}Br_xO$ (x = 1 – 10) |
| Decabromodiphenyl ether; Decabromodiphenyloxide; DBDE; DecaBDE; DBDPE; DBDPO | 1163-19-5 | $C_{12}Br_{10}O$ |
| Octabromodiphenyl ether; Octabromodiphenyloxide; OBDE; OctaBDE | 32536-52-0 | $C_{12}H_2Br_8O$ |
| Hexabromodiphenyl ether; Hexabromodiphenyloxide | 36483-60-0 | $C_{12}H_4Br_6O$ |
| Hexabromodiphenyl ether; hexabromodiphenyloxide | 31153-30-7 | $C_{12}H_4Br_6O$ |
| Hexabromodiphenyl ether; hexabromodiphenyloxide | 35854-94-5 | $C_{12}H_4Br_6O$ |
| Hexabromodiphenyl ether; hexabromodiphenyloxide | 68631-49-2 | $C_{12}H_4Br_6O$ |
| Hexabromodiphenyl ether; hexabromodiphenyloxide | 116995-33-6 | $C_{12}H_4Br_6O$ |
| Hexabromodiphenyl ether; hexabromodiphenyloxide | 207122-15-4 | $C_{12}H_4Br_6O$ |
| Pentabromodiphenyl ether; Pentabromodiphenyloxide; PentaBDE | 32534-81-9 | $C_{12}H_5Br_5O$ |
| Pentabromodiphenyl ether; pentabromodiphenyloxide; PentaBDE | 60348-60-9 | $C_{12}H_5Br_5O$ |

| Name | CAS No. | Chemical formula |
|---|-------------|--|
| Pentabromodiphenyl ether; pentabromodiphenyloxide; PentaBDE | 189084-65-9 | C ₁₂ H ₅ Br ₅ O |
| Bromodiphenyl ether | 101-55-3 | C ₁₂ H ₉ BrO |
| Dibromodiphenyl ether | 2050-47-7 | C ₁₂ H ₈ Br ₂ O |
| Tribromodiphenyl ether | 49690-94-0 | C ₁₂ H ₇ Br ₃ O |
| Tetrabromodiphenyl ether | 40088-47-9 | C ₁₂ H ₆ Br ₄ O |
| Tetrabromodiphenyl ether | 5436-43-1 | C ₁₂ H ₆ Br ₄ O |
| Tetrabromodiphenyl ether | 93703-48-1 | C ₁₂ H ₆ Br ₄ O |
| Tetrabromodiphenyl ether | 103173-66-6 | C ₁₂ H ₆ Br ₄ O |
| Heptabromodiphenyl ether | 68928-80-3 | C ₁₂ H ₃ Br ₇ O |
| Heptabromodiphenyl ether | 116995-32-5 | C ₁₂ H ₃ Br ₇ O |
| Heptabromodiphenyl ether | 117948-63-7 | C ₁₂ H ₃ Br ₇ O |
| Heptabromodiphenyl ether | 207122-16-5 | C ₁₂ H ₃ Br ₇ O |
| Heptabromodiphenyl ether | 446255-22-7 | C ₁₂ H ₃ Br ₇ O |
| Nonabromodiphenyl ether | 63936-56-1 | C ₁₂ HBr ₉ O |

<2> Major applications

- Flame retardants such as plastics, paint and adhesives

- Polychlorinated biphenyls (PCB), polychlorinated naphthalenes (PCN), polychlorinated terphenyls (PCT)
- <1> Examples

| Name | CAS No. | Chemical formula |
|-----------------------------------|------------|---------------------------------------|
| PCB; Polychlorinated biphenyls | 1336-36-3 | $C_{12}H_{10-x}Cl_x$ ($x = 1 - 10$) |
| PCN; Polychlorinated naphthalenes | 70776-03-3 | $C_{10}H_{8-x}Cl_x$ ($x = 1 - 8$) |
| Trichloronaphthalenes | 1321-65-9 | $C_{10}H_5Cl_3$ |
| Tetrachloronaphthalenes | 1335-88-2 | $C_{10}H_4Cl_4$ |
| Pentachloronaphthalenes | 1321-64-8 | $C_{10}H_3Cl_5$ |
| Octachloronaphthalenes | 2234-13-1 | $C_{10}H_2Cl_8$ |
| PCT; Polychlorinated terphenyls | 61788-33-8 | $C_{18}H_{14-x}Cl_x$ ($x = 1 - 14$) |

- <2> Major applications

- Oils for transformers, oils for capacitors, insulating oils, lubricants, heating mediums
- Flame retardants contained in plastics
- Paint
- Preservatives

- Short-chain chlorinated paraffins (SCCP)

- <1> Examples

| Name | CAS No. | Chemical formula |
|---|--------------------|------------------|
| Short-chain Chlorinated paraffins C10-13 | e.g. 85535-84-8 | |

- <2> Major applications

- Cabinets of products and flame retardants for PWBs
- Plasticizers

● Perchlorates
 <1> Examples

| Name | CAS No. | Chemical formula |
|--------------------------------|------------|-------------------------|
| Lithium perchlorate | 7791-03-9 | <chem>LiClO4</chem> |
| Sodium perchlorate | 7601-89-0 | <chem>NaClO4</chem> |
| Sodium perchlorate monohydrate | 7791-07-3 | <chem>NaClO4.H2O</chem> |
| Potassium perchlorate | 7778-74-7 | <chem>KClO4</chem> |
| Ammonium perchlorate | 7790-98-9 | <chem>NH4ClO4</chem> |
| Magnesium perchlorate | 10034-81-8 | <chem>Mg(ClO4)2</chem> |

<2> Major applications

- Antistatic agent
- Lithium battery

● PVC and PVC blends

<1> Examples

| Name | CAS No. | Chemical formula |
|--|-------------------|------------------|
| PVC and PVC blends; Polyvinyl chloride and polyvinyl chloride blends | e.g. 9002-86-2 | |

● Hydrofluorocarbon (HFC), Perfluorocarbon (PFC)

<1> Examples

| Name | CAS No. | Chemical formula |
|---|----------|-----------------------|
| HFC-23; Trifluoromethane | 75-46-7 | <chem>CHF3</chem> |
| HFC-32; Difluoromethane | 75-10-5 | <chem>CH2F2</chem> |
| HFC-41; Fluoromethane; Methyl fluoride | 593-53-3 | <chem>CH3F</chem> |
| HFC-125; Pentafluoroethane | 354-33-6 | <chem>C2HF5</chem> |
| HFC-134; 1,1,2,2-tetrafluoroethane | 359-35-3 | <chem>CHF2CHF2</chem> |
| HFC-134a; 1,1,1,2-tetrafluoroethane | 811-97-2 | <chem>CH2FCF3</chem> |
| HFC-143; 1,1,2-trifluoroethane | 430-66-0 | <chem>CHF2CH2F</chem> |
| HFC-143a; 1,1,1-trifluoroethane | 420-46-2 | <chem>CH3CF3</chem> |
| HFC-152a; 1,1-difluoroethane | 75-37-6 | <chem>CH3CHF2</chem> |
| HFC-227ea; 1,1,1,2,3,3-heptafluoropropane | 431-89-0 | <chem>C3HF7</chem> |
| HFC-236fa; 1,1,1,3,3-hexafluoropropane | 690-39-1 | <chem>C3H2F6</chem> |
| HFC-245ca; 1,1,2,2,3-pentafluoropropane | 679-86-7 | <chem>C3H3F5</chem> |

| Name | CAS No. | Chemical formula |
|---|-------------|---|
| HFC-43-10mee; 1,1,1,2,3,4,4,5,5,5-decafluoropentane; 2H,3H-decafluoropentane | 138495-42-8 | C ₅ H ₂ F ₁₀ |
| HFC-236cb; 1,1,1,2,2,3-hexafluoropropane | 677-56-5 | C ₃ H ₂ F ₆ |
| HFC-236ea; 1,1,1,2,3,3- hexafluoropropane | 431-63-0 | C ₃ H ₂ F ₆ |
| HFC-245fa; 1,1,1,3,3- pentafluoropropane | 460-73-1 | C ₃ H ₃ F ₅ |
| HFC-365mfc; 1,1,1,3,3- pentafluorobutane | 406-58-6 | C ₄ H ₅ F ₅ |
| PFC-14; Perfluoromethane; Tetrafluoromethane; Carbon tetrafluoride | 75-73-0 | CF ₄ |
| PFC-116; Perfluoroethane; Hexafluoroethane | 76-16-4 | C ₂ F ₆ |
| PFC-218; Perfluoropropane; Octafluoropropane | 76-19-7 | C ₃ F ₈ |
| PFC-31-10; Perfluorobutane; Decafluorobutane | 355-25-9 | C ₄ F ₁₀ |
| PFC-c318; Perfluorocyclobutane; Octafluorocyclobutane | 115-25-3 | c-C ₄ F ₈ |
| PFC-41-12; Perfluoropentane; Dodecafluoropentane | 678-26-2 | C ₅ F ₁₂ |
| PFC-51-14; Perfluorohexane; Tetradecafluorohexane | 355-42-0 | C ₆ F ₁₄ |

<2> Major applications

- Refrigerants
- Insulation and foaming agents
- Solvent, cleaning agents and dry etching
- Extinguishing agents

● Perfluorooctane sulfonates (PFOS)

<1> Examples

| Name | CAS No. | Chemical formula |
|-------------------------------------|-------------------|---|
| PFOS; Perfluorooctane sulfonates | e.g. 2795-39-3 | $\text{C}_8\text{F}_{17}\text{SO}_2\text{X}$ (X=hydroxyl, metallic salt, halide, amide, and other derivatives, including polymers) |

<2> Major applications

- Water repellent agents and oil repellent agents
- Photographic films for professional use
- Resistors for semiconductors
- Etching agents
- Surface treatment agents for plating and their prepared additives
- Anti-reflective coating agents used for manufacture of semiconductors
- Polishing agents
- Extinguishers, fire extinguishing agents and foam extinguishing agents for extinguishers
- Insect repellent
- Developing papers

● Trisubstituted organotin compounds

(including tributyltin (TBT) compounds and triphenyltin (TPT) compounds)

Note: Metal tin, tin alloys, tin plating, and tin inorganic compounds do not fall under this category.

<1> Examples

| Name | CAS No. | Chemical formula |
|--|---|---|
| Tributyltin bromide | 1461-23-0 | (C ₄ H ₉) ₃ SnBr |
| Tributyltin oxide; Bis (tributyltin) oxide; Distannoxyane, hexabutyl- | 56-35-9 | C ₂₄ H ₅₄ OSn ₂ |
| Triphenyl tin | 668-34-8 | (C ₆ H ₅) ₃ Sn |
| Triphenyltin chloride; Fentin chloride; Stannane, chlorotriphenyl- | 639-58-7 | (C ₆ H ₅) ₃ SnCl |
| Triphenyltin hydroxide; Fentin hydroxide; Stannane, hydroxytriphenyl- | 76-87-9 | (C ₆ H ₅) ₃ SnOH |
| Triphenyltin N, N' -dimethyldithiocarbamate; Stannane, [(dimethylamino) thiomethyl] thio] triphenyl- | 1803-12-9 | (C ₆ H ₅) ₃ Sn(CH ₃) ₂ NCS ₂ |
| Triphenyltin fluorid; Fentin fluoride | 379-52-2 | (C ₆ H ₅) ₃ SnF |
| Triphenyltin acetate; Fentin acetate; Stannane, (acetoxy) triphenyl- | 900-95-8 | (C ₆ H ₅) ₃ SnOCOCH ₃ |
| Triphenyltin fatty acid salts Note: The triphenyltin fatty acid salts specified here are limited to those with a 9-, 10-, or 11-carbon chain. | 18380-71-7; 18380-72-8; 47672-31-1; 94850-90-5 | |
| Triphenyltin chloroacetate; (chloroacetoxy) triphenylstannane | 7094-94-2 | (C ₆ H ₅) ₃ SnOCOCH ₂ Cl |
| Tributyltin methacrylate; Tributyl (methacryloyloxy) stannane; Stannane, tributyl [(2-methyl-1-oxo-2-propenyl) oxy]- | 2155-70-6 | (C ₄ H ₉) ₃ SnC ₄ H ₅ O ₂ |
| Bis (tributyltin) fumarate | 6454-35-9; 24291-45-0 | C ₂ H ₂ (COO) ₂ ([C ₄ H ₉) ₃ Sn] ₂ |
| Tributyltin fluoride | 1983-10-4; 7304-48-5 | (C ₄ H ₉) ₃ SnF |

| Name | CAS No. | Chemical formula |
|--|---------------------------|---|
| Bis (tributyltin) 2, 3-dibromosuccinate | 31732-71-5; 56323-17-2 | ([C ₄ H ₉] ₃ Sn) ₂ C ₂ H ₂ (BR) ₂ (COO) ₂ |
| Tributyltin acetate | 56-36-0 | (C ₄ H ₉) ₃ SnOCOCH ₃ |
| Tributyltin laurate; Tributyl (lauroyloxy) stannane | 3090-36-6 | (C ₄ H ₉) ₃ SnC ₁₂ H ₂₃ O ₂ |
| Bis (tributyltin) phthalate; [(Phthaloylbis (oxy)] bis (tributylstannane) | 4782-29-0 | (C ₆ H ₄)(COO) ₂ ([C ₄ H ₉] ₃ Sn) ₂ |
| Tributyltin sulfamate; Stannane, [(aminosulfonyl) oxy] tributyl- | 6517-25-5 | (C ₄ H ₉) ₃ SnSO ₃ NH ₂ |
| Bis (tributyltin) maleate | 14275-57-1; 24291-45-0 | C ₂₈ H ₅₆ O ₄ Sn ₂ |
| Tributyltin chloride; Tributylchlorostannane; Stannane, tributylchloro- | 1461-22-9; 7342-38-3 | (C ₄ H ₉) ₃ SnCl |
| Mixture of tributyltin 1,2,3,4,4a,4b,5,6,10,10a-decahydro-7-isopropyl-1,4a-dimethyl-1 -phenanthlenecarboxylate and its analogs; Tributyltin rosin salt | 85409-17-2 | |
| [1R-(1alpha,4a.bet.,4b.alpha.,10a.alpha.)]-tributyl [[[1,2,3,4,4a,4b,5,6,10,10a-decahydro-7-isopropyl-1,4a-dimethyl -1-phenanthryl]carbonyl] oxy] stannane | 26239-64-5 | C ₃₂ H ₅₆ O ₂ Sn |
| Octyl acrylate-methyl methacrylate-tributyltin methacrylate copolymer (alkyl; C = 8) | 67772-01-4 | |

<2> Major applications

- Paint and inks
- Preservatives, fungicides and disinfectants

● Dibutyltin (DBT) compounds

Note: Metal tin, tin alloys, tin plating, and tin inorganic compounds do not fall under this category.

<1> Examples

| Name | CAS No. | Chemical formula |
|---|-----------|---|
| Dibutyltin oxide; Stannane, dibutyloxo-; | 818-08-6 | C ₈ H ₁₈ OSn |
| Dibutyltin dichloride; Stannane, dibutyl dichloro- | 683-18-1 | C ₈ H ₁₈ Cl ₂ Sn |
| Dibutyltin dilaurate; Stannane, dibutylbis[(1-oxododecyl)oxy]- | 77-58-7 | C ₃₂ H ₆₄ O ₄ Sn |
| Dibutyltin bis(benzyl maleate); Benzyl (Z,Z)-8,8-dibutyl-3,6,10-trioxo-1-phenyl-2,7,9-trioxa-8-stannatrid eca-4,11-dien-13-oate; | 7324-74-5 | C ₃₀ H ₃₆ O ₈ Sn |
| Dibutyltin maleate; 2,2-Dibutyl-1,3,2-dioxastannepin-4,7-dione | 78-04-6 | C ₁₂ H ₂₀ O ₄ Sn |
| Dibutyltin di(acetate); Diacetic acid dibutyltin salt | 1067-33-0 | C ₁₂ H ₂₄ O ₄ Sn |

<2> Major applications

- Additives in plastics such as stabilizers and antioxidants
- Catalysts

● Dioctyltin (DOT) compounds

Note: Metal tin, tin alloys, tin plating, and tin inorganic compounds do not fall under this category.

<1> Examples

| Name | CAS No. | Chemical formula |
|---|------------|------------------------|
| Dioctyltin oxide | 870-08-6 | $C_{16}H_{34}OSn$ |
| Dioctyltin dichloride; Stannane, dichlorodioctyl-, | 3542-36-7 | $C_{16}H_{34}Cl_2Sn$ |
| Dioctyltin maleate; 2,2-Dioctyl-1,3,2-dioxastannepin-4,7-dione | 16091-18-2 | $C_{20}H_{36}O_4Sn$ |
| Di(n-octyl)tin bis(isooctylthioglycolate) ; Diisooctyl 2,2'-[dioctylstannylene]bis(thio)]diacetate | 26401-97-8 | $C_{36}H_{72}O_4S_2Sn$ |
| Dioctyltin dilaurates (DOTL); Diocetyl[1-oxododecyl]oxy]stannane | 3648-18-8 | $C_{40}H_{80}O_4Sn$ |

<2> Major applications

- Ingredients of stabilizers
- Additives in plastics such as stabilizers and antioxidants
- Catalysts

● Beryllium oxide

<1> Examples

| Name | CAS No. | Chemical formula |
|-----------------|-------------------|------------------|
| Beryllium oxide | e.g. 1304-56-9 | BeO |

<2> Major applications

- Heat sinks

- Cobalt dichloride
- <1> Examples

| Name | CAS No. | Chemical formula |
|-------------------|-----------|-------------------|
| Cobalt dichloride | 7646-79-9 | CoCl ₂ |

- <2> Major applications

- Moisture indicator used for a desiccant agent (e.g. silica gel)

- Asbestos

- <1> Examples

| Name | CAS No. | Chemical formula |
|---------------|---|---|
| Asbestos | 1332-21-4; 132207-32-0; 132207-33-1 | |
| Crocidolite | 12001-28-4 | Na ₂ Fe ₅ (Si ₈ O ₂₂)(OH) ₂ |
| Chrysotile | 12001-29-5 | Mg ₃ Si ₂ O ₅ (OH) ₄ |
| Amosite | 12172-73-5 | (Mg, Fe) ₇ Si ₈ O ₂₂ (OH) ₂ |
| Anthophyllite | 77536-67-5 | (Mg, Fe) ₇ Si ₈ O ₂₂ (OH) ₂ |
| Tremolite | 77536-68-6 | Ca ₂ Mg ₅ Si ₈ O ₂₂ (OH) ₂ |
| Actinolite | 77536-66-4 | Ca ₂ (Mg, Fe) ₅ Si ₈ O ₂₂ (OH) ₂ |

- <2> Major applications

- Insulators and fillers

● Formaldehyde

<1> Examples

| Name | CAS No. | Chemical formula |
|---|---------|-------------------|
| Formaldehyde; formalin; formic aldehyde; formol | 50-00-0 | CH ₂ O |

<2> Major applications

- Preservatives
- Monomers (e.g. phenol resin, melamine resin and polyoxymethylene (POM))

● Specific benzotriazole

<1> Examples

| Name | CAS No. | Chemical formula |
|--|-----------|--|
| 2-(3',5'-Di-tert-butyl-2'-hydroxyphenyl)benzotriazole; 2-(2'-Hydroxy-3',5'-di-tert-butylphenyl)benzotriazole; Phenol, 2-(2H-benzotriazol-2-yl)-4,6-bis(1,1-dimethylethyl)- | 3846-71-7 | C ₂₀ H ₂₅ N ₃ O |

<2> Major applications

- Ultraviolet protectants and ultraviolet absorbers

● Dimethyl fumarate (DMF)

<1> Examples

| Name | CAS No. | Chemical formula |
|-------------------|----------|--|
| Dimethyl fumarate | 624-49-7 | C ₆ H ₈ O ₄ |

<2> Major applications

- Fungicides and desiccant agents

3. HISTORY OF UPDATES ON EFFECTIVE DATE OF THE BAN ON THE DELIVERY FOR EVERY SUBSTANCE

| Substances: Cadmium and cadmium compounds | |
|--|---|
| Targets | Effective date of the ban on the delivery |
| <ul style="list-style-type: none"> - Packaging components and materials (See 4.2.1.) - The stabilizers, pigments, or dyes used for plastics (including rubber) materials (e.g. labels, cabinets, phonograph records, cable tie, the keys of remote commanders, the outer plastic resins of electrical parts, and the insulators of electrical wiring) - Paints, inks - Surface treatment (e.g. electroplating, electroless plating, etc.) and coating - Photographic films - Fluorescent lamps (small-sized ones, straight-tube ones) | Banned since the establishment of this Standard |
| All uses except those specified in Level 2 and Exemption Typical examples are given below: <ul style="list-style-type: none"> - Switches, relays, breakers, DC motors, and other electrical contact points - Fuse elements of temperature fuses - Glass, and the pigments as well as dyes of glass paints (paints for glass and the pigments as well as dyes used for glass) - Solder (whose cadmium concentration is more than 20 ppm) - CdS-photocells and the phosphors contained in fluorescent display devices - Resistor elements (glass frit) | Banned since January 1, 2005 |
| <ul style="list-style-type: none"> - Parts composed of metals containing zinc (e.g. brass, hot dip galvanizing, etc.) whose cadmium concentration is more than 100 ppm | Banned since October 1, 2005 |
| - Optical glass | Banned since June 1, 2010 |

| Substances: Lead and lead compounds | | |
|--|---|---|
| Targets | Effective date of the ban on the delivery | |
| <ul style="list-style-type: none"> - Packaging components and materials (See 4.2.1.) - The paints, and inks containing lead, which are used for PWBs | | Banned since the establishment of this Standard |
| <ul style="list-style-type: none"> - Surface coatings (plating) for the external electrodes, lead wires, and other areas of parts (e.g. electrical parts, semiconductor devices, and heat sinks) - The stabilizers, pigments, and dyes contained in the plastic (including rubber) materials that are used for outer and exposed areas of the following articles: mice, devices, AC adaptors, connection cords, remote commanders, and power supply cords - The paints and inks used for outer and exposed areas of devices | | Banned since April 1, 2004 |
| All uses except those specified in Level 2, Level 3 and Exemption Typical examples are given below: <ul style="list-style-type: none"> - The surface coatings for the external electrodes, lead wires, etc. of the parts contained in AC adaptors, remote commanders, semiconductor devices, etc. - Leaded solder that meets both of the following conditions: 1) lead content is less than 85 wt%; and 2) lead content is more than 1000 ppm - All kinds of alloys (including solder materials) whose individual lead concentrations exceed their allowable ones provided in the table at the bottom of Exemption below. (*1) - The stabilizers, pigments, and dyes contained in the plastic (including rubber) materials that are used for areas (excluding outer and exposed ones) of the following articles: mice, devices, AC adaptors, connection cords, remote commanders, and power supply cords - The paints and inks used for areas other than the outer and exposed ones of devices | | Banned since January 1, 2005 |
| <ul style="list-style-type: none"> - Electroless plating films such as electroless nickel plating and electroless gold plating whose lead content is more than 1000 ppm | | Banned since February 1, 2006 |
| <ul style="list-style-type: none"> - Glass for all uses except those specified in Exemption - Solder consisting of more than two elements for the connection between the pins and the package of microprocessors with a lead content of more than 80 wt% and less than 85 wt% | | Banned since June 1, 2010 |
| <ul style="list-style-type: none"> - Dielectric ceramic in capacitors for a rated voltage of less than 125 V AC or 250 V DC | | Banned since January 1, 2012 |
| <ul style="list-style-type: none"> - Crystal glass as defined in Annex 1 (Categories 1, 2, 3 and 4) of EU Directive 69/493/EEC | | Banned since April 1, 2012 |

(*1) Allowable lead concentrations

| Type of alloy | Allowable lead concentration |
|---|------------------------------|
| Steel | up to 0.35 wt% |
| Aluminum alloy | up to 0.4 wt% |
| Copper alloys (including brass and phosphor bronze) | up to 4 wt% |
| Solder (*2) | up to 1000 ppm |

| Substances: Mercury and mercury compounds | | |
|---|---|---|
| Targets | Effective date of the ban on the delivery | |
| <ul style="list-style-type: none"> - Packaging components and materials (See 4.2.1.) - Paints, and inks - Hour meters - Relays, switches, or sensors whose contacts contain mercury - Mercury or its compounds mixed in plastics | | Banned since the establishment of this Standard |
| <ul style="list-style-type: none"> - All uses except those specified in Level 2 and Exemption | | Banned since January 1, 2005 |
| <ul style="list-style-type: none"> - Mercury in cold cathode fluorescent lamps and external electrode fluorescent lamps (CCFL and EEFL): Short length (not over 500 mm) : 3.5 mg or more, and less than 5 mg per lamp | | Banned since January 1, 2011 |

| Substances: Hexavalent chromium compounds | |
|--|---|
| Targets | Effective date of the ban on the delivery |
| - Packaging components and materials (See 4.2.1.) | Banned since the establishment of this Standard |
| - Constituents of parts or materials (e.g. inks, paints, additives, etc.) | Banned since January 1, 2005 |
| - Residues in the surfaces of screws, steel sheets, etc. that are processed with plating or conversion coating | |

| Substances: Polybrominated biphenyls (PBB) | |
|--|---|
| Targets | Effective date of the ban on the delivery |
| - All uses (e.g. flame retardants contained in plastics) | Banned since the establishment of this Standard |

| Substances: Polybrominated diphenylethers (PBDE) (including decabromodiphenyl ether [DecaBDE]) | |
|--|---|
| Targets | Effective date of the ban on the delivery |
| - All uses (e.g. flame retardants contained in plastics) | Banned since the establishment of this Standard |
| - The parts manufactured using the molding dies, which were made in or before December 2002 (Applicable only to the bodies of the displays and TV sets shipped to countries and regions other than European ones) The parts whose molding dies have been made since January 2003 must not contain PBDE. | Banned since January 1, 2005 |

| Substances: Polychlorinated biphenyls (PCB), polychlorinated naphthalenes (PCN), polychlorinated terphenyls (PCT) | |
|--|---|
| Targets | Effective date of the ban on the delivery |
| - All uses (e.g. capacitors, lubricants, insulating oils, transformers containing oil, paints, and flame retardants in plastics) | Banned since the establishment of this Standard |

| Substances: Short-chain chlorinated paraffins (SCCP) | |
|--|---|
| Short-chain chlorinated paraffins with carbon chain length;10-13 | |
| Targets | Effective date of the ban on the delivery |
| - The cabinets of products (including accessories) and PWBs | Banned since the establishment of this Standard |
| - All uses other than the above | Banned since February 1, 2006 |

| Substances: Polyvinyl chloride (PVC) and PVC blends | |
|---|--|
| Targets | Effective date of the ban on the delivery |
| - Substrates for FeliCa contactless IC cards * For reference, the targets have never contained PVC or PVC blends. | Banned since before the establishment of this Standard |
| - Coating agents and fabrics for the carrying bags, carrying cases, and carrying pouches, which are designed for use with personal computers, digital cameras, camcorders, and portable audio products (excluding those for professional use) | Banned since the establishment of this Standard |
| - Cable ties used for accessories and connecting cords | Banned since July 1, 2002 |
| - Packaging components and materials to protect, contain, or transport products or supplied accessories (e.g. bags, adhesive tapes, cartons, and blister packs) | Banned since January 1, 2005 |
| - Heat shrink tubes | Banned since April 1, 2005 |
| - Flexible flat cables (FFC) - Sheets and laminates used for exterior of wooden speakers - Insulating plates, decorative panels, labels, sheets, and laminates | Banned since April 1, 2007 |
| - Suction cups for mounting in-vehicle products | Banned since April 1, 2010 |

| Substances: Hydrofluorocarbon (HFC), Perfluorocarbon (PFC) | |
|---|---|
| Targets | Effective date of the ban on the delivery |
| - All uses installed into product (e.g. refrigerant and insulation) | Banned since April 1, 2008 |

| Substance: Ozone depleting substances (ODS) | |
|--|--|
| ODS in Table 4.2d | |
| Targets | Effective date of the ban on the delivery |
| - All uses for refrigerant, insulation and other products | Banned since before the establishment of this Standard |
| - Components and materials processed with ODS during cleaning, foaming and other processes | Banned since April 1, 2008 |

Note: The incorrect CAS No. 165-97-7 in Table 4.2d is replaced with the correct CAS No. 2354-06-5.

| Substances: Perfluorooctane sulfonates (PFOS) | |
|---|---|
| Targets | Effective date of the ban on the delivery |
| - Materials whose PFOS concentration is 0.1 wt% or more | Banned since April 1, 2008 |
| - Textiles or other coated materials whose amount of PFOS is 1 µg/m ² or more of the coated material | Banned since April 1, 2008 |
| - All uses except those specified in Exemption (photographic films for professional use and resists for semiconductors) | Banned since April 1, 2010 |

| Substances: Trisubstituted organotin compounds (including tributyltin (TBT) compounds and triphenyltin (TPT) compounds) | |
|--|---|
| Metal tin, tin alloys, tin plating and tin inorganic compounds do not fall under this category. | |
| Targets | Effective date of the ban on the delivery |
| - All uses (e.g. paints, inks, preservatives, and fungicides) | Banned since the establishment of this Standard |

| Substances: Dibutyltin (DBT) compounds | | |
|---|---|---|
| Metal tin, tin alloys, tin plating and tin inorganic compounds do not fall under this category. | | |
| Targets | Criteria/threshold levels | Effective date of the ban on the delivery |
| - All applications including additives of plastics (except Level 2) | - More than 1000 ppm (or 0.1 wt%) of the tin contained in materials | Banned since July 1, 2011 |

| Substances: Diocetyltin (DOT) compounds | | |
|---|---|---|
| Metal tin, tin alloys, tin plating and tin inorganic compounds do not fall under this category. | | |
| Targets | Criteria/threshold levels | Effective date of the ban on the delivery |
| - Additives of textiles | - More than 1000 ppm (or 0.1 wt%) of the tin contained in materials | Banned since July 1, 2011 |

| Substances: Beryllium oxide | | |
|-----------------------------|---------------------------|---|
| Targets | Criteria/threshold levels | Effective date of the ban on the delivery |
| - All uses | | Banned since April 1, 2008 |

| Substance: Cobalt dichloride | | |
|---|---|--|
| Targets | Effective date of the ban on the delivery | |
| - Moisture indicator used for a desiccant agent (e.g. silica gel) | Banned since April 1, 2009 | |
| - Humidity indicator card which is impregnated with cobalt dichloride | Banned since April 1, 2011 | |

| Substances: Asbestos | | |
|--|---|--|
| Targets | Effective date of the ban on the delivery | |
| - All uses (e.g. insulators and fillers) | Banned since the establishment of this Standard | |

| Substances: Specific azo compounds | | |
|---|---|--|
| Targets | Effective date of the ban on the delivery | |
| Azodyes that form any of the amine compounds listed in Table 4.2b through the decomposition methods cited in REACH Regulation (EC) No. 1907/2006 / Annex XVII and amine compounds in Table 4.2b | Banned since the establishment of this Standard | |

| Substance: Formaldehyde | | |
|--|---|--|
| Targets | Effective date of the ban on the delivery | |
| - The wooden products made from fiberboard, particleboard, or plywood, which are employed in products for import into Europe (e.g. speakers and racks) | Banned since the establishment of this Standard | |
| - The wooden products made from fiberboard, particleboard, or plywood, which are employed in products for destinations other than Europe (e.g. speakers and racks) | Banned since January 1, 2005 | |

| Substance: Specific benzotriazole | | |
|---|---|--|
| 2-(3',5'-Di-tert-butyl-2'-hydroxyphenyl)benzotriazole (CAS No. 3846-71-7) | | |
| Targets | Effective date of the ban on the delivery | |
| - Ultraviolet protectants and ultraviolet absorbers applied to decorative laminate, developing papers, molded plastic parts | Banned since April 1, 2008 | |
| - Lenses and frames of glasses | Banned since April 1, 2011 | |

| Substances: Dimethyl fumarate (DMF) | | |
|---|---|--|
| CAS No. 624-49-7 | | |
| Targets | Effective date of the ban on the delivery | |
| - All uses (e.g. fungicides and desiccant agents) | Banned since April 1, 2010 | |

(Note)

This document is subject to change without prior notice, as a result of a revision or modifications on the SS-00259, the Sony Technical Standard titled "Management Regulations for the Environment-related Substances to be Controlled which are included in Parts and Materials."

Management Regulations for the Environment-related Substances to be Controlled which are included in Parts and Materials

SS-00259 for General Use, Thirteenth Edition

Enforced 2014.04.01

Issued by Secretariat of the Sony Technical Standards, Sony Corporation

零部件和材料中的环境管理物质 管理规定

(SS-00259 第 13 版 一般公开版)

SONY

CIRS/C&K Testing
www.cirs-ck.com
hotline:4006-721-723
Email:test@cirs-group.com

(注意)

本书的著作权等相关权利，完全归索尼株式会社所有。

本书是索尼技术标准 SS-00259 第 13 版的一般公开版。

Copyright 2014 Sony Corporation
ALL RIGHTS RESERVED

No part of this document may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording or by any information storage and retrieval system, without the prior written permission of Sony Corporation.

根据著作权法，严禁擅自复制、转载。

目 录

| | |
|---|----|
| 1. 目的..... | 1 |
| 2. 适用范围..... | 1 |
| 2.1 零部件和材料的适用范围 | 1 |
| 2.2 产品的适用范围 | 1 |
| 3. 术语的定义..... | 2 |
| 4. 环境管理物质的管理标准..... | 3 |
| 4.1 环境管理物质 | 3 |
| 4.2 有关包装零部件和材料的追加事项 | 20 |
| 4.3 有关电池的追加事项 (适用于：与产品同时包装或另外出售等所有商品的流通形式) | 24 |
| 5. 特定产品零部件中的化学物质替代化..... | 25 |
| 附属资料 | 26 |

根据著作权法，严禁擅自复制、转载。

1. 目的

本技术标准是：通过明确构成索尼电子产品的零部件和组件等中含有的环境管理物质之(1)禁止使用物质，(2)计划全废物质，(3)适用对象外项目，以防止其混入索尼电子产品中，同时实现遵守法令、保护地球环境以及减轻对生态系统的影响等的目的。

2. 适用范围

2.1 零部件和材料的适用范围

本技术标准适用于：索尼集团以及由索尼集团委托设计、制造的产品所包含的零部件、材料及其他物品。这些对象均必须符合本技术标准规定的标准/界限值水准。

所适用的零部件和材料等为：

- 半成品(功能单元、模组、板组件(board assemblies)等的组装零部件等)
- 零部件(电气零部件、机械零部件、半导体器件、印刷线路板、记录媒体、包装零部件和材料)
- 螺丝
- 附件(配合机器使用的附属品，例如，遥控指挥器、鼠标、AC适配器等)
- 产品采用的辅助材料(胶带(adhesive tape)、焊接材料、粘结剂等)之组成材料等
- 印刷品(操作说明书、保证书、产品和零部件相关的补充信息等)
- 修理用零部件(对于已出货产品的修理用部分零部件，应依照另行规定的通知书执行)
- 零部件交货厂商为了发送或保护货物而使用“4.2.1 包装零部件和材料的定义”中定义的包装零部件和材料
- 电池

2.2 产品的适用范围

- (1) 由索尼集团设计和制造、销售、借阅以及发布的索尼电子产品。
- (2) 索尼集团委托第三者设计和制造，且贴有索尼集团的商标进行销售、借阅或发布的索尼电子产品。
- (3) 第三者委托索尼集团进行设计和制造的电子产品。(但是，由该第三者指定的零部件和材料除外)

此外，对本技术标准中未明确规定物质或是其用途，如果各国或当地法令规定禁止使用或限制使用该物质或用途时，则必须遵照相关法令执行。

根据著作权法，严禁擅自复制、转载。

3. 术语的定义

本技术标准中所使用的术语定义如下：

(1) 环境管理物质

包含在零部件和组件等的物质中，由索尼判断对地球环境和人体存在着显著影响的物质。

(2) 管理级别

按照以下3种管理级别和适用对象外的分类进行管理。

(a) 1级

相应用对象物质及其用途禁止使用于零部件和材料中。

(b) 2级

表中规定的该日期开始(即：禁止收货时期栏中所指定的日期)指定提升为“1级”。

(c) 3级

今后，考虑到上升至2级，须把握的物质及其用途的相关使用状况。

(d) 适用对象外

考虑到法令适用对象外项目等，从1~3级对象中刨除的物质及其用途。必要时，需要把握的物质及其用途的使用状况。

(3) 含有

含有是指：无论是否有意图地，通过添加、充填、混入、或者付着的形式，在产品的零部件、组件以及其所使用的材料中残留的情况。

在加工过程中无意图地向产品里混入或者付着后残留的情况也作为含有。

(4) 意图添加

为了达到特定的特性、外观、性质、属性和质量，通过有意图的添加、填充、混入、和付着，使物质残留在构成产品的零部件、设备以及其所使用的材料中的情况。

(注) * 天然素材中所含有的工业材料在精制过程中技术性不能被除去的物质(natural impurity)、或合成反应的过程里所发生技术性不能被除去的物质是不纯物，不属于“意图添加”。

* 为了区别主原料把叫“不纯物”的以改变合金等素材特性为目的的使用场合作为“意图添加”，有关制造半导体设备等的掺杂物(Dopant)，实质上在半导体设备等里是极其微量的残存时，不作为“意图添加”。

(5) 对象

在各个“管理水准”里，管理所要求的要素(零部件、材料、用途、处理等)。

(6) 标准 / 界限值水准

各个的“管理水准”里，管理所要求的条件或数值的范围。

(注) * “1级”的“标准 / 界限值水准”里“数值的范围”有所指定，零部件/设备等中所属环境管理物质含有不纯物时，其浓度不能与“数值的范围”相同。

* “标准 / 界限值水准”里“意图添加”等的条件、和“数值的范围”两者都表示时，必须都要满足。

(7) 禁止收货时期

禁止向索尼供应零部件和材料的时期。

(8) 本技术标准中定义的塑料

—由合成高分子物质形成的材料或素材—

包括由合成高分子制成的纤维、薄膜、胶带(adhesive tape)、成型产品、合成橡胶产品、植物原料塑料、粘结剂等。

(注) * 另外，天然树脂与上述的合成高分子物质合成的材料，也定义为塑料。

根据著作权法，严禁擅自复制、转载。

4. 环境管理物质的管理标准

4.1 环境管理物质

本技术标准中作为对象的环境管理物质名称如表 4.1 所示。

表 4.1 环境管理物质名称一览表

| 物质名称 | 页 |
|---|----|
| 镉以及镉化合物 | 5 |
| 铅以及铅化合物 | 6 |
| 汞以及汞化合物 | 7 |
| 六价铬化合物 | 7 |
| 多溴联苯(PBB) | 8 |
| 包含十溴联苯醚(DecaBDE)的多溴联苯醚(PBDE) | 8 |
| 六溴环十二烷(HBCDD) | 8 |
| 其他有机溴化合物 | 8 |
| 多氯联苯(PCB) | 9 |
| 多氯化萘(PCN) | 9 |
| 多氯三联苯(PCT) | 9 |
| 短链型氯代烷烃(SCCP) | 9 |
| 磷酸三(2-氯乙基)酯(TCEP)、磷酸三(2-氯丙基)酯(TCPP)、磷酸三(2,3-二氯丙基)酯(TDCPP) | 9 |
| 高氯酸盐 | 9 |
| 聚氯乙烯(PVC)以及聚氯乙烯混合物 | 10 |
| 其他有机氯化合物 | 10 |
| 氢氟碳化合物(HFC)、全氟化碳(PFC)、六氟化硫(SF ₆) | 11 |
| 臭氧层破坏物质(ODS) | 11 |
| 全氟辛烷磺酸(及其盐)(PFOS) | 12 |
| 全氟辛酸铵(PFOA)、其盐和酯 | 12 |
| 三取代基有机锡化合物(包括三丁基锡化合物(TBT)、三苯基锡化合物(TPT)) | 13 |
| 二丁基锡化合物(DBT) | 13 |
| 二辛基锡化合物(DOT) | 13 |
| 氧化铍 | 14 |
| 铍青铜 | 14 |
| 二氯化钴 | 14 |
| 三氧化二砷、五氧化二砷 | 14 |
| 邻苯二甲酸(2-乙基己基酯)、邻苯二甲酸二丁酯、邻苯二甲酸丁苄酯、邻苯二甲酸二异丁酯 | 15 |
| 邻苯二甲酸二异壬酯、邻苯二甲酸二异癸酯、邻苯二甲酸二正辛酯、邻苯二甲酸二己酯、 邻苯二甲酸二(C6-8支链)烷基酯(富C7) | 16 |
| 邻苯二甲酸二(C7-11支链与直链)烷基酯、 邻苯二甲酸二甲氧乙酯、邻苯二甲酸二异戊酯、 支链与直链的邻苯二甲酸二戊酯、邻苯二甲酸正戊基异戊基酯、邻苯二甲酸二戊酯 | |
| 石棉 | |
| 特定偶氮化合物 | 17 |
| 甲醛 | 18 |
| 特定苯并三唑 | 18 |

根据著作权法，严禁擅自复制、转载。

| | |
|------------------------|----|
| 富马酸二甲酯(DMF) | 18 |
| 多环芳烃化合物 (PAHs) | 18 |
| 硼酸、特定硼酸钠 | 19 |
| 4-(1, 1, 3, 3-四甲基丁基)苯酚 | 19 |
| 二乙二醇二甲醚 | 19 |
| N, N-二甲基乙酰胺(DMAC) | 19 |
| 乙二醇二甲醚(EGDME) | 19 |
| 磷酸三(二甲苯)酯 (TXP) | 19 |

根据著作权法，严禁擅自复制、转载。

表 4.2 关于环境管理物质的主要对象和禁止收货时期

| 物质名称: 镉以及镉化合物 | | | |
|--|--|---|--------|
| | 对象 | 标准/界限值水准 | 禁止收货日期 |
| 1 级 | <ul style="list-style-type: none"> 塑料(包括橡胶) 涂料 油墨 <p>(注) 电线、电缆及电源线类的包覆材料属于塑料(包括橡胶)</p> | <ul style="list-style-type: none"> 均质材料中, 镉含有 100 ppm (0.01 wt%) 以上(含) (*) | 立即执行 |
| | 焊料 | <ul style="list-style-type: none"> 焊料中, 镉含有超过 20 ppm (0.002 wt%) | |
| | <ul style="list-style-type: none"> 上述以外的所有用途 (关于包装零部件/材料, 参照 4.2; 关于电池, 参照 4.3) | <ul style="list-style-type: none"> 均质材料中, 镉含有 100 ppm (0.01 wt%) 以上(含) | |
| 2 级 | <ul style="list-style-type: none"> 用于显示系统的彩色转换 II - VI 族 LED 中的镉(每平方毫米发光区域中的镉小于 10μg) 但是, 不包括镉在下列对象树脂中含有 100ppm 及以上的情况。 对象树脂: 聚氯乙烯 (PVC) 以及共聚物 、聚氨酯 (PUR)、低密度聚乙烯 (LDPE) 但不包括用于生产彩色母料低密度聚乙烯、醋酸纤维素 (CA)、丁基醋酸纤维素 (CAB)、环氧树脂、三聚氰胺甲醛树脂 (MF)、脲醛树脂 (UF)、不饱和聚酯 (UP)、聚对苯二甲酸乙二醇酯 (PET)、聚对苯二甲酸丁二醇酯 (PBT)、透明/通用聚苯乙烯、丙烯腈 - 甲基丙烯酸甲酯 (AMMA)、交联聚乙烯 (VPE)、耐冲击性聚苯乙烯、聚丙烯 (PP) (注) 镉在上列对象树脂中含有 100 ppm 及以上的情况时定为 1 级 | 从 2014 年 7 月 1 日开始执行 | |
| 适用对象外 | <ul style="list-style-type: none"> 电气触点中的镉及其化合物 (注) 以要求达到高可靠性, 并且没有替代材料的镀金为对象 用于滤光玻璃的玻璃中的镉 | | |
| (*) 至于塑料(包括橡胶)、涂料、油墨、应依照以下标准进行测量 | | | |
| 测定标准: | | | |
| (1) 预处理 | | | |
| 主要的预处理方法: 例如 IEC 62321-5:2013, EPA 3052:1996 | | | |
| <ul style="list-style-type: none"> - 在密闭容器内进行的加压酸分解法(例如微波分解法) - 酸分解法 - 干式灰化法 <p>(注) 如果在预处理过程中, 产生沉淀物(不溶解物)时, 应采取某种方法(碱溶法等)完全溶解该沉淀物。 以 EN 71-3:1994、ASTM F963-96a、ASTM F963-03、ASTM D 5517、ISO 8124-3: 1997 为代表的萃取法是不适合的预处理方法。</p> | | | |
| (2) 测定法 | | | |
| 主要测定方法: 例如 IEC 62321-5:2013 | | | |
| <ul style="list-style-type: none"> - 电感耦合等离子体发射光谱法 (ICP-OES[ICP-AES]) - 原子吸收分光光度法 (AAS) - 原子荧光光度法 (AFS) - 电感耦合等离子体质谱法 (ICP-MS) <p>(注) 预处理和测定方法的组合方法, 若能保证镉的最小测试极限小于 5 ppm, 则可以采用。</p> | | | |

根据著作权法, 严禁擅自复制、转载。

| 物质名称：铅以及铅化合物 | | | | | | |
|---|---|----------|---|--|--|--|
| 对象 | | 标准/界限值水准 | 禁止收货时期 | | | |
| 1 级 | <ul style="list-style-type: none"> • 塑料(包含橡胶) • 涂料 • 油墨 <p>(注) 电线、电缆及电线類的包覆材料含有塑料 (包含橡胶)</p> | | <ul style="list-style-type: none"> • 均质材料中, 铅含有超过 100 ppm (0.01 wt%) (*) | | | |
| | <ul style="list-style-type: none"> • 上述以外的所有用途 (关于包装零部件/材料, 也请参照 4.2。 关于电池, 也请参照 4.3。) | | <ul style="list-style-type: none"> • 均质材料中, 铅含有 1000 ppm (0.1 wt%) 以上(含) | | | |
| 适用对象外 | <ul style="list-style-type: none"> • 阴极射线管中的含铅量 • 重量比不超过 0.2 wt% 的萤光管玻璃中的含铅量 • 在铅含量 0.35 wt% 以下的机械加工为目的的钢材及镀锌钢中, 作为合金成分的铅 • 在铅含量为 0.4 wt% 以下的铝材中, 作为合金成分的铅 • 铅含量为 4 wt% 以下的铜合金 • 高熔点焊料中的铅 (即铅含量为 85 wt% 以上的铅基合金) • 玻璃或陶瓷中, 或玻璃或陶瓷基复合材料中含铅的电气及电子元件、但是电容器的介电陶瓷除外 (例: 压电器件) • 额定电压为 125 V AC 或 250V DC 或更高的电容器介电陶瓷中的鉛 • 集成电路或分离式半导体 (单功能半导体) 的电容器部件中使用的 PZT 介电陶瓷材料中的铅 • 光学用途中使用到的白色玻璃中的铅 • 濾光玻璃中使用到的玻璃中的铅 • 连接集成电路板叩焊晶片内部的半导体芯片和连接电路板的焊料中的鉛 (注) 通式包括 C4 突块(bump)下面使用的焊锡膏 • 金属陶瓷微调电位器构成要素中的铅 | | | | | |
| (*) 至于塑料(包括橡胶)、涂料、油墨, 应依照以下测量标准进行测量 | | | | | | |
| 测定标准: | | | | | | |
| (1) 预处理 | | | | | | |
| <p>主要的预处理方法: 例如 IEC 62321-5:2013, EPA 3052:1996</p> <ul style="list-style-type: none"> - 在密闭容器内进行的加压酸分解法(例如微波分解法) - 酸分解法 - 干式灰化法 <p>(注) 如果在预处理过程中, 产生沉淀物(不溶解物)时, 应采取某种方法(碱溶法等)完全溶解该沉淀物。 EN 71-3:1994、ASTM F963-96a、ASTM F963-03、ASTM D 5517、ISO 8124-3:1997 为代表的萃取法是不适合的预处理方法。另外, EN 1122:2001 不适合作为铅的预处理方法。</p> | | | | | | |
| (2) 测定方法 | | | | | | |
| <p>主要测定方法: 例如 IEC 62321-5:2013</p> <ul style="list-style-type: none"> - 电感耦合等离子体-光发射光谱法、(ICP-OES[ICP-AES]) - 原子吸收光分析法(AAS) <ul style="list-style-type: none"> - 原子荧光光度法 (AFS) - 电感耦合等离子体-质谱法(ICP-MS) <p>(注) 预处理和测定方法的组合方法, 若能保证铅的最小测试极限小于 30 ppm, 则可以采用。</p> | | | | | | |

* 表 4.2a “含铅各种合金的允许浓度”由于记载在适用对象外中, 因此设为缺号。

根据著作权法, 严禁擅自复制、转载。

| 物质名称：汞以及汞化合物 | | | |
|--------------|--|---|--------|
| 对象 | | 标准/界限值水准(*) | 禁止收货时期 |
| 1 级 | <ul style="list-style-type: none"> 所有用途 (有关包装零部件/材料，也请参照 4.2; 有关电池，也请参照 4.3。) | <ul style="list-style-type: none"> 意图添加 均质材料中，汞含有 1000 ppm (0.1 wt) 以上(含) | 立即执行 |
| 适用对象外 | <ul style="list-style-type: none"> 冷阴极荧光灯管(CCFL) 及外置电极荧光灯(EEFL) 中的汞： 长度在 500 mm 以下的：每根汞的含有量 3.5 mg 以下(含) 长度超过 500 mm 但小于 1500 mm，且每支汞的含量 5 mg 以下(含) 的产品 长度超过 1500 mm，且每支汞的含量 10 mg 以下(含) 的产品 高压气体放电管(幻灯机灯管等) 中的汞 | | |

* 标准/界限值水准，“意图添加”和数值的范围两方同时要求时，都要满足。

| 物质名称：六价铬化合物 | | | |
|-------------|--|--|--------|
| 对象 | | 标准/界限值水准(*) | 禁止收货时期 |
| 1 级 | <ul style="list-style-type: none"> 电镀、化学转化处理等的表面处理(螺丝、钢板等) | <ul style="list-style-type: none"> 残留在被处理部位(**) | 立即执行 |
| | <ul style="list-style-type: none"> 上述以外的所有用途 (有关包装零部件和材料，也请参照 4.2。) | <ul style="list-style-type: none"> 意图添加 均质材料中，六价铬的含有 1000 ppm (0.1 wt) 以上(含) | |

* 标准/界限值水准，“意图添加”和数值的范围两方同时要求时，都要满足。

** 这里的 1 级（禁止），不是指禁止使用在表面处理工程中，而是禁止残留在被处理的部位上。

| 物质名称：多溴联苯(PBB) | | | |
|----------------|---------|---|--------|
| 对象 | | 标准/界限值水准(*) | 禁止收货时期 |
| 1 级 | • 所有的用途 | • 意图添加 • 均质材料中，含有 1000 ppm (0.1wt%) 以上(含) | 立即执行 |

* 标准/界限值水准，“意图添加”和数值两方同时要求时，都要满足。

| 物质名称：包含十溴联苯醚(DecaBDE)的多溴联苯醚(PBDE) | | | |
|-----------------------------------|---------|--|--------|
| 对象 | | 标准/界限值水准(*) | 禁止收货时期 |
| 1 级 | • 所有的用途 | • 意图添加 • 均等材料中，含有 1000 ppm (0.1 wt%) 以上(含) | 立即执行 |

* 标准/界限值水准，“意图添加”和数值两方同时要求时，都要满足。

| 物质名称：六溴环十二烷(HBCDD) | | | |
|--|---------|--|--------|
| CAS No. 25637-99-4、3194-55-6、134237-50-6、134237-51-7、134237-52-8、4736-49-6、65701-47-5、138257-17-7、138257-18-8、138257-19-9、169102-57-2、678970-15-5、678970-16-6、678970-17-7 的物质是对象 | | | |
| 对象 | | 标准/界限值水准 | 禁止收货时期 |
| 1 级 | • 所有的用途 | • 意图添加 • 零部件中，含有超过 1000 ppm (0.1 wt%) | 立即执行 |

* 标准/界限值水准，“意图添加”和数值两方同时要求时，都要满足。

| 物质名称：其他有机溴化合物 | | | |
|---------------|--------------------|----------------------------------|--------|
| 对象 | | 标准/界限值水准 | 禁止收货时期 |
| 3 级 | • 印刷线路板等中所使用的阻燃剂用途 | • 积层板中，溴素含有超过 900 ppm (0.09 wt%) | |
| | • 上述以外的塑料零部件阻燃剂 | • 意图添加 | |

根据著作权法，严禁擅自复制、转载。

| 物质名称：多氯联苯(PCB) | | | |
|----------------|---------|---|--------|
| 对象 | | 标准/界限值水准 | 禁止收货时期 |
| 1 级 | • 所有的用途 | • 意图添加 • 材料中，含有 50 ppm (0.005 wt) 以上(含) | 立即执行 |

* 标准/界限值水准，“意图添加”和数值的范围两方同时要求时，都要满足。

| 物质名称：多氯化萘(PCN) | | | |
|----------------|---------|----------|--------|
| 对象 | | 标准/界限值水准 | 禁止收货时期 |
| 1 级 | • 所有的用途 | • 意图添加 | 立即执行 |

| 物质名称：多氯三联苯(PCT) | | | |
|-----------------|---------|-------------------------------------|--------|
| 对象 | | 标准/界限值水准 | 禁止收货时期 |
| 1 级 | • 所有的用途 | • 材料中，含有 50 ppm (0.005 wt) 以上(含) | 立即执行 |

| 物质名称：短链型氯代烷烃(SCCP) | | | |
|--------------------------|---------|--|--------|
| 对象为“碳链长为 10—13 的短链型氯代烷烃” | | | |
| 对象 | | 标准/界限值水准 | 禁止收货时期 |
| 1 级 | • 所有的用途 | • 意图添加 • 材料中，含有超过 1000 ppm (0.1 wt%) | 立即执行 |

* 标准/界限值水准，“意图添加”和数值两方同时要求时，都要满足。

| 物质名称：磷酸三(2-氯乙基)酯(TCEP)、磷酸三(2-氯丙基)酯(TCPP)、磷酸三(2,3-二氯丙基)酯(TDCPP) CAS No. 115-96-8、13674-84-5、13674-87-8 的物质是对象 | | | |
|---|-----------------------|--------------------------------|----------------------|
| 对象 | | 标准/界限值水准 | 禁止收货时期 |
| 1 级 | • 用于塑料、树脂、纤维、布料的阻燃剂用途 | • 零部件中，含有超过 1000 ppm (0.1 wt%) | 从 2014 年 4 月 1 日开始执行 |

| 物质名：高氯酸盐 | | | |
|----------|---------|--------------------------------------|--------|
| 对象 | | 标准/界限值水准 | 禁止收货时期 |
| 3 级 | • 所有的用途 | • 零部件中，含有 6 ppb (0.006 ppm) 以上(含) | |

根据著作权法，严禁擅自复制、转载。

| 物质名称：聚氯乙烯(PVC)以及聚氯乙烯混合物 | | | |
|-------------------------|--|--|--------|
| | 对象 | 标准/界限值水准 | 禁止收货时期 |
| 1 级 | <ul style="list-style-type: none"> • 非接触 IC 卡(FeliCa)用基材 • 下列产品所使用的配件背包，专用携带配件盒、配件腰包的材料和涂装剂(但是，业务用除外) <ul style="list-style-type: none"> - 电脑、数码相机、摄像机、便携式多媒体播放器 • 捆绑附件、连接电源线的扎线带 • 产品以及与产品一同包装的附件等使用的包装零部件和材料(袋、胶带、纸箱、泡罩包装等)、但是，用于设备、半导体及其他零部件的包装零部件和材料(托盘、装运管、止动器、带盘、包装卷带)除外 • 热收缩软管(但是，用于电池的零部件、材料为3级) • 扁型软电线(FFC) • 绝缘板、装饰板、标签(但是，用于电池的零部件、材料为3级) • 片材、层压板(包含木制扬声器外装部分采用的片材、层压板) • 安装车用机器的吸盘 | <ul style="list-style-type: none"> • 意图添加 | 立即执行 |
| 3 级 | • 1 级以外的所有用途 | <ul style="list-style-type: none"> • 意图添加 | |
| 适用对象外 | • 用于涂料、油墨、涂饰剂、粘合剂等的树脂用树脂粘结剂(binder) | | |

| 物质名称：其他有机氯化合物 | | | |
|---------------|---------------------|--|--------|
| | 对象 | 标准/界限值水准 | 禁止收货时期 |
| 3 级 | • 在印刷线路板等中所使用的阻燃剂用途 | <ul style="list-style-type: none"> • 积层板中，氯素含有超过 900 ppm (0.09 wt%) | |
| | • 上述以外塑料零部件的阻燃剂和增塑剂 | <ul style="list-style-type: none"> • 意图添加 | |

根据著作权法，严禁擅自复制、转载。

| 物质名称：氢氟碳化合物(HFC)、全氟化碳(PFC)、六氟化硫(SF ₆) | | | |
|---|--------------------------|----------|--------|
| 对象 | | 标准/界限值水准 | 禁止收货时期 |
| 1 级 | • 用于制冷剂和隔热材料等的产品中所有用途 | • 意图添加 | 立即执行 |
| 适用对象外 | • 用于投影机电源装置的冲击压力吸收器的六氟化硫 | | |

| 物质名称：臭氧层破坏物质(ODS) | | | |
|-------------------|-----------------------|--------------------------|--------|
| 对象为表 4.2d 的物质 | | | |
| 对象 | | 标准/界限值水准 | 禁止收货时期 |
| 1 级 | • 用于制冷剂和隔热材料等的产品中所有用途 | • 意图添加 | 立即执行 |
| | • 所有的用途 | • 使用 ODS 实施清洗加工、发泡加工等的处理 | |

表 4.2d 臭氧层破坏物质(ODS)一览表

| CAS No. | 名称 |
|------------|--------------------|
| 75-69-4 | CFC-11; 三氯氟甲烷 |
| 75-71-8 | CFC-12; 二氯氟甲烷 |
| 76-13-1 | CFC-113; 三氯氟乙烷 |
| 76-14-2 | CFC-114; 二氯四氟乙烷 |
| 76-15-3 | CFC-115; 氯五氟乙烷 |
| 353-59-3 | Halon-1211; 溴氯二氟甲烷 |
| 75-63-8 | Halon-1301; 一溴三氟甲烷 |
| 124-73-2 | Halon-2402; 四氟二溴乙烷 |
| 75-72-9 | CFC-13; 氯三氟甲烷 |
| 354-56-3 | CFC-111; 五氯氟乙烷 |
| 76-12-0 | CFC-112; 四氯二氟乙烷 |
| 422-78-6 | CFC-211; 七氯氟丙烷 |
| 3182-26-1 | CFC-212; 六氯二氟丙烷 |
| 2354-06-5 | CFC-213; 五氯三氟丙烷 |
| 29255-31-0 | CFC-214; 四氯四氟丙烷 |
| 4259-43-2 | CFC-215; 三氯五氟丙烷 |
| 661-97-2 | CFC-216; 二氯六氟丙烷 |
| 422-86-6 | CFC-217; 氯七氟丙烷 |
| 56-23-5 | 四氯化碳; 四氯甲烷 |
| 71-55-6 | 1, 1, 1-三氯乙烷; 甲基氯仿 |

根据著作权法，严禁擅自复制、转载。

| 物质名称: 全氟辛烷磺酸(及其盐) (PFOS) | | | |
|--------------------------|------------------------------|----------|--------|
| 对象 | | 标准/界限值水准 | 禁止收货时期 |
| 1 级 | • 所有的用途 | • 意图添加 | 立即执行 |
| 适用对象外 | • 商业用的光学胶片 • 半导体制程工艺用的光阻剂 | | |

| 物质名称: 全氟辛酸铵 (PFOA)、其盐和酯 | | | |
|---|-------------------------|--|----------------------|
| CAS No. 335-67-1、3825-26-1、335-95-5、2395-00-8、335-93-3、335-66-0、376-27-2、3108-24-5 的物质是对象 | | | |
| 对象 | | 标准/界限值水准 | 禁止收货时期 |
| 1 级 | • 用于纤维、布料、皮革材料的涂抹剂 | • 被涂抹的材料中, 含有超过 $1 \mu\text{g}/\text{m}^2$ | 从 2014 年 4 月 1 日开始执行 |
| | • 上述以及下述的 2 级以外的全部用途 | • 零部件中, 含有超过 1000 ppm (0.1 wt%) | 从 2014 年 4 月 1 日开始执行 |
| 2 级 | • 用于胶卷、纸、印刷板的照片用涂抹剂 | • 被涂抹的材料中, 含有超过 $1 \mu\text{g}/\text{m}^2$ | 从 2015 年 7 月 1 日开始执行 |
| | • 用于半导体中的粘合剂、金属箔、胶带的添加剂 | • 零部件中, 含有超过 1000 ppm (0.1 wt%) | 从 2015 年 7 月 1 日开始执行 |

根据著作权法, 严禁擅自复制、转载。

| | | | |
|--|---|---|--------|
| 物质名称：三取代基有机锡化合物 (包括三丁基锡化合物(TBT)、三苯基锡化合物(TPT)) | | | |
| 对象中不包括金属锡、锡合金、锡电镀、锡无机化合物。 | | | |
| 对象 | | 标准/界限值水准(*) | 禁止收货时期 |
| 1 级 | <ul style="list-style-type: none"> • 所有的用途 | <ul style="list-style-type: none"> • 意图添加 • 材料中，锡含有超过 1000 ppm (0.1 wt%) (材料里锡的换算超过 1000 ppm 的含有) | 立即执行 |

* 标准/界限值水准，“意图添加”和数值两方同时要求时，都要满足。

| | | | |
|---------------------------|---|---|----------------------|
| 物质名称：二丁基锡化合物(DBT) | | | |
| 对象中不包括金属锡、锡合金、锡电镀、锡无机化合物。 | | | |
| 对象 | | 标准/界限值水准 | 禁止收货时期 |
| 1 级 | <ul style="list-style-type: none"> • 塑料橡胶添加剂等的所有用途(下列的 2 级除外) | <ul style="list-style-type: none"> • 材料中，锡含有超过 1000 ppm (0.1 wt%) (材料里锡的换算超过 1000 ppm 的含有) | 立即执行 |
| 2 级 | <ul style="list-style-type: none"> • 一液型及二液型室温硬化型(RTV-1 及 RTV-2)密封剂 • 一液型及二液型室温硬化型(RTV-1 及 RTV-2)接着剂 • 涂料及涂抹剂的触媒 • 面向用 PVC 涂抹的室外用途屋外用织物、纤维的安定剂 • 软质 PVC 其本身，或者，硬质 PVC 和同时被成形按出的软质 PVC 异型材中的添加剂 | <ul style="list-style-type: none"> • 材料中，锡含有超过 1000 ppm (0.1 wt%) (材料里锡的换算超过 1000 ppm 的含有) | 从 2014 年 7 月 1 日开始执行 |
| 适用对象外 | <ul style="list-style-type: none"> • 零部件和设备中所用再利用的包装零部件和材料中的添加剂 • 设备、半导体及其他零部件所用的包装零部件和材料(托盘、料条(装运管)、制动机、带盘、压纹承载带等)中的添加剂 | | |

| | | | |
|------------------------|--|---|--------|
| 物质名称：二辛基锡化合物(DOT) | | | |
| 不包括金属锡、锡合金、锡电镀、锡无机化合物。 | | | |
| 对象 | | 标准/界限值水准 | 禁止收货时期 |
| 1 级 | <ul style="list-style-type: none"> • 纤维、布料中的添加剂 | <ul style="list-style-type: none"> • 材料中，锡含有超过 1000 ppm (0.1 wt%) (材料里锡的换算超过 1000 ppm 的含有) | 立即执行 |

根据著作权法，严禁擅自复制、转载。

| 物质名称：氧化铍 | | | |
|----------|---------|----------|--------|
| 对象 | | 标准/界限值水准 | 禁止收货时期 |
| 1 级 | • 所有的用途 | • 意图添加 | 立即执行 |

| 物质名称：铍青铜 | | | |
|----------|---------|-----------|--------|
| 对象 | | 标准/界限值水准 | 禁止收货时期 |
| 3 级 | • 所有的用途 | • 意图添加或使用 | |

| 物质名称：二氯化钴 | | | |
|-----------|--|----------|--------|
| 对象 | | 标准/界限值水准 | 禁止收货时期 |
| 1 级 | • 用于干燥剂(硅胶等)中的湿度指示剂 • 湿度指示剂(湿度显示卡) (注) 所指的湿度指示剂，是将二氯化钴浸渍到纸等里面的吸湿类型 | • 意图添加 | 立即执行 |

| 物质名称：三氧化二砷、五氧化二砷 | | | |
|--|------------------------------------|---------------------------------|----------------------|
| 对象为 CAS No. 1327-53-3、1303-28-2 的物质、各物质的界限值被适用 | | | |
| 对象 | | 标准/界限值水准 | 禁止收货时期 |
| 2 级 | • 液晶屏(包含玻璃罩、手触屏、后照灯)的玻璃的消泡剂、澄清剂的用途 | • 零部件中，含有量超过 1000 ppm (0.1 wt%) | 从 2014 年 7 月 1 日开始执行 |

根据著作权法，严禁擅自复制、转载。

| <p>物质名称：邻苯二甲酸(2-乙基己基酯)、邻苯二甲酸二丁酯、 邻苯二甲酸丁苄酯、邻苯二甲酸二异丁酯</p> <p>对象为 CAS No. 117-81-7、84-74-2、85-68-7、84-69-5 的物质 (参照表 4.2c)，界限值适用于各物质</p> | | | |
|--|---|--|----------------------|
| | 对象 | 标准/界限值水准 | 禁止收货时期 |
| 2 级 | <ul style="list-style-type: none"> 用于电器电气机器以外产品的零部件和材料上的添加剂 (例：便携包、装运箱、保护套、塑料包装袋、收缩膜等) 用于长时间与皮肤接触部位的零部件、材料上的添加剂。 (例：把手、方向盘等) | <ul style="list-style-type: none"> 材料中，含有量超过 1000 ppm (0.1 wt%) | 从 2014 年 7 月 1 日开始执行 |
| 2 级 | <ul style="list-style-type: none"> 用于电缆、电线的下述零部件、材料上的添加剂 (不过，用于电缆、电线的粘接剂、涂料、油墨、涂布剂上的添加剂为 3 级) <ul style="list-style-type: none"> - 构成外部被覆物以及内部被覆物的材料 - 构成插头和插座外部的材料 - 系结电缆、电线的绝缘胶带 | <ul style="list-style-type: none"> 材料中，含有量超过 1000 ppm (0.1 wt%) | 从 2015 年 4 月 1 日开始执行 |
| レベル 3 | <ul style="list-style-type: none"> 2 级以外的所有用途 | <ul style="list-style-type: none"> 材料中，含有量超过 1000 ppm (0.1 wt%) | |
| 适用对象外 | <ul style="list-style-type: none"> 用于设备、半导体及其他零部件的包装零部件和材料 (托盘、装运管、止动器、带盘、包装卷带) 上的添加剂 | | |

(*) 但是，对于本物质的非意图的附着、残存，或者在制造过程中非意图的混入是被允许的。此例外措施，根据今后的法律及法规的发展趋势进行审查。

| | | | |
|--|--------|-----------------------------------|--------|
| 物质名称：邻苯二甲酸二异壬酯、邻苯二甲酸二异癸酯、邻苯二甲酸二正辛酯、邻苯二甲酸二己酯、 邻苯二甲酸二（C6-8支链）烷基酯、富C7（DIHP）、 邻苯二甲酸二（C7-11支链与直链）烷基酯（DHNUP）、邻苯二甲酸二甲氧乙酯（DMEP）、 邻苯二甲酸二异戊酯、支链与直链的邻苯二甲酸二戊酯、邻苯二甲酸正戊基异戊基酯、邻苯二甲酸二戊酯 对象为CAS No. 28553-12-0、68515-48-0、26761-40-0、68515-49-1、117-84-0、84-75-3、71888-89-6、 68515-42-4、117-82-8、605-50-5、84777-06-0、776297-69-9、131-18-0的物质(参照表4.2c)、适用于各物质的界限值水准 | | | |
| | 对象 | 标准/界限值水准 | 禁止收货时期 |
| 3 级 | • 所有用途 | • 零部件中、含有超过 1000 ppm (0.1 wt%) | |

表4.2c 特定邻苯二甲酸盐(邻苯二甲酸盐)一览表

| 略称 | CAS No. | 名称 |
|-------|--------------------------|------------------------------|
| DEHP | 117-81-7 | 邻苯二甲酸(2-乙基己基酯) |
| DBP | 84-74-2 | 邻苯二甲酸二丁酯 |
| BBP | 85-68-7 | 邻苯二甲酸丁苄酯 |
| DIBP | 84-69-5 | 邻苯二甲酸二异丁酯 |
| DINP | 28553-12-0 68515-48-0 | 邻苯二甲酸二异壬酯 |
| DIDP | 26761-40-0 68515-49-1 | 邻苯二甲酸二异癸酯 |
| DNOP | 117-84-0 | 邻苯二甲酸二正辛酯 |
| DNHP | 84-75-3 | 邻苯二甲酸二己酯 |
| DIHP | 71888-89-6 | 邻苯二甲酸二(C6-8支链)烷基酯、富C7(DIHP) |
| DHNUP | 68515-42-4 | 邻苯二甲酸二(C7-11支链与直链)烷基酯(DHNUP) |
| DMEP | 117-82-8 | 邻苯二甲酸二甲氧乙酯(DMEP) |
| DIPP | 605-50-5 | 邻苯二甲酸二异戊酯 |
| - | 84777-06-0 | 支链与直链的邻苯二甲酸二戊酯 |
| - | 776297-69-9 | 邻苯二甲酸正戊基异戊基酯 |
| DPP | 131-18-0 | 邻苯二甲酸二戊酯 |

| | | | |
|---------|---------|----------|--------|
| 物质名称：石棉 | | | |
| | 对象 | 标准/界限值水准 | 禁止收货时期 |
| 1 级 | • 所有的用途 | • 意图添加 | 立即执行 |

根据著作权法，严禁擅自复制、转载。

| 物质名称: 特定偶氮化合物 | | | |
|--|-------------------|---------------------------------------|--------|
| 对象为: REACH 法规(1907/2006/EC)– 附件 XVII 中引用的试验法进行分解、生成表 4. 2b 特定胺化合物的偶氮化合物、以及 4. 2b 的特定胺化合物 | | | |
| 对象 | | 标准/界限值水准 | 禁止收货时期 |
| 1 级 | • 纤维、布料、皮革材料中的添加剂 | • 纤维、布料、皮革材料中，含有超过 30 ppm (0.003 wt%) | 立即执行 |
| 试验法(参考) | | | |
| 分解偶氮化合物, 生成胺的方法如下所述: | | | |
| (1) 纤维、布料: EN 14362-1:2012; EN 14362-2:2012 (4-氨基偶氮苯) | | | |
| (2) 皮革材料: EN ISO 17234-1:2010; EN ISO 17234-2:2011 (4-氨基偶氮苯) | | | |

表 4. 2b 特定胺化合物一览表

| CAS No. | 特定胺名称 |
|----------|---|
| 92-67-1 | 4-氨基联苯 |
| 92-87-5 | 联苯胺 |
| 95-69-2 | 4-氯邻甲苯胺; 4-氯-2-甲基苯胺 |
| 91-59-8 | 2-萘胺 |
| 97-56-3 | 邻氨基偶氮甲苯 |
| 99-55-8 | 2-氨基-4-硝基甲苯; 5-硝基邻甲苯胺 |
| 106-47-8 | 4-氯苯胺 |
| 615-05-4 | 2, 4-二氨基苯甲醚 |
| 101-77-9 | 4, 4'-亚甲基二苯胺; 4, 4'-二氨基二苯甲烷 |
| 91-94-1 | 3, 3'-二氯联苯胺 |
| 119-90-4 | 3, 3'-二甲氧基联苯胺 |
| 119-93-7 | 3, 3'-二甲基联苯胺 |
| 838-88-0 | 3, 3'-二甲基-4, 4'-二氨基二苯甲烷; 4, 4'-二氨基-3, 3'-二甲基二苯基甲烷 |
| 120-71-8 | 5-甲基邻茴香甲胺; 2-甲氧基-5-甲基苯胺 |
| 101-14-4 | 4, 4'-二氨基-3, 3'-二氯二苯甲烷 |
| 101-80-4 | 4, 4'-二氨基联苯醚 |
| 139-65-1 | 4, 4'-二氨基二苯硫醚 |
| 95-53-4 | 邻甲苯胺 |
| 95-80-7 | 2, 4-二氨基甲苯; 4-甲基-间-苯二胺 |
| 137-17-7 | 2, 4, 5-三甲基苯胺 |
| 90-04-0 | 邻甲氧基苯胺 |
| 60-09-3 | 4-氨基偶氮苯 |

根据著作权法, 严禁擅自复制、转载。

| 物质名称：甲醛 | | | |
|------------------------------|--|----------|--------|
| 对象 | | 标准/界限值水准 | 禁止收货时期 |
| 1 级 | • 产品中使用的纤维板(Fiberboard)、刨花板(particleboard)，以及使用胶合板的木制品(例如，扬声器、机架等) | • 具体如下所述 | 立即执行 |
| 甲醛的界限值(排放浓度)：采用如下方法中的其中一种方法。 | | | |
| (1) 测试室法 | 12 m ³ 、1 m ³ 或 0.0225 m ³ 的气密试验槽中，其浓度在 0.1 ppm 以下(小于或等于 0.124 mg/m ³) | | |
| (2) 穿孔法 | • 未经表面处理的 100g 刨花板中的标准值应为小于或等于 6.5 mg(6 个月的平均值) • 未经表面处理的 100g 纤维板中的标准值应为小于或等于 7.0 mg(6 个月的平均值)或者 • 未经表面处理的 100g 刨花板及纤维板中的标准值应为小于或等于 8.0 mg(这里是指遵照如下(2) 中的 EN 120 规定之 1 次的测定值) | | |
| (3) 干燥器法 | 平均标准值应为小于或等于 0.5 mg/1，最大的标准值应为小于或等于 0.7 mg/1(用 N = 2 来确认平均值、最大值) | | |
| 试验法： | (1) 测试室法依照 EN 717-1: 2004 (2) 穿孔法依照 EN 120: 1992 (3) 干燥器法依照 JIS A 5905 (Fiberboards)、JIS A 5908 (Particleboards) 规定 | | |

| 物质名称：特定苯并三唑 | | | |
|---|---------|----------|--------|
| 对象为“2-(2'-羟基-3'、5'-二叔丁基苯基)-苯并三唑(CAS No. 3846-71-7)” | | | |
| 对象 | | 标准/界限值水准 | 禁止收货时期 |
| 1 级 | • 所有的用途 | • 意图添加 | 立即执行 |

| 物质名称：富马酸二甲酯(DMF) | | | |
|-----------------------|---------|--------------------|--------|
| 对象为 CAS No. 624-49-7。 | | | |
| 对象 | | 标准/界限值水准 | 禁止收货时期 |
| 1 级 | • 所有的用途 | • 材料中，含有超过 0.1 ppm | 立即执行 |

| 物质名称：多环芳烃化合物 (PAHs) | | | |
|---|--|---------------------------------|----------------------|
| CAS No. 50-32-8、192-97-2、56-55-3、218-01-9、205-99-2、205-82-3、207-08-9、53-70-3 的物质是对象 | | | |
| 对象 | | 标准/界限值水准 | 禁止收货时期 |
| 2 级 | • 直接，长时间，或者在很短的时间内屡次的接触皮肤或口腔内的橡胶或塑料零部件 | • 材料中，含有超过 0.1 ppm (0.0001 wt%) | 从 2015 年 7 月 1 日开始执行 |

根据著作权法，严禁擅自复制、转载。

| | | | |
|---------------|---------|-----------------------------------|--------|
| 物质名称：硼酸、特定硼酸钠 | | | |
| 对象为表 4.2e 的物质 | | | |
| | 对象 | 标准/界限值水准 | 禁止收货时期 |
| 3 级 | • 所有的用途 | • 零部件中，含有超过 1000 ppm (0.1 wt%) | |

表 4.2e 硼酸、特定硼酸钠一览表

| CAS No. | 名称 |
|------------|------------|
| 10043-35-3 | 硼酸 |
| 11113-50-1 | 硼酸 |
| 12179-04-3 | 五水四硼酸钠 |
| 1330-43-4 | 无水四硼酸钠 |
| 1303-96-4 | 十水四硼酸钠(硼砂) |
| 12267-73-1 | 七水合四硼酸钠 |

| | | | |
|----------------------------------|---------|-----------------------------------|--------|
| 物质名称：4-(1,1,3,3-四甲基丁基)苯酚 | | | |
| 对象为别名对特辛基苯酚、CAS No. 140-66-9 的物质 | | | |
| | 对象 | 标准/界限值水准 | 禁止收货时期 |
| 3 级 | • 所有的用途 | • 零部件中，含有超过 1000 ppm (0.1 wt%) | |

| | | | |
|--------------------------|---------|-----------------------------------|--------|
| 物质名称：二乙二醇二甲醚 | | | |
| 对象为 CAS No. 111-96-6 的物质 | | | |
| | 对象 | 标准/界限值水准 | 禁止收货时期 |
| 3 级 | • 所有的用途 | • 零部件中，含有超过 1000 ppm (0.1 wt%) | |

| | | | |
|--------------------------|---------|-----------------------------------|--------|
| 物质名称：N,N-二甲基乙酰胺(DMAC) | | | |
| 对象为 CAS No. 127-19-5 的物质 | | | |
| | 对象 | 标准/界限值水准 | 禁止收货时期 |
| 3 级 | • 所有的用途 | • 零部件中，含有超过 1000 ppm (0.1 wt%) | |

| | | | |
|---|---------|-----------------------------------|--------|
| 物质名称：乙二醇二甲醚(EGDME) | | | |
| 别名 1,2 - 二甲氧基乙烷、CAS No. 110-71-4 的物质为对象 | | | |
| | 对象 | 标准/界限值水准 | 禁止收货时期 |
| 3 级 | • 所有的用途 | • 零部件中，含有超过 1000 ppm (0.1 wt%) | |

| | | | |
|----------------------------|---------|-----------------------------------|--------|
| 物质名称：磷酸三(二甲苯)酯(TXP) | | | |
| 对象为 CAS No. 25155-23-1 的物质 | | | |
| | 对象 | 标准/界限值水准 | 禁止收货时期 |
| 3 级 | • 所有的用途 | • 零部件中，含有超过 1000 ppm (0.1 wt%) | |

根据著作权法，严禁擅自复制、转载。

4.2 有关包装零部件和材料的追加事项

4.2.1 包装零部件和材料的定义

包装零部件和材料是指：生产者为了将产品(包括原材料到加工品)以“装入”、“保护”、“处理”、“运送”、“交付”等方式送到使用者或消费者手中，使用各类材料及零部件制成的产品。

(注) 但是，在运输公司或零部件交货厂商的管理下回收且再次使用的物流箱等的包装除外。在此所指的物流箱等不包含在由索尼集团内部或终端用户废弃的包装材料中。

表 4.3 有关包装零部件和材料的追加事项

| 物质名称：重金属(镉、铅、六价铬、汞) | | | | | | |
|--|--------------------------------------|---|------------|--|--|--|
| 除 4.1 项(表 4.2)的规定外，还需遵守法律规定，同时符合以下条件 | | | | | | |
| | 对象 | 标准/界限值水准 | 禁止收货禁止收货时期 | | | |
| 1 级 | • 对象为所有的包装零部件和材料 (表 4.3a 中记载具体例子) | • 对组成包装的各零部件材料、油墨、涂料，含有合计 100 ppm 的重金属(汞、镉、六价铬、铅) | 立即执行 | | | |
| 适用对象外 | • 运输公司或零部件交货厂商所使用的物流箱除外 | | | | | |
| 至于包装零部件和材料，应依照以下测量标准进行测量 | | | | | | |
| (1) 对于六价铬的分析，首先分析总铬的量，确认 4 种元素合计小于 100 ppm。此时，可以与镉和铅同时进行预处理。 | | | | | | |
| (2) 如果 4 种元素合计为 100 ppm 以上时，必需确认镉、铅、汞 3 种元素的合计含量小于 100 ppm。 当镉、铅、汞的合计含量小于 100 ppm 时，再进一步实施六价铬的检测判定。最后应确认没有检测到六价铬。 | | | | | | |
| 测定标准： | | | | | | |
| (1) 预处理 在此规定镉和铅的预处理方法，应依照塑料中的镉 ⁽¹⁾ 和铅 ⁽²⁾ 的规定处理。 另外，总铬的预处理方法也是依照塑料中的镉 ⁽¹⁾ 的规定处理。 汞的预处理方法主要有以下几种方法： - 在密闭容器内进行的加压酸分解法(例如：微波分解法)(例如：IEC62321-5：2013, EPA 3052：1996) - 加热气化-冷原子吸光法(例如：IEC62321-5：2013 EPA 3052:1996) - 将硫酸、硝酸放入附带回流冷凝器的分解烧瓶(基耶达尔法)中进行的湿式分解法 (注) 必须注意无论采用何种方法都不能让汞挥发。另外，产生沉淀物时，必须采取某种方法完全溶解该沉淀物。 | | | | | | |
| (2) 测定法 在此规定镉、铅、总铬的测定法，应依照塑料中的镉 ⁽¹⁾ 和铅 ⁽²⁾ 的规定进行。 另外，汞的测定方法也是依照塑料中的镉 ⁽¹⁾ 和铅 ⁽²⁾ 的规定进行。但是，预估包装零部件和材料中可能混入低浓度的汞时，如下分析方法较为适合：还原气化原子吸光法、附带氢气发生器的 ICP-OES (ICP-AES) 与附带氢气发生器的 ICP-MS。 | | | | | | |

根据著作权法，严禁擅自复制、转载。

六价铬的检测判定

这是为了确认包装零部件和材料中的镉、铅、汞、总铬 4 种元素合计是否是 100 ppm 以上的方法。

检测方法：

(1) 预处理

萃取法[沸水萃取法、碱萃取法(例如：IEC62321：2008 Annex C, EPA 3060A)]

(2) 测定法

紫外-可见光分光光度法(例如：IEC62321：2008 Annex C, EPA 7196A)

本测定标准，根据预处理和测定法的组合，如果其结果可以保证各自所对应的最小测试极限为：汞小于 5 ppm、镉小于 5 ppm、总铬小于 5 ppm、铅小于 30 ppm 的话，则规定为该组合所得到的测定结果合格。

(*1) 参照“表 4.2 关于环境管理物质的主要对象和禁止收货时期”、“物质名称：镉以及镉化合物”、“测定标准”。

(*2) 参照“表 4.2 关于环境管理物质的主要对象和禁止收货时期”、“物质名称：铅以及铅化合物”、“测定标准”。

根据著作权法，严禁擅自复制、转载。

表 4. 3a 识别包装零部件和材料的具体例子

(注) 本表并没有网罗所有的包装零部件和材料。

| 用于包装消费者用产品以及业务用产品的包装零部件和材料(用于运输索尼电子产品的包装零部件和材料) | | |
|---|-------------------|---|
| PACKAGING | | |
| 1. | 纸箱(箱子) | 由各种材料制成的个装箱、辅助纸箱、主纸箱 |
| 2. | 缓冲材料 | |
| 3. | 防护带(片材(sheet)) | 泡沫塑料或不织布等 |
| 4. | 塑料袋 | |
| 5. | 信封 | 装保证书的信封等 |
| 6. | 泡罩包装 | |
| 7. | 薄膜 | 包含粘贴液晶显示器表面等的防护膜 |
| 8. | 对折泡壳 | |
| 9. | 隔离板/间隔物(spacer) | |
| 10. | 印刷油墨 | 用于印刷包装零部件的油墨 |
| 11. | 胶带(adhesive tape) | 用于封缄纸箱、塑料袋，以及保护和固定可动部分的胶带 |
| 12. | U形钉 | |
| 13. | 标签 | 在索尼的监督管理下粘贴于包装零部件上的标签，例如条形码标签 |
| 14. | 接头(joint) | 粘接纸箱等 |
| 15. | 打包带 | PP 打包带等 |
| 16. | 挂钩(hang tab) | |
| 17. | 提手 | 提手及其构成零部件 |
| 18. | 外框 | 木框等 |
| 19. | 热收缩薄膜 | |
| 20. | 瓶 | |
| 21. | 套筒 | |
| 22. | 装饰箱 | 例如装钢笔或化妆品的装饰箱 |
| 23. | 防滑垫 | |
| 24. | 芯轴盒 | |
| NOT PACKAGING | | |
| 1. | CD 盒子/袋 | CD、DVD、Blu-ray 光盘、MD、磁带、MO 设备等保管中所使用的盒子、袋 |
| 2. | 检索卡片/标签 | 属于产品的一部分，附属于 CD 或其他记录媒体的检索卡片或标签等 |
| 3. | 专用携带配件盒/配件腰包 | 属于产品的一部分，耳机、照相机、WALKMAN®随身听等的附属品 |
| 4. | 标签 | 粘贴在产品上等的标签，但包装零部件和材料上的标签除外 |
| 5. | 标签 | 由第 3 者粘贴的货物标签或发票等 |

| 器件、半导体以及其他零部件使用的包装零部件和材料 | | |
|--------------------------|---------|-----------------|
| PACKAGING | | |
| 1. | 料条(装运管) | 用于运输 IC 等的包装零部件 |
| 2. | 止动器 | |
| 3. | 托盘 | |
| 4. | 带盘 | |

根据著作权法，严禁擅自复制、转载。

| 物流采用的包装零部件和材料 | | |
|---------------|-------------|---|
| PACKAGING | | |
| 1. | 板条托盘 | 包括滑托板之木制、塑料制、纸制等 One-Way 规格的托盘 |
| 2. | 板条箱 | |
| 3. | 缠绕膜(拉伸膜) | 防止货物变形等用 |
| 4. | 木制集装箱 | |
| 5. | 辅助包装采用的包装材料 | 运输零部件时的辅助包装所采用的纸箱、缓冲材料、胶带(adhesive tape)等 |
| 6. | 打包带/绳 | PP 打包带等 |
| NOT PACKAGING | | |
| 1. | 轮船和空运集装箱 | 轮船输送用 40 英尺集装箱、空运集装箱等 |

根据著作权法，严禁擅自复制、转载。

4.3 有关电池的追加事项(适用于：与产品同时包装或另外出售等所有商品的流通形式)

4.3.1 关于本技术标准中的“电池”、“电池组”以及“纽扣电池”的定义

“电池”是指：通过直接变换化学能源，使其产生电气能源。它是由单一或复数个一次电池(即原电池 primary battery：不能再充电)，或是单一或复数个二次电池(即蓄电池 secondary battery：可再充电)所组成的。

“电池组”是指：由复数的电池相互连接，或者是终端用户(end-user)无企图分解，即以全套装置(complete unit)的形式安装于外壳(outer casing)中的电池套组。

“纽扣电池”是指：其直径比高度长，外形小并且为圆形的携带型“电池”。因特别的目的用于助听器、腕表、小型可携带式机器产品、备用电源等中的电池。

4.3.2 有关电池的事项

关于镉(Cd)、铅(Pb)、汞(Hg)，用于“电池”以及“电池组”的电池均适用于表4.4记载的规定。

关于镉(Cd)、铅(Pb)、汞(Hg)以外的环境管理物质，用于“电池”以及“电池组”的电池，适用于表4.2 标准/界限值水准。

另外，在“电池组”中，关于构成电池以外的零部件，依照表4.2 的标准/界限值水准。

表4.4 有关电池的事项

| 物质名称：重金属(镉、铅、汞) | | |
|-----------------|-------|---|
| 对象 | | 禁止收货时期 |
| 1 级 | 镉(Cd) | • 镍/镉电池。 |
| | | • “电池”：含有电池总重0.002%以上的镉的电池。 |
| | | • “电池组”：含有电池总重0.002%以上的镉的电池组。 |
| | | • 碳性电池、碱锰电池以及镍氢电池(Ni-MH)的蓄电池中含有电池总重0.001%以上的镉电池。 |
| | 铅(Pb) | • “电池”：含有电池总重0.4%以上的铅的电池。 |
| | | • “电池组”：含有电池总重量0.4%以上铅的电池组。 |
| | | • 碳性电池，对电池的重量比为0.1%以上。 |
| | | • 碱锰电池中含有电池总重0.004%以上(碱锰纽扣电池是0.1%) |
| | 汞(Hg) | • “纽扣电池”：含有电池总重2%以上的汞的纽扣电池。 |
| | | • “纽扣电池”以外的有。 “电池”：含有电池总重量0.0005%以上的汞的电池。 “电池组”：含有电池总重量0.0005%以上的汞的电池组。 |
| | | • 碳性电池和碱锰电池及镍氢(Ni-MH)蓄电池中含有电池总重0.0001%以上的汞的电池。 |

根据著作权法，严禁擅自复制、转载。

5. 特定产品零部件中的化学物质替代化

索尼根据化学物质的有害性和暴露量的风险性为考量，从收集的用途信息和含有信息中，特定了风险性高的用途，并将其用途的逐步全废列入环境中期计划中。

聚氯乙烯(PVC)：

由于不适合的处分而产生有害物质的危险性已显示，作为 PVC 的可塑剂、安定剂所使用的物质的一部分来说，对环境面及人体影响有令人担忧的部分。在发展中国家有价物品的回收过中，小型电子器材被收集后，考虑到不适当的烧毁和填埋对环境影响，对下列产品和机种进行 PVC 替代化。

溴素阻燃剂(BFR)：

BFR 中存在对人体的有影响以及会残留在环境中的物质，甚至在体内产生具有积蓄性的物质。与 PVC 一样，考虑到由于不适当的烧毁而产生的有害物质的风险性，将下列产品和机种为对象进行 BFR 的替代化。

替代化对象零部件；2011 年 4 月 1 日以后贩卖的新机种里，索尼 CSR/环境/社会贡献的网页

(http://www.sony.co.jp/SonyInfo/csr_report/environment/chemical/products/index3.html#block2)

(仅有日语版) 中所指定的产品种类和机种中，下列零部件作为对象。(附属品、配件、以业务用途为前提所涉及的产品除外)

- PVC 替代化对象零部件；框体和机内的配线。
- BFR 替代化对象零部件；框体树脂 (BFR 的含有浓度超过 1000 ppm) 和主要的线路板(溴素的含有浓度超过 900 ppm)。

注：质量、技术上的问题没被解决时，在“聚氯乙烯(PVC)及 PVC 混合物”里的“适用对象外”不在该对象中。

关于对供应商的具体指示，对各对象产品中零部件的规格书等做另外的指示。

根据著作权法，严禁擅自复制、转载。

附属资料

1. 世界各国和地区就物质使用所实施的法律法规(主要法规)

2. 所属物质的详细信息(主要的例子)和主要的用途

- 镉以及镉化合物
- 铅以及铅化合物
- 汞以及汞化合物
- 六价铬化合物
- 多溴联苯(PBB)
- 多溴联苯醚(PBDE)
- 多氯联苯(PCB)
- 多氯化萘(PCN)
- 多氯三联苯(PCT)
- 短链型氯化萘(SCCP)
- 高氯酸盐
- 聚氯乙烯(PVC)以及聚氯乙烯混合物
- 氢氟碳化合物(HFC)、全氟化碳(PFC)
- 全氟辛烷磺酸(及其盐)(PFOS)
- 三取代基有机锡化合物(包括三丁基锡化合物(TBT)、三苯基锡化合物(TPT))
- 二丁基锡化合物(DBT)
- 二辛基锡化合物(DOT)
- 氧化铍
- 二氯化钴
- 石棉
- 甲醛
- 特定苯并三唑
- 富马酸二甲酯(DMF)

注意事项：本附属资料 1 和 2 中所列举的法令及化学物质，仅为代表性的例子，并不是汇总全部的内容，所以也会有其他表述名称等的情况。

3. 各物质禁止收货时期的变更履历

根据著作权法，严禁擅自复制、转载。

1. 世界各国和地区就物质的使用所实施的法律法规(主要法规)

(注) 以下登载的是截止至目前 2013 年 1 月已确认的内容。如果有改定版及附属资料，也应同时参考。另外，由于法律法规的内容会有变动，因此请参照各国的法律法规的最新版的详细内容。

| 物质名称 | 法律法规(主要法规) |
|---------------|---|
| 镉以及镉化合物 | 欧盟・REACH 法规(EC) No. 1907/2006 Annex XVII 欧盟・RoHS 指令(2011/65/EU) 及其修订版 欧盟・电池指令(2006/66/EC) 韩国・质量经营及工产品安全管理法 韩国・电气用品安全管理法 韩国・电气电子产品及汽车资源循环相关法律 丹麦・指令 No. 1199 |
| 铅以及铅化合物 | 欧盟・RoHS 指令(2011/65/EU) 及其修订版 欧盟・电池指令(2006/66/EC) 阿根廷・便携式电气能源法律 26, 184 号及决议 14/2007 巴西・电池规则 Resolution No. 401 韩国・质量经营及工产品安全管理法 韩国・电气电子产品及汽车资源循环相关法律 丹麦・指令 No. 1199 |
| 汞以及汞化合物 | 欧盟・RoHS 指令(2011/65/EU) 及其修订版 欧盟・电池指令(2006/66/EC) 中国・关于限制电池产品汞含量的规定 中国・进出口电池产品汞含量检验监督管理规则 美国・路易斯安那州降低汞危险法 韩国・电气电子产品及汽车资源循环相关法律 |
| 六价铬化合物 | 欧盟・RoHS 指令(2011/65/EU) 及其修订版 韩国・电气电子产品及汽车资源循环相关法律 |
| 多溴联苯(PBB) | 欧盟・REACH 法规(EC) No. 1907/2006 Annex XVII 欧盟・RoHS 指令(2011/65/EU) 韩国・电气电子产品及汽车资源循环相关法律 |
| 多溴联苯醚(PBDE) | 欧盟・REACH 法规(EC) No. 1907/2006 Annex XVII 欧盟・RoHS 指令(2011/65/EU) 韩国・电气电子产品及汽车资源循环相关法律 |
| 六溴环十二烷(HBCDD) | 欧盟・REACH 法规(EC) No. 1907/2006 |
| 多氯联苯(PCB) | 日本・化学物质审查规制法 第1种特定化学物质 PCB 商业生产/处理/流通和使用禁止规则 (40CFR 761) |
| 多氯化萘(PCN) | 日本・化学物质审查规制法 第1种特定化学物质 |
| 多氯三联苯(PCT) | 欧盟・REACH 法规(EC) No. 1907/2006 Annex XVII |

根据著作权法，严禁擅自复制、转载。

| 物质名称 | 法律法规(主要法规) |
|---|--|
| 短链型氯代烷烃(SCCP) | 挪威 • 对特定有害化学物质使用等相关限制 等 欧盟 • POPs 規則 (EC) No 850/2004 |
| 磷酸三(2-氯乙基)酯(TCEP)、 磷酸三(2-氯丙基)酯(TCPP)、 磷酸三(2,3-二氯丙基)酯(TDCPP) | 欧盟 • REACH 法规(EC) No. 1907/2006 美国 • 佛蒙特州 • Act85 |
| 氢氟碳化合物(HFC)、全氟化碳(PFC)、六氟化硫(SF ₆) | 欧盟 • 欧盟法规(EC) No 842/2006 丹麦 • 指令 No. 552 瑞士 • 减少化学品风险条令(※简称 ORRChem) |
| 臭氧层破坏物质(ODS) | 欧盟 • 欧盟法规(EC) No. 2037/2000 日本 • 关于通过对特定物质的控制等措施保护臭氧层的法律 美国 • 1990 年的清洁空气法案修订案 印度尼西亚 • Regulation of the Minister of Industry of the Republic of Indonesia No. 33/M-IND/PER/4/2007 dated April 17, 2007 |
| 全氟辛烷磺酸(及其盐)(PFOS) | 欧盟 • REACH 法规(EC) No. 1907/2006 Annex XVII |
| 全氟辛酸铵(PFOA)，其盐和酯 | 挪威 • Product Regulations |
| 三取代基有机锡化合物(包括三丁基锡化合物(TBT)、三苯基锡化合物(TPT)) | 欧盟 • REACH 法规(EC) No. 1907/2006 Annex XVII 日本现行的《化学物质审查规制法》规定的第1种 / 第2种特定化学物质 |
| 二丁基锡化合物(DBT) | 欧盟 • REACH 法规(EC) No. 1907/2006 Annex XVII |
| 二辛基锡化合物(DOT) | 欧盟 • REACH 法规(EC) No. 1907/2006 Annex XVII |
| 氧化铍 | 欧盟 • WEEE 指令(2002/96/EC) 及欧盟 • 欧盟指令(1999/45/EC) |
| 二氯化钴 | 欧盟 • REACH 法规(EC) No. 1907/2006 Annex XVII |
| 三氧化二砷、五氧化二砷 | 欧盟 • REACH 法规(EC) No. 1907/2006 |
| 邻苯二甲酸(2-乙基己基酯)、邻苯二甲酸二丁酯、邻苯二甲酸丁苄酯、邻苯二甲酸二异丁酯 | 欧盟 • REACH 法规(EC) No. 1907/2006 丹麦 • 指令 No. No. 1113 |
| 石棉 | 日本 • 劳动安全卫生法 德国 • 化学品禁止规则(简称 ChemVerbotsV) |
| 特定偶氮化合物 | 欧盟 • REACH 法规(EC) No. 1907/2006 Annex XVII |
| 甲醛 | 德国 • 化学品禁止规则(简称 ChemVerbotsV) 丹麦 • 指令 No. 289 |
| 特定苯并三唑 | 日本 • 化学物质审查规制法(简称化审法) 第1种特定化学物质 |
| 富马酸二甲酯(DMF) | 欧盟 • REACH 法规(EC) No. 1907/2006 |
| 多环芳烃化合物(PAHs) | 欧盟 • REACH 法规(EC) No. 1907/2006 Annex XVII |
| 重金属(铅、镉、汞、六价铬) | 欧盟 • 包装和包装废弃物的指令 (94/62/EC) 美国 • 纽约州等 16 个州的包装材料重金属规定 |

根据著作权法，严禁擅自复制、转载。

2. 所属物质的详细信息(主要的例子)

● 镉以及镉化合物

① 所属物质的例子

| 中文名称 (通称、简称、化学名称等) | 英文名称 | CAS 号码 | 化学分子式 |
|-----------------------|---------------------------------------|-------------------------|--|
| 镉 | Cadmium | 7440-43-9 | Cd |
| 镉合金 | Cadmium alloys | | |
| 氧化镉 | Cadmium oxide | 1306-19-0 | CdO |
| 氯化镉 | Cadmium chloride | 10108-64-2 | CdCl ₂ |
| 硫化镉；镉黄 | Cadmium sulfide | 1306-23-6; 8048-07-5 | CdS |
| 硝酸镉 | Cadmium nitrate | 10325-94-7 | Cd(NO ₃) ₂ |
| 四水合硝酸镉 | Cadmium nitrate tetrahydrate | 10022-68-1 | Cd(NO ₃) ₂ • 4H ₂ O |
| 硫酸镉 | Cadmium sulfate | 10124-36-4 | CdSO ₄ |
| 硬脂酸镉 | Cadmium stearate | 2223-93-0 | Cd(C ₁₈ H ₃₅ O ₂) ₂ |
| 其他镉化合物及合金 | Other cadmium compounds and alloys | | |

② 主要用途等

- 接点材料、DC 马达、开关、继电器、断路器等的电气接点用添加剂
- 表面处理(电气镀、无电解镀等)
- 镍・镉电池、镉电池、碱性电池等的电池材料
- 焊锡、低熔点焊锡
- 试药、化学合成材料
- 电镀浴(液)、电镀光澤剂
- 聚氯乙烯的安定剂
- 颜料、半导体受光元件、涂料、油漆、涂层、油墨、着色剂
- 塑料(包括橡皮)材料中所使用的安定剂
- 颜料、染料(电气配线的绝缘体、遥控器、束线带、電子部品の外装樹脂、外筐、标签、记录盘用等的顏料、染料)
- 相片、相片胶卷
- 萤光灯(小型萤光灯、直管萤光灯)
- 保险丝(温度保险丝的可溶体)
- 玻璃及玻璃涂料的颜料、染料(玻璃用颜料、染料及玻璃用涂料)
- 萤光表示装置中含有的萤光体、CdS 光导电管
- 抵抗体(玻璃粉)
- 包含亚铅的金属(黄铜、溶融亚铅焊锡等)里的不纯物
- 光学玻璃添加剂

根据著作权法，严禁擅自复制、转载。

● 铅以及铅化合物

① 所属物质的例子

| 中文名称 (通称、简称、化学名称等) | 英文名称 | CAS 号码 | 化学分子式 |
|----------------------------------|------------------------------|---------------------------|---|
| 铅；金属铅 | Lead metal | 7439-92-1 | Pb |
| 铅-锡合金 | Lead-tin alloy | | Pb-Sn |
| 氧化铅；一氧化铅；氧化亚铅；氧化铅(II)；密陀僧(黄铅)；黄丹 | Lead (II) oxide | 1317-36-8 | PbO |
| 二氧化铅；氧化第二铅；氧化铅(IV)；过氧化铅 | Lead (IV) oxide | 1309-60-0 | PbO ₂ |
| 三氧化二铅；三二氧化铅 | Dilead trioxide | 1314-27-8 | Pb ₂ O ₃ |
| 四氧化三铅；四三氧化铅；铅丹；红丹；氧化铅(II, IV) | Lead (II, IV) oxide | 1314-41-6 | Pb ₃ O ₄ |
| 叠氮化铅；铅叠氮化物 | Lead diazide; Lead azide | 13424-46-9 | PbN ₆ |
| 二氟化铅；氟化亚铅；氟化铅(II) | Lead (II) fluoride | 7783-46-2 | PbF ₂ |
| 二氯化铅；氯化铅(II)；氯化铅 | Lead (II) chloride | 7758-95-4 | PbCl ₂ |
| 四氯化铅；氯化铅(IV) | Lead (IV) chloride | 13463-30-4 | PbCl ₄ |
| 碘化亚铅；碘化铅(II) | Lead (II) iodide | 10101-63-0 | PbI ₂ |
| 硫化铅(II) | Lead (II) sulfide | 1314-87-0 | PbS |
| 氰化铅(II) | Lead (II) cyanide | 592-05-2 | Pb(CN) ₂ |
| 氟硼酸铅 | Lead tetra fluoroborate | 13814-96-5 | Pb(BF ₄) ₂ |
| 六氟硅酸铅 | Lead hexafluorosilicate | 25808-74-6 | PbSiF ₆ |
| 硝酸铅 | Lead nitrate | 10099-74-8 | Pb(NO ₃) ₂ |
| 碳酸铅 | Lead carbonate | 598-63-0 | PbCO ₃ |
| 氢氧根碳酸铅；铅白；盐基碳酸铅；碳酸水酸化铅 | Lead hydroxycarbonate | 1344-36-1 | (PbCO ₃) ₂ Pb(OH) ₂ |
| 过氯酸铅 | Lead perchlorate | 13637-76-8 | Pb(ClO ₄) ₂ |
| 硫酸亚铅；硫酸铅(II) | Lead (II) sulfate | 7446-14-2; 15739-80-7 | PbSO ₄ |
| 三盐基硫酸铅 | Lead oxide sulfate | 12202-17-4 | Pb ₄ SO ₇ |
| 磷酸铅 | Lead (II) phosphate | 7446-27-7 | Pb ₃ (PO ₄) ₂ |
| 硫氰酸铅 | Lead thiocyanate | 592-87-0 | Pb(SCN) ₂ |
| 三水合乙酸铅；三水醋酸铅(II) | Lead(II) acetate, trihydrate | 6080-56-4 | Pb(CH ₃ COO) ₂ • 3H ₂ O |
| 乙酸铅；醋酸铅(II)；铅糖 | Lead(II) acetate | 301-04-2 | Pb(CH ₃ COO) ₂ |
| 乙酸高铅盐；四乙酸铅(IV) | Lead(IV) acetate | 546-67-8 | Pb(CH ₃ COO) ₄ |
| 油酸铅 | Lead oleate | 1120-46-3 | Pb[CH ₃ (CH ₂) ₇ CH=CH(CH ₂) ₇ COO] ₂ |
| 硬脂酸铅 | Lead stearate | 7428-48-0 | (C ₁₇ H ₃₆ COO). xPb (x ≥ 1) |
| 硼酸铅 | Lead(II) metaborate | 10214-39-8 | Pb(BO ₂) ₂ • H ₂ O |
| 硅酸铅 | Lead metasilicate | 11120-22-2; 10099-76-0 | PbSiO ₃ |

根据著作权法，严禁擅自复制、转载。

| 中文名称 (通称、简称、化学名称等) | 英文名称 | CAS 号码 | 化学分子式 |
|---------------------------------|---|------------|--|
| 锑酸铅 | Lead antimonate | 13510-89-9 | Pb ₃ (SbO ₄) ₂ |
| 砷酸铅；砷酸氢铅；酸性砷酸铅 | Lead hydrogen arsenate | 7784-40-9 | PbHAsO ₄ |
| 亚砷酸铅 | Lead(II) arsenite | 10031-13-7 | Pb(AsO ₂) ₂ |
| 铬酸铅； 铬黄；巴黎黄； C. I. 颜料黄 34 | Lead chromate; Chrome yellow; Lead sulfochromate yellow; C. I. Pigment Yellow 34 | 1344-37-2 | PbCrO ₄ |
| 钼酸铅 | Lead molybdate | 10190-55-3 | PbMoO ₄ |
| 铅酸钙 | Calcium plumbate | 12013-69-3 | Ca ₂ PbO ₄ |
| 四甲基铅；四甲铅；TML | Tetramethyllead | 75-74-1 | Pb(CH ₃) ₄ |
| 四乙基铅；四乙铅；TEL | Tetraethyllead | 78-00-2 | Pb(C ₂ H ₅) ₄ |
| 铬酸铅(II) | Lead chromate | 7758-97-6 | PbCrO ₄ |
| 硫酸铅铬钼红 (C. I. 颜料红 104) | Lead chromate molybdate sulfate red | 12656-85-8 | PbCrO ₄ (CrH ₂ O ₄ . Pb); PbSO ₄ (H ₂ O ₄ S. Pb); PbMoO ₄ / Mo. O. Pb |
| 砷酸铅(II) | Trilead diarsenate | 3687-31-8 | As ₂ O ₈ Pb ₃ |
| 收敛酸铅 | Lead styphnate; Lead 2, 4, 6-trinitro-m-phenylene dioxide | 15245-44-0 | C ₆ HN ₃ O ₈ Pb |
| 苦味酸铅(II) | Lead dipicrate | 6477-64-1 | C ₁₂ H ₄ N ₆ O ₁₄ Pb |
| 其他铅化合物以及合金 | Other lead compounds and alloys | | |

② 主要用途等

- 焊锡、着蜡材料
- 电气接点用添加剂
- 橡胶加硫促进剂、橡胶硬化剂、橡胶配合剂、固体润滑剂
- 铅蓄电池、电池的材料
- 颜料、颜料的原料、防锈颜料
- 涂料、油墨(印刷配线版、电子机器外部和内部所用的涂料、油墨)
- 玻璃、光学玻璃、特殊光学玻璃用添加剂
- 印刷・相片用试药、原料
- 半导体红外线检出器
- 电镀浴(液)、耐腐蚀表面处理
- 无电解镍电镀・无电解金电镀等的无电解电镀皮膜中的残留
- 铅精炼
- AC 适配器、电源线、接续线、遥控器、鼠标、机器中所用的塑料(包括橡胶)材料中的安定剂、聚氯乙烯的安定剂
- 染色
- 润滑剂、硬化剂、氧化剂、涂抹的干燥剂
- 陶瓷、玻璃的着色
- 杀虫剂、火柴
- AC 适配器、遥控器、半导体设备等里内藏零部件的外部电极、导线终端的表面处理(电气零部件 / 半导体设备 / 散热片等)
- 各种合金(青铜等)中的添加剂、杂质

根据著作权法，严禁擅自复制、转载。

●汞以及汞化合物

① 所属物质的例子

| 中文名称 (通称、简称、化学名称等) | 英文名称 | CAS 号码 | 化学分子式 |
|-----------------------|---------------------------|---------------------|---|
| 汞；金属汞 | Mercury | 7439-97-6 | Hg |
| 汞合金；汞齐 | Mercury alloys ; amalgam | | |
| 氧化亚汞；氧化汞(I) | Mercury (I) oxide | 15829-53-5 | Hg ₂ O |
| 一氧化汞；氧化汞(II) | Mercury (II) oxide | 21908-53-2 | HgO |
| 氯化亚汞；氯化汞(I)；甘汞 | Mercury (I) chloride | 10112-91-1 | Hg ₂ Cl ₂ |
| 二氯化汞；氯化汞(II)；升汞 | Mercury (II) chloride | 7487-94-7 | HgCl ₂ |
| 硝酸汞；硝酸汞(II) | Mercury (II) nitrate | 10045-94-0 | Hg(NO ₃) ₂ |
| 硫酸亚汞；硫酸汞(I) | Mercury (I) sulfate | 7783-36-0 | Hg ₂ SO ₄ |
| 雷汞；雷酸汞(II) | Mercury (II) fulminate | 628-86-4 | Hg(ONC) ₂ |
| 乙酸汞；醋酸汞(II) | Mercury (II) acetate | 1600-27-7 | Hg(CH ₃ COO) ₂ |
| 甲基汞盐 | Methylmercury salts | e. g. 22967-92-6 | CH ₃ HgX ; X=Cl, Br, I, OH, etc. |
| 乙基汞盐 | Ethylmercury salts | | C ₂ H ₅ HgX ; X=Cl, Br, I, OH, etc. |
| 丙基汞盐 | Propylmercury salts | | C ₃ H ₇ HgX ; X=Cl, Br, I, OH, etc. |
| 苯基汞盐 | Phenylmercury salts | | C ₆ H ₅ HgX ; X=Cl, Br, I, OH, etc. |
| 甲氧基乙基汞盐 | Methoxyethylmercury salts | | CH ₃ OC ₂ H ₄ HgX ; X=Cl, Br, I, OH, etc. |
| 二烃基汞 | Dialkylmercury | | R ₂ Hg ; R=alkyl group (C _n H _{2n+1}) |
| 二苯汞 | Diphenylmercury | 587-85-9 | (C ₆ H ₅) ₂ Hg |
| 其他汞化合物 | Other mercury compounds | | |

② 主要用途等

- 涂料、油墨、颜料
- 时间器
- 汞接点用继电器、开关、探测器
- 塑料里的添加剂
- 电极
- 萤光管、汞灯
- 汞电池、干电池等电池材料
- 金属蚀刻、
- 毛毡、触媒
- 时间器
- 防霉剂、防腐剂、杀菌剂

根据著作权法，严禁擅自复制、转载。

●六价铬化合物

① 所属物质的例子

仅含有六价的铬元素的物质才属于此类。

| 中文名称 (通称、简称、化学名称等) | 英文名称 | CAS 号码 | 化学分子式 |
|----------------------------------|---|--|---|
| 三氧化铬; 氧化铬(VI); 无水铬酸; 铬酸 | Chromium(VI) oxide; chromium trioxide; trioxochromium | 1333-82-0 | <chem>CrO3</chem> |
| 铬酸锂 | Lithium chromate | 14307-35-8 | <chem>Li2CrO4</chem> |
| 铬酸钠 | Sodium chromate | 7775-11-3 | <chem>Na2CrO4</chem> |
| 铬酸钾 | Potassium chromate | 7789-00-6 | <chem>K2CrO4</chem> |
| 氯铬酸钾 | Potassium chlorochromate | 16037-50-6 | <chem>K[CrO3Cl]</chem> |
| 铬酸铵 | Ammonium chromate | 7788-98-9 | <chem>(NH4)2CrO4</chem> |
| 铬酸铜 | Copper chromate | 13548-42-0 | <chem>CuCrO4</chem> |
| 铬酸镁 | Magnesium chromate | 13423-61-5 | <chem>MgCrO4</chem> |
| 铬酸钙; 钙铬黄 | Calcium chromate | 13765-19-0 | <chem>CaCrO4</chem> |
| 铬酸锶(II) | Strontium chromate (II) | 7789-06-2 | <chem>SrCrO4</chem> |
| 铬酸钡 | Barium chromate | 10294-40-3 | <chem>BaCrO4</chem> |
| 铬酸铅; 铬黄; 巴黎黄; C. I. 颜料黄 34 | Lead chromate; chrome yellow; Lead sulfochromate yellow; C. I. Pigment Yellow 34 | 1344-37-2 | <chem>PbCrO4</chem> |
| 铬酸锌; 黄锌; 锌黄 | Zinc chromate | 12018-19-8; 13530-65-9; 14018-95-2 | <chem>ZnCrO4</chem> |
| 重铬酸钠 | Sodium dichromate; sodium bichromate | 10588-01-9; 7789-12-0 | <chem>Na2Cr2O7</chem> |
| 重铬酸钾 | Potassium dichromate; potassium bichromate | 7778-50-9 | <chem>K2Cr2O7</chem> |
| 重铬酸铵 | Ammonium dichromate; ammonium bichromate | 7789-09-5 | <chem>(NH4)2Cr2O7</chem> |
| 重铬酸钙 | Calcium dichromate; calcium bichromate | 14307-33-6 | <chem>CaCr2O7</chem> |
| 重铬酸锌 | Zinc dichromate; zinc bichromate | | <chem>ZnCr2O7</chem> |
| 铬酸铅(II) | Lead chromate (II) | 7758-97-6 | <chem>PbCrO4</chem> |
| 硫酸铅铬钼红 (C. I. 颜料红 104) | Lead chromate molybdate sulfate red; C. I. Pigment Red 104 | 12656-85-8 | <chem>PbCrO4 (CrH2O4. Pb); PbSO4 (H2O4S. Pb); PbMoO4 / Mo. O. Pb</chem> |
| 铬酸铬 | Dichromium tris(chromate) | 24613-89-6 | <chem>Cr5O12</chem> <chem>CrH2O4. 2/3Cr</chem> |
| 氢氧化铬酸锌钾 | Potassium hydroxyoctaoxodizincatedichro- mate | 11103-86-9 | <chem>Cr2H9O9Zn2. K</chem> |
| 氢氧化铬酸锌 | Pentazinc chromate octahydroxide | 49663-84-5 | <chem>CrH8O12Zn5</chem> |
| 其他六价铬化合物 | Other hexavalent chromium compounds | | |

根据著作权法，严禁擅自复制、转载。

② 主要用途等

- 颜料、涂料、油墨、陶瓷用着色剂、媒染剂、其他添加剂
- 触媒
- 电镀、鞣革、化成处理等的表面处理
- 防锈剂、耐腐蚀剂
- 相片用添加剂、原料
- 电池用材料、添加剂

根据著作权法，严禁擅自复制、转载。

●多溴联苯 (PBB)

① 所属物质的例子

| 中文名称 (通称、简称、化学名称等) | 英文名称 | CAS 号码 | 化学分子式 |
|----------------------------|--|---------------------|--|
| PBB; 多溴联苯 | PBB; Polybrominated biphenyls Polybrobiphenyl | e. g. 67774-32-7 | C ₁₂ H _{10-x} Br _x (x=1-10) |
| PBB; 多溴联苯 | PBB; Polybrominated biphenyls Polybrobiphenyl | 59536-65-1 | C ₁₂ H _{10-x} Br _x (x=1-10) |
| 二溴联苯 | Dibromobiphenyl | 92-86-4 | C ₁₂ H ₈ Br ₂ |
| 2-溴代联苯 | 2-Bromobiphenyl | 2052-07-5 | C ₁₂ H ₉ Br |
| 3-溴代联苯 | 3-Bromobiphenyl | 2113-57-7 | C ₁₂ H ₉ Br |
| 4-溴代联苯 | 4-Bromobiphenyl | 92-66-0 | C ₁₂ H ₉ Br |
| 三溴联苯 | Tribromobiphenyl | 59080-34-1 | C ₁₂ H ₇ Br ₃ |
| 四溴联苯 | Tetrabromobiphenyl | 40088-45-7 | C ₁₂ H ₆ Br ₄ |
| 五溴联苯 | Pentabromobiphenyl | 56307-79-0 | C ₁₂ H ₅ Br ₅ |
| 六溴联苯 | Hexabromobiphenyl | 59080-40-9 | C ₁₂ H ₄ Br ₆ |
| 六溴; 2, 2', 4, 4', 5, 6'-联苯 | 2, 2', 4, 4', 5, 6' - Hexabromobiphenyl | 36402-15-0 | C ₁₂ H ₄ Br ₆ |
| 六溴; 2, 2', 3, 3', 5, 5'-联苯 | 2, 2', 3, 3', 5, 5' - Hexabromobiphenyl | 55066-76-7 | C ₁₂ H ₄ Br ₆ |
| 六溴; 2, 2', 4, 4', 5, 5'-联苯 | 2, 2', 4, 4', 5, 5' - Hexabromobiphenyl | 59080-40-9 | C ₁₂ H ₄ Br ₆ |
| 六溴; 2, 2', 4, 4', 6, 6'-联苯 | 2, 2', 4, 4', 6, 6' - Hexabromobiphenyl | 59261-08-4 | C ₁₂ H ₄ Br ₆ |
| 六溴; 3, 3', 4, 4', 5, 5'-联苯 | 3, 3', 4, 4', 5, 5' - Hexabromobiphenyl | 60044-26-0 | C ₁₂ H ₄ Br ₆ |
| 六溴; 2, 2', 3, 4, 4', 5'-联苯 | 2, 2', 3, 4, 4', 5' - Hexabromobiphenyl | 67888-98-6 | C ₁₂ H ₄ Br ₆ |
| 六溴; 2, 3', 4, 4', 5, 5'-联苯 | 2, 3', 4, 4', 5, 5' - Hexabromobiphenyl | 67888-99-7 | C ₁₂ H ₄ Br ₆ |
| 六溴; 2, 2', 3, 4', 5', 6-联苯 | 2, 2', 3, 4', 5', 6- Hexabromobiphenyl | 69278-59-7 | C ₁₂ H ₄ Br ₆ |
| 六溴; 2, 3, 3', 4, 4', 5-联苯 | 2, 3, 3', 4, 4', 5- Hexabromobiphenyl | 77607-09-1 | C ₁₂ H ₄ Br ₆ |
| 六溴; 2, 2', 3, 4, 4', 5-联苯 | 2, 2', 3, 4, 4', 5- Hexabromobiphenyl | 81381-52-4 | C ₁₂ H ₄ Br ₆ |
| 六溴; 2, 2', 3, 3', 4, 4'-联苯 | 2, 2', 3, 3', 4, 4' - Hexabromobiphenyl | 82865-89-2 | C ₁₂ H ₄ Br ₆ |

根据著作权法，严禁擅自复制、转载。

| 中文名称 (通称、简称、化学名称等) | 英文名称 | CAS 号码 | 化学分子式 |
|-----------------------------|---|-------------|--|
| 六溴; 2, 2', 3, 3', 4, 5' -联苯 | 2, 2', 3, 3', 4, 5' - Hexabromobiphenyl | 82865-90-5 | C ₁₂ H ₄ Br ₆ |
| 六溴; 2, 3, 3', 4', 5', 6-联苯 | 2, 3, 3', 4', 5', 6- Hexabromobiphenyl | 82865-91-6 | C ₁₂ H ₄ Br ₆ |
| 六溴; 2, 3, 3', 4, 4', 5' -联苯 | 2, 3, 3', 4, 4', 5' - Hexabromobiphenyl | 84303-47-9 | C ₁₂ H ₄ Br ₆ |
| 六溴; 2, 3', 4, 4', 5', 6-联苯 | 2, 3', 4, 4', 5', 6- Hexabromobiphenyl | 84303-48-0 | C ₁₂ H ₄ Br ₆ |
| 六溴; 2, 2', 3, 4', 6, 6' -联苯 | 2, 2', 3, 4', 6, 6' - Hexabromobiphenyl | 93261-83-7 | C ₁₂ H ₄ Br ₆ |
| 六溴; 2, 2', 3, 3', 4, 6' -联苯 | 2, 2', 3, 3', 4, 6' - Hexabromobiphenyl | 119264-50-5 | C ₁₂ H ₄ Br ₆ |
| 六溴; 2, 2', 3, 3', 5, 6' -联苯 | 2, 2', 3, 3', 5, 6' - Hexabromobiphenyl | 119264-51-6 | C ₁₂ H ₄ Br ₆ |
| 六溴; 2, 2', 3, 4, 5', 6-联苯 | 2, 2', 3, 4, 5', 6- Hexabromobiphenyl | 119264-52-7 | C ₁₂ H ₄ Br ₆ |
| 六溴; 2, 2', 3, 5, 5', 6-联苯 | 2, 2', 3, 5, 5', 6- Hexabromobiphenyl | 119264-53-8 | C ₁₂ H ₄ Br ₆ |
| 六溴; 2, 2', 3, 4, 5, 5' -联苯 | 2, 2', 3, 4, 5, 5' - Hexabromobiphenyl | 120991-47-1 | C ₁₂ H ₄ Br ₆ |
| 六溴; 2, 3, 3', 4, 5, 5' -联苯 | 2, 3, 3', 4, 5, 5' - Hexabromobiphenyl | 120991-48-2 | C ₁₂ H ₄ Br ₆ |
| 七溴联苯 | Heptabromobiphenyl | 35194-78-6 | C ₁₂ H ₃ Br ₇ |
| 八溴联苯 | Octabromobiphenyl | 61288-13-9 | C ₁₂ H ₂ Br ₈ |
| 九溴-1, 1'-联苯 | Nonabromo-1, 1'-biphenyl | 27753-52-2 | C ₁₂ HBr ₉ |
| 十溴二苯 | Decabromobiphenyl | 13654-09-6 | C ₁₂ Br ₁₀ |

② 主要用途等

- 塑料阻燃剂

根据著作权法，严禁擅自复制、转载。

●多溴联苯醚(PBDE)

① 所属物质的例子

| 中文名称 (通称、简称、化学名称等) | 英文名称 | CAS 号码 | 化学分子式 |
|--------------------------------|---|-------------|---|
| 多溴二苯醚；聚溴二苯醚；PBDE；PBDO；PBBE | Polybromodiphenyl ethers; polybromodiphenyloxides; polybrominated biphenyl ethers; PBDE; PBDO; PBBE | | C ₁₂ H _{10-x} Br _x O (x=1-10) |
| 十溴二苯醚；DBDE；DecaBDE；DBDPE；DBDPO | Decabromodiphenyl ether; decabromodiphenyloxide; DBDE; DecaBDE; DBDPE; DBDPO | 1163-19-5 | C ₁₂ Br ₁₀ O |
| 八溴二苯醚；OBDE；OctaBDE | Octabromodiphenyl ether; octabromodiphenyloxide; OBDE; OctaBDE | 32536-52-0 | C ₁₂ H ₂ Br ₈ O |
| 六溴二苯醚 | Hexabromodiphenyl ether; hexabromodiphenyloxide | 36483-60-0 | C ₁₂ H ₄ Br ₆ O |
| 六溴二苯醚 | Hexabromodiphenyl ether; hexabromodiphenyloxide | 31153-30-7 | C ₁₂ H ₄ Br ₆ O |
| 2, 2', 4, 4', 6, 6' -六溴联苯醚 | Hexabromodiphenyl ether; hexabromodiphenyloxide | 35854-94-5 | C ₁₂ H ₄ Br ₆ O |
| 2, 2', 4, 4', 5, 5' -六溴联苯醚 | Hexabromodiphenyl ether; hexabromodiphenyloxide | 68631-49-2 | C ₁₂ H ₄ Br ₆ O |
| 六溴二苯醚 | Hexabromodiphenyl ether; hexabromodiphenyloxide | 116995-33-6 | C ₁₂ H ₄ Br ₆ O |
| 2, 2', 4, 4', 5, 6' -六溴联苯醚 | Hexabromodiphenyl ether; hexabromodiphenyloxide | 207122-15-4 | C ₁₂ H ₄ Br ₆ O |
| 五溴二苯醚；PentaBDE | Pentabromodiphenyl ether; pentabromodiphenyloxide; PentaBDE | 32534-81-9 | C ₁₂ H ₅ Br ₅ O |
| 2, 2', 4, 4', 5-五溴联苯醚 | Pentabromodiphenyl ether; pentabromodiphenyloxide; PentaBDE | 60348-60-9 | C ₁₂ H ₅ Br ₅ O |

根据著作权法，严禁擅自复制、转载。

| 中文名称 (通称、简称、化学名称等) | 英文名称 | CAS 号码 | 化学分子式 |
|------------------------------|---|-------------|--|
| 2, 3, 4, 5, 6-五溴联苯醚 | Pentabromodiphenyl ether; pentabromodiphenyloxide; PentaBDE | 189084-65-9 | C ₁₂ H ₅ Br ₅ O |
| 一溴二苯醚 | Bromodiphenyl ether | 101-55-3 | C ₁₂ H ₉ BrO |
| 二溴二苯醚 | Dibromodiphenyl ether | 2050-47-7 | C ₁₂ H ₈ Br ₂ O |
| 三溴二苯醚 | Tribromodiphenyl ether | 49690-94-0 | C ₁₂ H ₇ Br ₃ O |
| 四溴联苯醚 | Tetrabromodiphenyl ether | 40088-47-9 | C ₁₂ H ₆ Br ₄ O |
| 2, 2', 4, 4'-四溴联苯醚 | Tetrabromodiphenyl ether | 5436-43-1 | C ₁₂ H ₆ Br ₄ O |
| 3, 3', 4, 4'-四溴联苯醚 | Tetrabromodiphenyl ether | 93703-48-1 | C ₁₂ H ₆ Br ₄ O |
| 3, 3', 5, 5'-四溴联苯醚 | Tetrabromodiphenyl ether | 103173-66-6 | C ₁₂ H ₆ Br ₄ O |
| 七溴二苯醚 | Heptabromodiphenyl ether | 68928-80-3 | C ₁₂ H ₃ Br ₇ O |
| 七溴二苯醚 | Heptabromodiphenyl ether | 116995-32-5 | C ₁₂ H ₃ Br ₇ O |
| 2, 2', 3, 4, 4', 6, 6'-七溴联苯醚 | Heptabromodiphenyl ether | 117948-63-7 | C ₁₂ H ₃ Br ₇ O |
| 2, 2', 3, 4, 4', 5, 6-七溴联苯醚 | Heptabromodiphenyl ether | 207122-16-5 | C ₁₂ H ₃ Br ₇ O |
| 2, 2', 3, 3', 4, 5', 6-七溴二苯醚 | Heptabromodiphenyl ether | 446255-22-7 | C ₁₂ H ₃ Br ₇ O |
| 九溴二苯醚 | Nonabromodiphenyl ether | 63936-56-1 | C ₁₂ HBr ₉ O |

② 主要用途等

- 塑料、涂料、接着剂等的阻燃剂

根据著作权法，严禁擅自复制、转载。

● 多氯联苯(PCB)、多氯化萘(PCN)、多氯三联苯(PCT)

① 所属物质的例子

| 中文名称 (通称、简称、化学名称等) | 英文名称 | CAS 号码 | 化学分子式 |
|-----------------------|-----------------------------------|------------|-----------------------------------|
| PCB; 多氯联苯；氯化联苯 | PCB; polychlorinated biphenyls | 1336-36-3 | $C_{12}H_{10-x}Cl_x$ ($x=1-10$) |
| PCN; 多氯化萘；氯化萘 | PCN; polychlorinated naphthalenes | 70776-03-3 | $C_{10}H_{8-x}Cl_x$ ($x=1-8$) |
| 三氯化萘 | Trichloronaphthalene | 1321-65-9 | $C_{10}H_5Cl_3$ |
| 四氯化萘 | Tetrachloronaphthalene | 1335-88-2 | $C_{10}H_4Cl_4$ |
| 五氯化萘 | Pentachloronaphthalene | 1321-64-8 | $C_{10}H_3Cl_5$ |
| 八氯化萘 | Octachloronaphthalene | 2234-13-1 | $C_{10}Cl_8$ |
| PCT; 多氯三联苯 | PCT; polychlorinated terphenyls | 61788-33-8 | $C_{18}H_{14-x}Cl_x$ ($x=1-14$) |

② 主要用途等

- 变压器油、电容器油、绝缘油、润滑油、热媒体
- 塑料阻燃剂
- 涂料
- 防腐剂

● 短链型氯代烷烃 (SCCP)

① 所属物质的例子

| 中文名称 (通称、简称、化学名称等) | 英文名称 | CAS 号码 | 化学分子式 |
|-----------------------------|--|---------------------|-------|
| 氯化烷烃；短链氯化石蜡；碳原子数 C10-13 氯代烃 | Short-chain Chlorinated paraffins C10-13 | e. g. 85535-84-8 | |

② 主要用途等

- 产品的外框（机壳） • 印刷配线板用阻燃剂
- 增塑剂

根据著作权法，严禁擅自复制、转载。

● 高氯酸盐

① 所属物质的例子

| 中文名称 (通称、简称、化学名称等) | 英文名称 | CAS 号码 | 化学分子式 |
|-----------------------|--------------------------------|------------|---------------------------|
| 高氯酸锂 | Lithium perchlorate | 7791-03-9 | <chem>LiClO4</chem> |
| 高氯酸钠 | Sodium perchlorate | 7601-89-0 | <chem>NaClO4</chem> |
| 一水合高氯酸钠 | Sodium perchlorate monohydrate | 7791-07-3 | <chem>NaClO4 · H2O</chem> |
| 高氯酸钾 | Potassium perchlorate | 7778-74-7 | <chem>KClO4</chem> |
| 高氯酸铵 | Ammonium perchlorate | 7790-98-9 | <chem>NH4ClO4</chem> |
| 高氯酸镁 | Magnesium perchlorate | 10034-81-8 | <chem>Mg(ClO4)2</chem> |

② 主要用途等

- 抗静电剂
- 锂电池

● 聚氯乙烯 (PVC) 以及 PVC 混合物

① 所属物质的例子

| 中文名称 (通称、简称、化学名称等) | 英文名称 | CAS 号码 | 化学分子式 |
|----------------------------|--|--------------------|-------|
| PVC 和 PVC 混合物；聚氯乙烯和聚氯乙烯混合物 | PVC and PVC blends; polyvinyl chloride and polyvinyl chloride blends | e. g. 9002-86-2 | |

● 氢氟碳化合物(HFC)、全氟化碳(PFC)

① 所属物质的例子

| 中文名称 (通称、简称、化学名称等) | 英文名称 | CAS 号码 | 化学分子式 |
|--------------------------------------|--|----------|-----------------------|
| HFC-23；三氟甲烷 | HFC-23; Trifluoromethane | 75-46-7 | <chem>CHF3</chem> |
| HFC-32；二氟甲烷 | HFC-32; Difluoromethane | 75-10-5 | <chem>CH2F2</chem> |
| HFC-41；氟代甲烷；甲基氟 | HFC-41; Fluoromethane; Methyl fluoride | 593-53-3 | <chem>CH3F</chem> |
| HFC-125；五氟乙烷 | HFC-125; Pentafluoroethane | 354-33-6 | <chem>C2HF5</chem> |
| HFC-134；1, 1, 2, 2-四氟乙烷 | HFC-134; 1, 1, 2, 2-tetrafluoroethane | 359-35-3 | <chem>CHF2CHF2</chem> |
| HFC-134a；1, 1, 1, 2-四氟乙烷 | HFC-134a; 1, 1, 1, 2-tetrafluoroethane | 811-97-2 | <chem>CH2FCF3</chem> |
| HFC-143；1, 1, 2-三氟乙烷 | HFC-143; 1, 1, 2-trifluoroethane | 430-66-0 | <chem>CHF2CH2F</chem> |
| HFC-143a；1, 1, 1-三氟乙烷 | HFC-143a; 1, 1, 1-trifluoroethane | 420-46-2 | <chem>CH3CF3</chem> |
| HFC-152a；1, 1-二氟乙烷 | HFC-152a; 1, 1-difluoroethane | 75-37-6 | <chem>CH3CHF2</chem> |
| HFC-227ea; 1, 1, 1, 2, 3, 3-七氟丙烷; | HFC-227ea; 1, 1, 1, 2, 3, 3-heptafluoropropane | 431-89-0 | <chem>C3HF7</chem> |
| HFC-236fa；1, 1, 1, 3, 3-六氟丙烷 | HFC-236fa; 1, 1, 1, 3, 3-hexafluoropropane | 690-39-1 | <chem>C3H2F6</chem> |
| HFC-245ca；1, 1, 2, 2, 3-五氟丙烷 | HFC-245ca; 1, 1, 2, 2, 3-pentafluoropropane | 679-86-7 | <chem>C3H3F5</chem> |

根据著作权法，严禁擅自复制、转载。

| 中文名称 (通称、简称、化学名称等) | 英文名称 | CAS 号码 | 化学分子式 |
|---|--|-------------|---|
| HFC-43-10mee; 1, 1, 1, 2, 3, 4, 4, 5, 5, 5-十氟戊烷; 2H, 3H-全氟戊烷 | HFC-43-10mee; 1, 1, 1, 2, 3, 4, 4, 5, 5, 5-decafluoropentane; 2H, 3H-decafluoropentane | 138495-42-8 | C ₅ H ₂ F ₁₀ |
| 六氟丙烷; HFC-236cb; 1, 1, 1, 3, 3-六氟丙烷 | HFC-236cb; 1, 1, 1, 2, 2, 3-hexafluoropropane | 677-56-5 | C ₃ H ₂ F ₆ |
| HFC-236ea; 1, 1, 1, 2, 3, 3-六氟丙烷 | HFC-236ea; 1, 1, 1, 2, 3, 3-hexafluoropropane | 431-63-0 | C ₃ H ₂ F ₆ |
| HFC-245fa; 1, 1, 1, 3, 3-五氟丙烷 | HFC-245fa; 1, 1, 1, 3, 3-pentafluoropropane | 460-73-1 | C ₃ H ₃ F ₅ |
| HFC-365mfc; 1, 1, 1, 3, 3-五氟丁烷 | HFC-365mfc; 1, 1, 1, 3, 3-pentafluorobutane | 406-58-6 | C ₄ H ₅ F ₅ |
| PFC-14; 四氟甲烷; 全氟甲烷; 四氟化炭 | PFC-14; Perfluoromethane; Tetrafluoromethane; Carbon tetrafluoride | 75-73-0 | CF ₄ |
| PFC-116; 六氟乙烷; 全氟乙烷; | PFC-116; Perfluoroethane; Hexafluoroethane | 76-16-4 | C ₂ F ₆ |
| PFC-218; 八氟丙烷; 全氟丙烷; | PFC-218; Perfluoropropane; Octafluoropropane | 76-19-7 | C ₃ F ₈ |
| PFC-31-10; 十氟丁烷; 全氟丁烷; | PFC-31-10; Perfluorobutane; Decafluorobutane | 355-25-9 | C ₄ F ₁₀ |
| PFC-c318; 八氟环丁烷 | PFC-c318; Perfluorocyclobutane; Octafluorocyclobutane | 115-25-3 | c-C ₄ F ₈ |
| PFC-41-12; 十二氟戊烷; 全氟戊烷; 八氟环丁烷 | PFC-41-12; Perfluoropentane; Dodecafluoropentane | 678-26-2 | C ₅ F ₁₂ |
| PFC-51-14; 十四氟己烷; 全氟己烷; | PFC-51-14; Perfluorohexane; Tetradecafluorohexane | 355-42-0 | C ₆ F ₁₄ |

② 主要用途等

- 制冷剂
- 隔热材料、发泡剂
- 溶剂、清洗剂、干法蚀刻
- 灭火剂

根据著作权法，严禁擅自复制、转载。

●全氟辛烷磺酸(及其盐)(PFOS)

① 所属物质的例子

| 中文名称 (通称、简称、化学名称等) | 英文名称 | CAS 号码 | 化学分子式 |
|-----------------------|-------------------------------------|--------------------|---|
| PFOS; 全氟辛烷磺酸; 全氟辛基磺酸钾 | PFOS; Perfluorooctane sulfonates | e. g. 2795-39-3 | <chem>C8F17SO2X</chem> (X=羟基, 金属盐, 卤化物, 氨基, 及包括聚合物在内的其他衍生物。) |

② 主要用途等

- 防水剂、防油剂
- 业务用相片胶卷
- 半导体用保护剂
- 蚀刻剂
- 电镀用的表面处理剂、其调制添加剂
- 半导体制造用反射防止剂
- 研磨剂
- 灭火器、灭火器用灭火药剂及泡灭火药剂
- 防虫剂
- 印画纸

根据著作权法，严禁擅自复制、转载。

●三取代基有机锡化合物(包括三丁基锡化合物(TBT)、三苯基锡化合物(TPT))

① 所属物质的例子

金属锡、锡合金、电镀锡、锡的无机化合物也不属于此类。

所属物质的例子如下所示。

| 中文名称 (通称、简称、化学名称等) | 英文名称 | CAS 号码 | 化学分子式 |
|--------------------------------------|--|---|---------------------------------------|
| 三正丁基溴化锡 | Tributyltin bromide | 1461-23-0 | $(C_4H_9)_3SnBr$ |
| 三丁基氧化锡(TBTO)； 双三丁基氧化锡 | Tributyltin oxide; Bis(tributyltin)oxide; Distannoxane, hexabutyl- | 56-35-9 | $C_{24}H_{54}OSn_2$ |
| 三苯基锡 | Triphenyltin | 668-34-8 | $(C_6H_5)_3Sn$ |
| 三苯基氯化锡；氯化三苯基锡 | Triphenyltin chloride; Fentin chloride; Stannane, chlorotriphenyl- | 639-58-7 | $(C_6H_5)_3SnCl$ |
| 三苯基羟基锡；三苯基氢氧化锡 | Triphenyltin Hydroxide; Fentin hydroxide; Stannane, Bydroxytriphenyl- | 76-87-9 | $(C_6H_5)_3SnOH$ |
| 三苯基锡=N,N'-二甲基二硫代氨基甲酸酯；二甲基二硫代氨基甲酸三苯基锡 | Triphenyltin N,N'-dimethyldithiocarbamate; Stannane, [(dimethylamino)thiomethyl]thio]triphenyl- | 1803-12-9 | $(C_6H_5)_3Sn(CH_3)_2NCS_2$ |
| 三苯基氟化锡 | Triphenyltin fluoride; Fentin fluoride | 379-52-2 | $(C_6H_5)_3SnF$ |
| 三苯基锡醋酸盐；醋酸三苯基锡； 三苯基乙酸锡 | Triphenyltin acetate; Fentin acetate; Stannane, (acetyloxy)triphenyl- | 900-95-8 | $(C_6H_5)_3SnOCOCH_3$ |
| 三苯基锡脂肪酸盐(仅限于脂肪酸的碳原子数为9、10或11之物) | Triphenyltin fatty acid salts | 18380-71-7; 18380-72-8; 47672-31-1; 94850-90-5 | |
| 三苯基锡氯代乙酸盐；三苯基锡氯代醋酸盐 | Triphenyltin chloroacetate; (chloroacetoxy) triphenylstannane | 7094-94-2 | $(C_6H_5)_3SnOCOCH_2Cl$ |
| 三丁基甲基丙烯酸锡(TBTM) | Tributyltin methacrylate; Tributyl(methacryloyloxy) stannane; Stannane, Tributyl [(2-methyl-1-oxo-2-propenyl) oxy]- | 2155-70-6 | $(C_4H_9)_3SnC_4H_5O_2$ |
| 双(三丁基锡)富马酸盐 | Bis(tributyltin) fumarate | 6454-35-9; 24291-45-0 | $C_2H_2(COO)_2$ $([C_4H_9)_3Sn)_2$ |
| 三丁基氟化锡 | Tributyltin fluoride | 1983-10-4; 7304-48-5 | $(C_4H_9)_3SnF$ |

根据著作权法，严禁擅自复制、转载。

| 中文名称 (通称、简称、化学名称等) | 英文名称 | CAS 号码 | 化学分子式 |
|---|--|---------------------------|---|
| 双(三丁基锡)2, 3-二溴丁二酸盐 | Bis(tributyltin)2, 3-dibromosuccinate | 31732-71-5; 56323-17-2 | ([C ₄ H ₉] ₃ Sn) ₂ C ₂ H ₂ (BR) ₂ (COO) ₂ |
| 乙酸三丁基锡; 醋酸三丁基锡 | Tributyltin acetate | 56-36-0 | (C ₄ H ₉) ₃ SnOCOCH ₃ |
| 月桂酸三丁基锡; 三丁基((1-氧代十二烷基)氧)锡 | Tributyltin laurate; Tributyl(lauroyloxy)stannane | 3090-36-6 | (C ₄ H ₉) ₃ SnC ₁₂ H ₂₃ O ₂ |
| 双(三丁基锡)苯二甲酸盐; 三丁基锡苯二甲酸盐 | Bis(tributyltin)phthalate; [(Phthaloylbis(oxy)]bis(tributylstannane) | 4782-29-0 | (C ₆ H ₄) ₂ (COO) ₂ ([C ₄ H ₉] ₃ Sn) ₂ |
| 三丁基锡磺酸盐 | Tributyltin sulfamate; Stannane, [(aminosulfonyl)oxy]tributyl- | 6517-25-5 | (C ₄ H ₉) ₃ SnSO ₃ NH ₂ |
| 双(三丁基锡)马来酸盐 | Bis(tributyltin) maleate | 14275-57-1; 24291-45-0 | C ₂₈ H ₅₆ O ₄ Sn ₂ |
| 三丁基氯化锡 | Tributyltin chloride; Tributylchlorostannane; Stannane, tributylchloro- | 1461-22-9; 7342-38-3 | (C ₄ H ₉) ₃ SnCl |
| 三丁基锡环烷酸锡和其异构体的混合物; 萍酸三丁基锡; 三丁基环烷酸锡(TBTN) | Mixture of tributyltin cyclopentanecarboxylate and its analogs; Stannane, tributyl-, mono(naphthenoyloxy)Derives.; Tributyltin naphthenate | 85409-17-2 | |
| 1, 2, 3, 4, 4a, 4b, 5, 6, 10, 10a-十氢-7-异丙基-1, 4a-二甲基-1-菲甲酸甲酯三丁基锡和其异构体的混合物 ; 三丁基锡松香盐 | Mixture of tributyltin 1, 2, 3, 4, 4a, 4b, 5, 6, 10, 10a-decahydro-7-isopropyl-1, 4a-dimethyl-1-phenanthlenecarboxylate and its analogs; Tributyltin rosin salt | 26239-64-5 | C ₃₂ H ₅₆ O ₂ Sn |
| 丙烯酸辛酯, 甲基丙烯酸甲酯和甲基丙烯酸三丁基锡酯的共聚物(烷基=丙烯酸盐的碳原子数限定为8个); | Octyl acrylate-Methyl methacrylate-Tributyltin methacrylate copolymer (alkyl; C=8) | 67772-01-4 | |

(2) 主要用途等

- 涂料、油墨
- 防腐剂、防霉剂、杀菌剂

根据著作权法，严禁擅自复制、转载。

●二丁基锡化合物(DBT)

① 所属物质的例子

金属锡、锡合金、电镀锡、锡的无机化合物也不属于此类。

| 中文名称 (通称、简称、化学名称等) | 英文名称 | CAS 号码 | 化学分子式 |
|---|---|-----------|---|
| 氧化二丁基锡; 二丁基氧化锡 | Dibutyltin oxide; Stannane, dibutyloxo- | 818-08-6 | C ₈ H ₁₈ OSn |
| 二丁基二氯化锡; 二氯二丁基锡 | Dibutyltin dichloride; Stannane, dibutyl dichloro- | 683-18-1 | C ₈ H ₁₈ Cl ₂ Sn |
| 二月桂酸二丁基锡; 二丁基二月桂酸锡 | Dibutyltin dilaurate; Stannane, dibutyl bis [(1-oxododecyl)oxy]- | 77-58-7 | C ₃₂ H ₆₄ O ₄ Sn |
| 二丁基二异辛酸锡; (Z,Z)-8,8-二丁基-3,6,10-三氧代-1-苯基-2,7,9-三氧杂-8-锡杂十三烷-4,11-二烯-13-酸苯基甲酯 | Dibutyltin bis(benzyl maleate); Benzyl (Z,Z)-8,8-dibutyl-3,6,10-trioxa-1-phenyl-2,7,9-trioxa-8-stannatrideca-4,11-dien-13-oate | 7324-74-5 | C ₃₀ H ₃₆ O ₈ Sn |
| 马来酸二丁基锡马来酸二丁基锡; 2,2-二丁基-1,3,2-二氧杂锡卓-4,7-二酮 | Dibutyltin maleate; 2,2-Dibutyl-1,3,2-dioxastanne pin-4,7-dione | 78-04-6 | C ₁₂ H ₂₀ O ₄ Sn |
| 二乙酸二丁基锡; 二醋酸二丁基锡 | Dibutyltin diacetate; Diacetic acid dibutyltin salt | 1067-33-0 | C ₁₂ H ₂₄ O ₄ Sn |

② 主要用途等

- 安定剂·氧化防止剂等的塑料添加剂
- 触媒

根据著作权法，严禁擅自复制、转载。

●二辛基锡有机锡化合物(DOT)

① 所属物质的例子

金属锡、锡合金、电镀锡、锡的无机化合物也不属于此类。

| 中文名称 (通称、简称、化学名称等) | 英文名称 | CAS 号码 | 化学分子式 |
|---|--|------------|--|
| 氧化二辛基锡 | Dioctyltin oxide | 870-08-6 | C ₁₆ H ₃₄ OSn |
| 二辛基二氯化锡； 氢化锡，二氯二辛基 | Dioctyltin dichloride; Stannane, dichlorodioctyl- | 3542-36-7 | C ₁₆ H ₃₄ Cl ₂ Sn |
| 马来酸酯辛基锡； 2,2-辛基 1,3,2-二氧锡杂卓 -4,7-二酮； | Dioctyltin maleate; 2,2-Dioctyl-1,3,2-dioxastann epin-4,7-dione | 16091-18-2 | C ₂₀ H ₃₆ O ₄ Sn |
| 巯基乙酸异辛酯二正辛基锡； 2,2'-[(二辛基亚锡)双(硫代)] 双乙酸二异辛酯 | Di(n-octyl) tin bis(isooctylthioglycolate) ; Diisooctyl 2,2' -[(dioctylstannylene)bis (thio)]diacetate | 26401-97-8 | C ₃₆ H ₇₂ O ₄ S ₂ Sn |
| 二月桂酸二正辛基锡； 二月桂酸二辛基锡； 二辛基双[(1-氧代十二烷基)氧]锡 | Dioctyltin dilaurates (DOTL) ; Dioctylbis[(1-oxododecyl)oxy] stannane | 3648-18-8 | C ₄₀ H ₈₀ O ₄ Sn |

② 主要用途等

- 安定剂原料
- 安定剂·氧化防止剂等的塑料添加剂
- 触媒

●氧化铍

① 所属物质的例子

| 中文名称 (通称、简称、化学名称等) | 英文名称 | CAS 号码 | 化学分子式 |
|-----------------------|-----------------|--------------------|-------|
| 氧化铍 | Beryllium oxide | e. g. 1304-56-9 | BeO |

② 主要用途等

- 散热片

●二氯化钴

① 所属物质的例子

| 中文名称 (通称、简称、化学名称等) | 英文名称 | CAS 号码 | 化学分子式 |
|-----------------------|-------------------|-----------|-------------------|
| 二氯化钴 | Cobalt dichloride | 7646-79-9 | CoCl ₂ |

② 主要用途等

- 干燥剂(硅胶等)的湿度指示剂

●石棉

① 所属物质的例子

| 中文名称 (通称、简称、化学名称等) | 英文名称 | CAS 号码 | 化学分子式 |
|-----------------------|---------------|---|---|
| 石棉(总称) | Asbestos | 1332-21-4; 132207-32-0; 132207-33-1 | |
| 蓝石棉 | Crocidolite | 12001-28-4 | Na ₂ Fe ₅ (Si ₈ O ₂₂)(OH) ₂ |
| 温石棉 | Chrysotile | 12001-29-5 | Mg ₃ Si ₂ O ₅ (OH) ₄ |
| 铁石棉 | Amosite | 12172-73-5 | (Mg, Fe) ₇ Si ₈ O ₂₂ (OH) ₂ |
| 直闪石 | Anthophyllite | 77536-67-5 | (Mg, Fe) ₇ Si ₈ O ₂₂ (OH) ₂ |
| 透闪石 | Tremolite | 77536-68-6 | Ca ₂ Mg ₅ Si ₈ O ₂₂ (OH) ₂ |
| 阳起石 | Actinolite | 77536-66-4 | Ca ₂ (Mg, Fe) ₅ Si ₈ O ₂₂ (OH) ₂ |

② 主要用途等

- 绝缘材料、填充材料

●甲醛

① 所属物质的例子

| 中文名称 (通称、简称、化学名称等) | 英文名称 | CAS 号码 | 化学分子式 |
|-----------------------|---|---------|-------------------|
| 甲醛(单体); 福尔马林 | Formaldehyde; formalin; formic aldehyde; formol | 50-00-0 | CH ₂ O |

② 主要用途等

- 防腐剂
- 单体(如, 酚醛树脂、三聚氰胺树脂和聚甲醛(POM)等)

根据著作权法, 严禁擅自复制、转载。

● 特定苯并三唑

① 所属物质的例子

| 中文名称 (通称、简称、化学名称等) | 英文名称 | CAS 号码 | 化学分子式 |
|---|---|-----------|--|
| 2-(2' 氢 -1, 2, 3- 苯 并 三 喹 -2- 基)-4, 6-双叔丁基苯酚; | 2-(3', 5' -Di-tert-butyl-2' -hydroxyphenyl)benzotriazole; | 3846-71-7 | C ₂₀ H ₂₅ N ₃ O |
| 2-(2' -羟 基 -3', 5' -二 叔 丁 基 苯 基)-苯 并 三 喹; | 2-(2' -Hydroxy-3', 5' -di-tert-butylphenyl)benzotriazole; | | |
| 2-(2H)-苯 并 三 氮 喹 -2- 基)-4, 6- 双(1, 1-二 甲 基 乙 基) 苯 酚 | Phenol, 2-(2H-benzotriazol-2-yl)-4, 6-bis(1, 1-dimethylethyl)- | | |

② 主要用途等

- 紫外线防护剂、紫外线吸收剂

● 富马酸二甲酯(DMF)

① 所属物质的例子

| 中文名称 (通称、简称、化学名称等) | 英文名称 | CAS 号码 | 化学分子式 |
|-----------------------|-------------------|----------|--|
| 富马酸二甲酯 | Dimethyl fumarate | 624-49-7 | C ₆ H ₈ O ₄ |

② 主要用途等

- 防腐剂、干燥剂

根据著作权法，严禁擅自复制、转载。

3. 各物质收货禁止时期的变更履历

| 物质名称：镉以及镉化合物 | |
|---|--|
| 对象 | 禁止收货时期 |
| <ul style="list-style-type: none"> • 包装零部件和材料(参照 4.2.1 的内容) • 塑料(包括橡胶)材料中含有的稳定剂、颜料、染料(电器配线的绝缘体、遥控指挥器- 键、扎线带(cable tie)、电子元器件的外装树脂、外框(机壳)、标签、记录盘等) • 涂料、油墨 • 表面处理(电镀、无电解电镀等)、涂层 • 照片胶卷 • 日光灯(小型日光灯、直管日光灯) <p>「2级」和「适用对象外」以外的所有用途。 例如，</p> <ul style="list-style-type: none"> • 直流电动机、开关、继电器、断路器等电气接点 • 温度保险丝的可熔体 • 玻璃以及玻璃涂料的颜料、染料(用于玻璃的颜料、染料以及玻璃用涂料) • 焊料(镉含量大于 20 ppm 的焊料) • 荧光显示装置中含有的荧光体、CdS(硫化镉)光敏传感器 • 电阻(玻璃粉) <p>等</p> | 从第1版发行时开始 |
| <ul style="list-style-type: none"> • 含锌金属(黄铜、熔融镀锌等)，其镉含量超过 100 ppm 的部件 • 光学玻璃 | <p>从 2005 年 1 月 1 日开始</p> <p>从 2005 年 10 月 1 日开始</p> <p>从 2010 年 6 月 1 日开始</p> |

根据著作权法，严禁擅自复制、转载。

| 物质名称：铅以及铅化合物 | |
|--|--------------------|
| 对象 | 禁止收货时期 |
| <ul style="list-style-type: none"> 包装零部件和材料(参照 4.2.1 的内容) 用于印刷线路板中的含铅涂料与油墨 | 从第 1 版发行时开始 |
| <ul style="list-style-type: none"> 零部件的外部电极、引线端子等的表面处理(例如，电气零部件、半导体器件、散热片等) AC 适配器、电源线、连接电缆、遥控指挥器、鼠标、机器的外露部位所使用的塑料(包括橡胶)材料中含有的稳定剂、颜料、染料 用于机器的外露部位的涂料、油墨 | 从 2004 年 4 月 1 日开始 |
| <p>「2、3 级」和「适用对象外」以外的所有用途 例如，</p> <ul style="list-style-type: none"> 零部件的外部电极、引线端子等的表面处理，内藏在 AC 适配器、遥控器、半导体器件等中的零部件 对于铅的重量百分比小于 85wt% 的含铅焊锡，其铅的含有量超过 1000 ppm 的焊料。 超过允许浓度^(*1)的各种合金(包括焊锡材料)。 AC 适配器、电源线、连接电缆、遥控器、鼠标、机器的外露部位以外使用的塑料(包括橡胶)材料中含有的稳定剂、颜料、染料。 用于机器的外露部位以外的涂料、油墨。 | 从 2005 年 1 月 1 日开始 |
| <p>等</p> <ul style="list-style-type: none"> 在无电解镀镍、无电解镀金等的无电解电镀皮膜中的铅含量超过 1000 ppm 的皮膜。 「适用对象外」以外的所有用途的玻璃。 用于焊接微处理器端子和器件封装的焊料，该焊料是由 2 种以上的元素所组成，其铅元素的含量大于 80 wt% 而小于 85 wt%。 | 从 2006 年 2 月 1 日开始 |
| <ul style="list-style-type: none"> 低于 125 V AC 或 250 V DC 额定电压的电容器上的介电陶瓷 | 从 2010 年 6 月 1 日开始 |
| <ul style="list-style-type: none"> EU 指令 69/493/EEC 附录 I(分类 1、2、3 和 4) 中定义的水晶玻璃 | 从 2012 年 1 月 1 日开始 |
| | 从 2012 年 4 月 1 日开始 |

(*1) 各种合金的含铅允许浓度

| 合金的种类 | 含铅允许浓度 |
|--------------------|------------|
| 钢材 | ≤ 0.35 wt% |
| 铝合金 | ≤ 0.4 wt% |
| 铜合金(也包括铸铜、磷青铜) | ≤ 4 wt% |
| 焊料 ^(*2) | ≤ 1000 ppm |

| 物质名称：汞以及汞化合物 | |
|--|--------------------|
| 对象 | 禁止收货时期 |
| <ul style="list-style-type: none"> 包装零部件和材料(参照 4.2.1 的内容) 涂料、油墨 计时器 接点中使用汞的继电器、开关、传感器 塑料中的调和剂 | 从第 1 版发行时开始 |
| <ul style="list-style-type: none"> 「2 级」和「适用对象外」以外的所有用途。 | 从 2005 年 1 月 1 日开始 |
| <ul style="list-style-type: none"> 冷阴极荧光灯管(CCFL) 及外置电极荧光灯(EEFL)： 长度在 500 mm 以下的：且每支汞的含量大于 3.5 mg 而小于 5 mg 的产品。 | 从 2011 年 1 月 1 日开始 |

根据著作权法，严禁擅自复制、转载。

| 物质名称：六价铬化合物 | |
|--|--------------|
| 对象 | 禁止收货时期 |
| • 包装零部件和材料(参照4.2.1的内容) | 从第1版发行时开始 |
| • 包含在零部件和材料成分中的涂料、油墨以及其他添加剂等 | 从2005年1月1日开始 |
| • 在电镀、化学转化处理等的表面处理(螺丝、钢板等)过程中，残留在被处理部位的本物质 | |

| 物质名称：多溴联苯(PBB) | |
|------------------|-----------|
| 对象 | 禁止收货时期 |
| • 用于塑料的阻燃剂等的所有用途 | 从第1版发行时开始 |

| 物质名称：包含十溴联苯醚(DecaBDE)的多溴联苯醚(PBDE) | |
|--|--------------|
| 对象 | 禁止收货时期 |
| • 用于塑料的阻燃剂等的所有用途 | 从第1版发行时开始 |
| • 使用2002年12月以前启用的模具所制造的零部件(限定为：出口欧洲以外国家的电视、显示器的框体) | 从2005年1月1日开始 |
| 但是，2003年1月以后启用的模具零部件中禁止使用本项物质 | |

| 物质名称：多氯联苯(PCB)、多氯化萘(PCN)、多氯三联苯(PCT) | |
|-------------------------------------|-----------|
| 对象 | 禁止收货时期 |
| • 油浸变压器、电容器、绝缘油、润滑油、塑料用的阻燃剂等的所有用途 | 从第1版发行时开始 |

| 物质名称：短链型氯代烷烃(SCCP) | |
|-------------------------------|--------------|
| 对象为「碳链长为10—13的短链型氯代烷烃」 | |
| 对象 | 禁止收货时期 |
| • 用于包括附件在内的产品外框(机壳)、印刷线路板的用途时 | 从第1版发行时开始 |
| • 上述以外的所有用途 | 从2006年2月1日开始 |

| 物质名称：聚氯乙烯(PVC)以及聚氯乙烯混合物 | |
|--|--------------|
| 对象 | 禁止收货时期 |
| • 非接触IC卡(FeLiCa)用基材 | 开始生产时就未使用 |
| • 电脑、数码相机、摄像机、便携式多媒体播放器等所使用的配件背包、专用携带配件盒、配件腰包的材料和涂装剂(但是，业务用除外) | 从第1版发行时开始 |
| • 捆绑附件、连接电源线的扎线带(cable tie) | 从2002年7月1日开始 |
| • 产品以及与产品一同包装的附件等使用的包装零部件和材料(袋、胶带(adhesive tape)、纸箱、泡罩包装等) | 从2005年1月1日开始 |
| • 热收缩软管 | 从2005年4月1日开始 |
| • 扁型软电线(FFC) | 从2007年4月1日开始 |
| • 木制扬声器外装部分采用的片材(Sheet)、层压板 | |
| • 绝缘板、装饰板、标签、片材(例如，绝缘Sheet、保护膜等)、层压板 | |
| • 安装车用机器(In-vehicle product)的吸盘 | 从2010年4月1日开始 |

| 物质名称：氢氟碳化合物(HFC)、全氟化碳(PFC) | |
|----------------------------|--------------|
| 对象 | 禁止收货时期 |
| • 用于制冷剂、隔热材料等的所有用途 | 从2008年4月1日开始 |

根据著作权法，严禁擅自复制、转载。

| | |
|--|-------------|
| 物质名称: 臭氧层破坏物质(ODS) | |
| 表 4.2d 的物质(注) | |
| 对象 | 禁止收货时期 |
| • 用于制冷剂、隔热材料等产品的所有用途 • 使用 ODS 实施清洗加工、发泡加工等的零部件和材料 | 从第 1 版发行时开始 |

(注) 表 4.2 d 的 CAS No. 165-97-7 修改为正确的 CAS No. 2354-06-5

| | |
|---|--|
| 物质名称: 全氟辛烷磺酸(及其盐)(PFOS) | |
| 对象 | 禁止收货时期 |
| • 针对零部件中所使用的材料, PFOS 浓度要在 0.1 wt% 以上的材料 • 针对纤维或其他被覆盖的材料, 各个被覆盖材料的 PFOS 的量要为 $1\mu\text{g}/\text{m}^2$ 以上的 • 适用对象外(商业用的相片胶卷、半导体用的记录器)以外的所有用途 | 从 2008 年 4 月 1 日开始 从 2010 年 4 月 1 日开始 |

| | |
|---|-------------|
| 物质名称: 三取代基有机锡化合物 (包括三丁基锡化合物(TBT)、三苯基锡化合物(TPT)) | |
| 对象中不包括金属锡、锡合金、锡电镀、锡无机化合物。 | |
| 对象 | 禁止收货时期 |
| • 用于涂料、油墨、防腐剂、防霉剂等的所有用途 | 从第 1 版发行时开始 |

| | | |
|----------------------------|---|------------------------|
| 物质名称: 二丁基锡化合物(DBT) | | |
| 对象中不包括金属锡、锡合金、锡电镀、锡无机化合物。 | | |
| 对象 | 标准/界限值水准 | 禁止收货时期 |
| • 在塑料中的添加物等所有用途 (2 级除外) | • 材料中, 锡含有超过 1000 ppm (0.1 wt%) (材料里锡的换算超过 1000 ppm 的含有) | 从 2011 年 7 月 1 日开 始 |

| | | |
|---------------------------|---|------------------------|
| 物质名称: 二辛基锡化合物(DOT) | | |
| 对象中不包括金属锡、锡合金、锡电镀、锡无机化合物。 | | |
| 对象 | 标准/界限值水准 | 禁止收货时期 |
| • 纤维、布料中的添加剂 | • 材料中, 锡含有超过 1000 ppm (0.1 wt%) (材料里锡的换算超过 1000 ppm 的含有) | 从 2011 年 7 月 1 日开 始 |

| | | |
|-----------|--|--------------------|
| 物质名称: 氧化铍 | | |
| 对象 | | 禁止收货时期 |
| • 所有用途 | | 从 2008 年 4 月 1 日开始 |

根据著作权法, 严禁擅自复制、转载。

| | | |
|---|--------------------|--|
| 物质名称：二氯化钴 | | |
| 对象 | 禁止收货时期 | |
| • 用于干燥剂(硅胶等)中的湿度指示剂 | 从 2009 年 4 月 1 日开始 | |
| • 湿度指示剂(湿度显示卡) (注) 所指的湿度指示剂，是将二氯化钴浸渍到纸等里面的吸湿类型 | 从 2011 年 4 月 1 日开始 | |

| | | |
|------------------|-------------|--|
| 物质名称：石棉 | | |
| 对象 | 禁止收货时期 | |
| • 用于绝缘材、填料等的所有用途 | 从第 1 版发行时开始 | |

| | | |
|---|-------------|--|
| 物质名称：特定偶氮化合物 | | |
| 对象为：REACH 规则 (EC) No 1907/2006 • 附件 XVII 中引用的试验法进行分解，生成表 4.2b 特定胺化合物的偶氮化合物，和 4.2b 的特定胺化合物 | | |
| 对象 | 禁止收货时期 | |
| • 与人体持续接触的产品，其接触人体部位(入耳式耳机、头戴式耳机、肩包的肩垫、皮带、绳索等)所使用的颜料 | 从第 1 版发行时开始 | |

| | | |
|--|--------------------|--|
| 物质名称：甲醛 | | |
| 对象 | 禁止收货时期 | |
| • 出口欧洲的产品中使用的纤维板(Fiberboard)、刨花板(particleboard)，以及使用胶合板的木制品(例如，扬声器、机架等) | 从第 1 版发行时开始 | |
| • 非出口欧洲的产品中使用的纤维板(Fiberboard)、刨花板(particleboard)，以及使用胶合板的木制品(例如，扬声器、机架等) | 从 2005 年 1 月 1 日开始 | |

| | | |
|--|--------------------|--|
| 物质名称：特定苯并三氮唑 | | |
| 对象为「2-(3',5'-二叔丁基-2'-羟基苯基)苯并三唑(CAS No. 3846-71-7)」 | | |
| 对象 | 禁止收货时期 | |
| 用于以下产品中作为紫外线防护剂、紫外线吸收剂用途 | 从 2008 年 4 月 1 日开始 | |
| • 装饰性层压板 • 印相纸(照相纸) • 成型塑料产品 • 眼镜的镜片、镜框 | | |
| | 从 2011 年 4 月 1 日开始 | |

| | | |
|-----------------------|--------------------|--|
| 物质名称：富马酸二甲酯(DMF) | | |
| 对象为 CAS No. 624-49-7。 | | |
| 对象 | 禁止收货时期 | |
| • 防霉剂、干燥剂等的所有用途 | 从 2010 年 4 月 1 日开始 | |

根据著作权法，严禁擅自复制、转载。

(注意事项)

有时可能在未公告的情况下，对索尼技术标准 SS-00259 零部件和材料中的环境管理物质 管理规定进行内容的修订或修改。

零部件和材料中的环境管理物质 管理规定

(SS-00259 第 13 版一般公开版)

发行日：2014 年 04 月 01 日

发行 : 索尼株式会社
索尼技术标准事务局

根据著作权法，严禁擅自复制、转载。